

R[®] |  Gollinucci
Daniele

REXSITT

Prislista för arbetsstolar januari 2024 i SEK exkl. moms

SENAB

Färgmarkeringar och/eller symboler för hållbara alternativ i prislistan:

Mörkgrön markering eller symbol

Miljömärkt produkt – Möbler där hela den sammansatta varan har en typ 1 miljömärkning enligt ISO 14024 med Svanen, Möbelfakta, EU Ecolabel eller annan likvärdig märkning.

Ljusgrön markering eller symbol

Hållbarhetsmärkt produkt eller beståndsdel – Möbler där hela eller delar av den sammansatta varan är hållbarhetsmärkt, exempelvis med FSC, EU Ecolabel eller OEKO-TEX®. Leverantören ska kunna ge mer detaljerad information om vilka delar eller variationer som är hållbarhetsmärka vid begäran.

Orange markering eller symbol

Klimatberäknad produkt – Produkt med dokumenterad miljövarudeklaration (EPD) enligt ISO 14025.

Lila markering eller symbol

Produkt med återvunnet eller förnybart material (enligt definitionerna i ISO 14021). Leverantören ska kunna ge information om andel (%) återvunnet och/eller förnybart (biobaserat) vid begäran. Märkning av återvinningsbart material utgår.

Blå markering eller symbol

Demonterbar produkt – Produkt som är demonterbar till olika komponenter och beståndsdelar som i första hand möjliggör återbruk och i andra hand materialåtervinning när produkten nått sin fulla livslängd. Produkten ska vara designad för renovering, det vill säga att det ska vara enkelt att reparera och byta ut moduler, komponenter och beståndsdelar som slits över tid. Exempelvis ska ytskikt, som bordsskivor, textil och stoppning kunna tas isär, avlägsnas och ersättas med hjälp av vanligt förekommande manuella verktyg, ej specialverktyg. Enklare reparationer och utbytesarbeten ska kunna utföras av en lekman. Om det krävs fackmanakunskap för mer avancerade arbeten ska det framgå av anvisningarna som leverantören ska kunna ge vid begäran. Anvisningarna ska innehålla en sprängskiss, steg för steg beskrivning inklusive vilka verktyg som krävs samt hur möbelns ingående delar bör källsorteras.

REXSITT



Elika

REXSITT

5
YEARS OF
WARRANTY



SEAT STRUCTURE Ergonomic inner in fiberglass polypropylene reinforced with internal bars. Covering in injected polypropylene (30/10 thickness) hooked to the support by means of clips and screws.

BACKREST STRUCTURE Support reinforced with fiberglass.

SEAT PADDING In cold injected polyurethane foam, CFC-free, density 40 ELAST kg/m³, 50 mm thick.

SEAT UPHOLSTERY Leatherette/ Fabric stitched and fixed to the support.

BACKREST UPHOLSTERY High resistance 100% polyester elastic mesh

SEAT/BACK SUPPORT 7 mm thick glass fiber reinforced nylon support

MECHANISM SYNCRODYNAMIC SYNCRON B-REX synchron mechanism, lockable in 4 positions, with anti-shock system and body weight tension adjustment.

SEAT HEIGHT ADJUSTMENT Through a class 3 gas lift with 120 mm stroke, complying with DIN 4550/4551 standards.

SEAT DEPTH ADJUSTMENT (optional) Through push button with forward movement, stroke 70 mm.

LUMBAR SUPPORT ADJUSTMENT (optional) 65 mm stroke, manually lockable in all positions.

HEADREST (optional) Polypropylene fixed structure, upholstered in fabric or leatherette.

ARMRESTS (optional)

BASE 5-star base in nylon (fiberglass reinforced), Ø 700 mm.

OPTIONAL BASE 5-star polished aluminium base (chromed effect) Ø 700 mm

CASTORS Polypropylene self-braking double castors, complying with EN1335-2 standard, preventing any accidental movement of the chair, Ø 50 mm.

OPTIONAL CASTORS Grey rubber coated black nylon soft castors Ø 50 mm for hard and wooden floors.

ELIKA ELKA15



Model	Seat sliding	Armrests	Optional	Base	Castors	Seat Colour	Backrest Colour
ELKA15			SLR	SN	1		

SEAT UPHOLSTERY

Gabriel Atlantic

OPTIONAL

Seat sliding mechanism

Y

ARMRESTS

No armrests

standard

Height adjustable black nylon armrests 1D

BR1E

Height adjustable nylon armrests polyurethane PAD 1D

BR1R

Height adjustable nylon armrests forward/backward movement with polyurethane PAD 2D

BR2R

OPTIONAL

Adjustable lumbar support

SLR

standard

Fixed headrest in fabric

AT

BASE

Black base

SN

standard

Polished aluminium base

SC

CASTORS

Nylon castors Ø 50

1

standard

Soft castors Ø 50

2

BACKREST


Gabriel Runner

AT



DIMENSIONS

		Min	Max
A	Seat height	420 mm	550 mm
B	Total height	1010 mm	1140 mm
C	Seat width	495 mm	
D	Max total width	700 mm	
E	Seat depth	455 mm	
F	Total depth	700 mm	
G	Backrest height	600 mm	
G1	Backrest height adjustment	65 mm	
H	Backrest width	480 mm	
I1	Seat depth adjustment	50 mm	
M	Armrest height adjustment	600 mm	660 mm



WEIGHT

Without armrests

12,50

Kg

With armrests

14,70

Kg

Quantity per pallet: 10

VOLUME

Without armrests

0,19 m³

With armrests

0,24 m³

För priser + info om färger, tyg m.m. se i slutet av dokumentet

 Gollinucci
Daniele

LEVANTE



10
YEARS OF
WARRANTY

EN 1335



SEAT STRUCTURE Support interior in thick wood. 10mm with nylon edge. Covering shell in injected polypropylene (30/10 thickness) hooked to the support by means of clips and screws.

BACKREST STRUCTURE Support in fiberglass reinforced black nylon.

SEAT PADDING In moulded polyurethane foam, cold injected, CFC-free, density 55 kg/m³, thickness 70 mm.

SEAT UPHOLSTERY Simil-leather / Fabric stitched and mounted to the load-bearing support.

BACKREST UPHOLSTERY High resistance 100% polyester elastic net.

SEAT/BACK SUPPORT 7 mm thick glass fiber reinforced black nylon support

MECHANISM SYNCRO DYNAMIC SYNCRON B-REX synchron mechanism, lockable in 4 positions, with anti-shock system and body weight tension adjustment.

SEAT HEIGHT ADJUSTMENT Through a class 4 gas lift with 120 mm stroke, complying with DIN 4550/4551 standards.

SEAT DEPTH ADJUSTMENT (optional) Through push button with forward movement, stroke 70 mm.

LUMBAR SUPPORT ADJUSTMENT Manually 65 mm stroke lockable in all positions.

HEADREST (optional) Height and width adjustable, reclining black polypropylene structure. Upholstered in fabric or simil-leather.

ARMRESTS (optional)

BASE 5-star base in black nylon (fiberglass reinforced), Ø 700 mm.

OPTIONAL BASE 5-star base in brushed aluminium (with chromium plated effect) Ø 700 mm.

CASTORS Polypropylene self-braking double castors, complying with EN1335-2 standard, preventing any accidental movement of the chair, Ø 65 mm.

LEVANTE LEVA 15N



Collection	Type	Mechanism	Armrests	Optional	Base	Castors
LEVA	15N			SLRN	PSN	1

SEAT UPHOLSTERY

Gabriel Atlantic

No armrests	standard
Height/forward/backward/right/left adjustable metal armrests supplied with black nylon PAD 3D	BR3N
Height adjustable brushed aluminium 3D armrests with soft sliding PU pad	BR3C
2D height-adjustable nylon armrest with translating top in soft PU	BR2R

OPTIONAL

Black adjustable lumbar support	SLRN	standard
Seat sliding mechanism	Y	
Height adjustable pivoting headrest in leather or fabric	ATLEN	

BASE

Black base	PSN	standard
Polished aluminium base	SC	

CASTORS


Self-braking black nylon castors – diam.65 mm	1	standard
Soft rubber-coated black nylon castors–diam. 65 mm	2	

BACKREST

Gabriel Runner

A	Seat height	Mini	420 mm
		Maxi	540 mm
B	Total height	Mini	1050 mm
		Maxi	1170 mm
C	Seat width		510 mm
D	Maximum width		700 mm
E	Seat depth		460 mm
F	Total depth		700 mm
G	Backrest height		650 mm
G1	Lumbar support adjustment		65 mm
H	Backrest width		485 mm
I1	Seat Depth adjustment		70 mm
M	Armrest height adjustment	Mini	600 mm
		Maxi	700 mm

ATLEN



WEIGHT

Without armrests 12,00 Kg
With armrests 14,20 Kg

VOLUME

Without armrests 0,19 m³
With armrests 0,24 m³

Quantity per Box N°1

För priser + info om färger, tyg m.m. se i slutet av dokumentet



10
YEARS OF
WARRANTY

EN 1335



SEAT STRUCTURE Support interior in thick wood. 10mm with nylon edge. Covering shell in injected polypropylene (30/10 thickness) hooked to the support by means of clips and screws.

BACKREST STRUCTURE Support in fiberglass reinforced black nylon.

SEAT PADDING In moulded polyurethane foam, cold injected, CFC-free, density 55 kg/m³, thickness 70 mm.

SEAT UPHOLSTERY Symil-leather / Fabric stiched and mounted to the load-bearing support.

BACKREST UPHOLSTERY High resistance 100% polyester elastic net.

SEAT/BACK SUPPORT 7 mm thick glass fiber reinforced black nylon support

MECHNISM SYNCRON SYNCRO RV-REX synchron mechanism, lockable in 5 positions, with anti-shock system and body weight tension adjustment, with knob easy-to-use.

SEAT HEIGHT ADJUSTMENT Through a class 3 gas lift with 120 mm stroke, complying with DIN 4550/4551 standards.

SEAT DEPTH ADJUSTMENT (optional) Through push button with forward movement, stroke 70 mm.

LUMBAR SUPPORT ADJUSTMENT Manually 65 mm stroke lockable in all positions.

HEADREST (optional) Height and width adjustable, reclining black polypropylene structure. Upholstered in fabric or symil-leather.

ARMRESTS (optional)

BASE 5-star base in black nylon (fiberglass reinforced), Ø 700 mm.

OPTIONAL BASE 5-star base in brushed aluminium (with chromium plated effect) Ø 700 mm.

CASTORS Polypropylene self-braking double castors, complying with EN1335-2 standard, preventing any accidental movement of the chair, Ø 65 mm.

Collection	Type	Mechanism	Armrests	Optional	Base	Castors
LEVA	20N			SLRN	PSN	1

SEAT UPHOLSTERY

Gabriel Atlantic

ARMRESTS

No armrests standard

Height/forward/backward/right/left adjustable metal armrests supplied with black nylon PAD 3D BR3N

Height adjustable brushed aluminium 3D armrests with soft sliding PU pad BR3C

2D height-adjustable nylon armrest with translating top in soft PU BR2R

OPTIONAL

Black adjustable lumbar support SLRN standard

Seat sliding mechanism Y

Height adjustable pivoting headrest in leather or fabric ATLEN

BASE

Black base PSN standard

Polished aluminium base SC

CASTORS


Self-braking black nylon castors – diam.65 mm 1 standard

Soft rubber-coated black nylon castors–diam. 65 mm 2

BACKREST

Gabriel Runner

ATLEN



WEIGHT

Without armrests 13,20 Kg
With armrests 15,40 Kg

VOLUME

Without armrests 0,19 m³
With armrests 0,24 m³

Quantity per Box N°1

A	Seat height	Mini	420 mm
		Maxi	540 mm
B	Total height	Mini	1050 mm
		Maxi	1170 mm
C	Seat width		510 mm
D	Maximum width		700 mm
E	Seat depth		460 mm
F	Total depth		700 mm
G	Backrest height		650 mm
G1	Lumbar support adjustment		65 mm
H	Backrest width		485 mm
I1	Seat Depth adjustment		70 mm
M	Armrest height adjustment	Mini	600 mm
		Maxi	700 mm

För priser + info om färger, tyg m.m. se i slutet av dokumentet

Armrests

Castors



BR1E



BR1R



BR2R



1 (Ø 65)



2 (Ø 65)

BR1E Height adjustable black nylon armrests 1D


BR1R Height adjustable nylon armrests polyurethane PAD 1D

BR2R Height adjustable nylon armrests forward/backward movement with polyurethane PAD 2D

BR3N Height/forward/backward/right/left adjustable metal armrests supplied with black nylon PAD 3D


BR3C Height adjustable brushed aluminium 3D armrests with soft sliding PU pad

1D




width adjustment

2D




width adjustment




height adjustment

3D



width adjustment



height adjustment



depth adjustment + rotatable PU pad by 30° to each side (in steps of 15° each)

Mesh – till rygg

RUNNER™




by Gabriel



RR08



RR10




RR11




RR23



RR25



RR28



RR34




RR56




RR61




RR64



RR63



RR65



RR89



RR99

Tyg – till sits

ATLANTIC




by Gabriel



Standard färg är svart men övriga färger kan fås beroende på volym.

Atlantic is available in 57 colours.



60999

Bruttopriser i SEK exkl. moms

		Elika	Levante	Levante
		15	15	20
		SEK	SEK	SEK
Grundpris för stol utan armstöd		3248	4025	4350
Tillägg för sitsdjupsjustering		244	348	348
Tillägg för armstöd				
	Utan armstöd	standard	standard	standard
	Justerbara 1D BR1E	371		
	Justerbara 1D med mjuk pad BR1R	394		
	Justerbara 2D med mjuk pad BR2R	406	406	406
	Justerbara 3D BR3N		847	847
	Justerbara 3D i borstad alu + mjuk pad BR3C		1694	1694
Justerbart svankstöd		standard	standard	standard
Tillägg för nackstöd				
	Nackstöd - fast	232		
	Nackstöd - justerbart		974	974
Kryss				
	Svart glasfiberförstärkt nylon	standard	standard	standard
	Tillägg för polerad aluminium	476	696	696
Hjul				
	För mjuka golv	standard	standard	standard
	Tillägg hjul för hårda golv	81	104	104
Mesh i ryggstöd	Runner / Gabriel			
Tyg i stis	Atlantic / Gabriel			