

## Price List **2024**



# SENAB

## Färgmarkeringar och/eller symboler för hållbara alternativ i prislistan:

### Mörkgrön markering eller symbol

Miljömärkt produkt – Möbler där hela den sammansatta varan har en typ 1 miljömärkning enligt ISO 14024 med Svanen, Möbelfakta, EU Ecolabel eller annan likvärdig märkning.

### Ljusgrön markering eller symbol

Hållbarhetsmärkt produkt eller beståndsdel – Möbler där hela eller delar av den sammansatta varan är hållbarhetsmärkt, exempelvis med FSC, EU Ecolabel eller OEKO-TEX®. Leverantören ska kunna ge mer detaljerad information om vilka delar eller variationer som är hållbarhetsmärka vid begäran.

### Orange markering eller symbol

Klimatberäknad produkt – Produkt med dokumenterad miljövarudeklaration (EPD) enligt ISO 14025.

### Lila markering eller symbol

Produkt med återvunnet eller förnybart material (enligt definitionerna i ISO 14021). Leverantören ska kunna ge information om andel (%) återvunnet och/eller förnybart (biobaserat) vid begäran. Märkning av återvinningsbart material utgår.

### Blå markering eller symbol

Demonterbar produkt – Produkt som är demonterbar till olika komponenter och beståndsdelar som i första hand möjliggör återbruk och i andra hand materialåtervinning när produkten nått sin fulla livslängd. Produkten ska vara designad för renovering, det vill säga att det ska vara enkelt att reparera och byta ut moduler, komponenter och beståndsdelar som slits över tid. Exempelvis ska ytskikt, som bordsskivor, textil och stoppning kunna tas isär, avlägsnas och ersättas med hjälp av vanligt förekommande manuella verktyg, ej specialverktyg. Enklare reparationer och utbytesarbeten ska kunna utföras av en lekman. Om det krävs fackmanakunskap för mer avancerade arbeten ska det framgå av anvisningarna som leverantören ska kunna ge vid begäran. Anvisningarna ska innehålla en sprängskiss, steg för steg beskrivning inklusive vilka verktyg som krävs samt hur möbelns ingående delar bör källsorteras.

## Whole range

### General information

Sales prices for dealers.

Recommended retail prices.

Without VAT.

You can find the terms and conditions at [wilkhahn.com](http://wilkhahn.com).

Subject to change.

Wilkhahn's quality management system is certified to DIN EN ISO 9001 and its environmental management system to DIN EN ISO 14001 FF.

We reserve the right to make changes to models shown or described. Changes resulting from product improvements or technical advances are not considered justified grounds for complaint.

In addition to standard versions of the table ranges, a variety of customized options are available. Forms, dimensions, surfaces and prices on request.

Additional elements: Left or right always refers to the direction sat in.


### Surfaces


Veneered table tops and wood frames on seating are always protected with clear varnish. Colored metal surfaces are coated with powder varnishes that are free of heavy metals.

### Upholstery


All foam used is CFC-free.

### Symbols


 Total height

 Seating height

 Total width

 Seat width

 Total depth

 Seat depth

 Veneer direction

 Decor direction

 Sitting direction

The seating height is established under load with DIN testing equipment. The total height, width and depth are the minimum dimensions.

Some of the accessories are shown slightly larger to make them clearer.

## Important information / typical product characteristics

### Shine

Shine refers to impressions on the cover which can occur due to pressure, body heat and moisture. The form in which it manifests itself depends on the model, materials and upholstery technique and it is one of the characteristics of the design concerned. Therefore it is not a sign of poor quality.

### Leather production

Leather is a natural product. Each leather hide is unique. Insect bites, chafed areas or scars are part of the hide's history. They indicate the natural origin and high quality of the material and are therefore not recognized as a justified cause for complaint.

### Wood

Wood is a natural product. We only use carefully selected and high-quality wood and genuine wood veneers for our product ranges. Typical characteristics like small knots are signs of natural growth. Because each tree trunk is unique, differences in the structure and color are also possible. The unique surface characteristic of wood is natural and therefore not accepted as justified grounds for a complaint.

### Indoor and outdoor furniture

The models are suitable for outdoor use. Nevertheless, we recommend not over-exposing this furniture to the effects of sun, rain, dust and wind and to keep it in a dry and well-aired place when not using.

### Differences in color / structure

The combination of different materials, such as chrome plating, or varnishing of aluminum, steel or plastic can lead to differences in the color and structure when the surfaces are compared. These differences do not constitute grounds for complaint.

The RAL/Pantone color info is approximate. Any differences in color do not constitute grounds for complaint.

As regards our upholstery materials and laminates, despite selecting them carefully, there can be slight differences in color which are due to the batch they are produced in. When textiles are made from recycled materials, the colors and textures may be fluctuate more for production reasons. This is a result of our pre-suppliers' manufacturing processes and therefore not recognized as a justified reason for complaint.

# Price List 2024



## Content according to ranges

---

Upholstery material

8

---

Armrests

11

---


164 Range – ME



14

---


170 Range – ON



22

---

184 Range – IN



38

---

187 Range – AT



44

---

20 Range – Stitz 2



54

---

202 Range – Stand-up



56

---



---

30 Range – Graph



86







## Content in alphabetical order

AT	187 Range	44
Confair	440 Range	118
Confair folding table	440 Range	118
Decide	296 Range	82
Graph	30 Range	86
Graph tables	300 Range	94
IN	184 Range	38
mAx	460 Range	130
mAx light	465 Range	136
ME	164 Range	14
Occo	222 Range	58
ON	170 Range	22
Sola	290 Range	80
Stand-up	202 Range	56
Stitz 2	20 Range	54
Timetable	610 Range	148
Timetable Lift	615 Range	184
Timetable Smart	612 Range	152
Yonda	320 Range	106





## Upholstery material

### 34 / Vivid Description

80% post-consumer recycled polyester  
20% elastomer  
320 g/lin. m  
width 140 cm (55")

**Test results**  
Abrasion resistance: 100,000 rubs, BS EN ISO 12947-2 (Martindale)  
Lightfastness: 6-8, BS EN ISO 105-B02 method 2  
Pilling: 5, BS EN ISO 12945-2  
Fastness to rubbing: Dry 4-5, wet 4-5  
EN ISO 105-X12  
Flame resistance: CA TB 117-2013  
BS EN 1021-1  
BS EN 1021-2  
BS 5852 Part 1

**Cleaning**  
Permanent covers: Vacuum regularly, have dry cleaned  
Replaceable covers: Colors

### 35 / Fiberflex (Runner)

**Description**  
100% polyester  
510 g/lin. m,  
width 160 cm (63")

**Test results**  
Abrasion resistance: 70,000 rubs, BS EN ISO 12947-2 (Martindale)  
Lightfastness: 5-7, BS EN ISO 105-B02 method 2  
Pilling: 5, BS EN ISO 12945-2  
Fastness to rubbing: Dry 4-5, wet 4-5  
EN ISO 105-X12  
Flame resistance: CAL 117 E  
EN 1021-1 if mounted on CMHR foam 35 kg/m<sup>3</sup> min.,  
EN 1021-2 if mounted on CMHR foam 50 kg/m<sup>3</sup> min.

**Cleaning**  
Vacuum regularly, have dry cleaned.

### 37 / Racer Description

100% polyester  
440 g/lin. m,  
width 170 cm

**Test results**  
Abrasion resistance: 90,000 rubs, BS EN ISO 12947-2 (Martindale)  
BS EN 14465  
Lightfastness: 5-7, BS EN ISO 105-B02 method 2  
Pilling: 4-5, BS EN ISO 12945-2  
Fastness to rubbing: Dry 4-5, wet 4-5  
EN ISO 105-X12  
Flame resistance: CAL 117 E  
BS 476 Part 7, ASTM E 84,  
EN ISO 1021 1+2,  
EN 1021-1 if mounted on CMHR foam 35 kg/m<sup>3</sup> min.,  
EN 1021-2 if mounted on CMHR foam 50 kg/m<sup>3</sup> min.

**Cleaning**  
Vacuum regularly, have dry cleaned

### 38 / Era Description

100% polyester  
448 g/lin. m,  
width 140 cm

**Test results**  
Abrasion resistance: 100,000 rubs, BS EN ISO 12947-2 (Martindale)  
Lightfastness: 5, BS EN ISO 105-B02 method 2  
5-7, depending on the colour,  
BS EN ISO 105-B02 method 2  
Pilling: low  
Fastness to rubbing: Dry 4, wet 4  
EN ISO 105-X12  
Flame resistance: on request

**Cleaning**  
Permanent covers: Vacuum regularly, have dry cleaned  
Replaceable covers:

### 41 / Formstrick Description

100% polyamide hybrid  
750 g/m<sup>2</sup>

**Test results**  
Abrasion resistance: 200,000 rubs, BS EN ISO 12947-2 (Martindale)  
Lightfastness: 6, BS EN ISO 105-B02 method 2  
Pilling: 5, BS EN ISO 12945-2  
Fastness to rubbing: Dry 5, wet 5  
EN ISO 105-X12  
Flame resistance: DIN EN 1021 1+2

**Cleaning**  
Vacuum regularly, have dry cleaned.  
If it's very damp, the elasticity of the Formstrick can slightly slacken, but will regain its original shape when it dries.

### 47 / Nova Description

100% polyester  
560 g/lin. m,  
width 140 cm

**Test results**  
Abrasion resistance: 50,000 rubs, BS EN ISO 12947-2 (Martindale)  
Lightfastness: 5-7, BS EN ISO 105-B02 method 2  
Pilling: 5, BS EN ISO 12945-2  
Fastness to rubbing: Dry 4-5, wet 4-5  
EN ISO 105-X12  
Flame resistance: CAL 117 E,  
EN 1021-1 if mounted on PUR foam 22 kg/m<sup>3</sup> min.,  
EN 1021-2 if mounted on CMHR foam, 36 kg/m<sup>3</sup> min.

**Cleaning**  
Permanent covers: Vacuum regularly, have dry cleaned  
Replaceable covers:

### 51 / Oceanic Description

100% recycled, post-consumer polyester with 50% SEAQUAL yarn.  
497 g/m<sup>2</sup>  
width 140 cm

**Test results**  
Abrasion resistance: 100,000 rubs, BS EN ISO 12947-2 (Martindale)  
Lightfastness: 5, BS EN ISO 105-B02  
Fastness to rubbing: Dry 4, wet 4  
EN ISO 105-X12  
Flame resistance: EN 1021 1&2 (CMHR)  
BS 7176 LH (CMHR)  
BS 7176 MH (CMHR+treatment)

**Cleaning**  
Vacuum regularly, have dry cleaned

### 54 / Pitch (Step, Step Melanche) Description

100% Trevira CS  
470 g/lin. m,  
width 140 cm

**Test results**  
Abrasion resistance: 100,000 rubs, BS EN ISO 12947-2 (Martindale)  
Lightfastness: 5-7, BS EN ISO 105-B02 method 2  
Pilling: 4-5, BS EN ISO 12945-2  
Fastness to rubbing: Dry 4-5, wet 4-5  
EN ISO 105-X12  
Flame resistance: CAL 117 E,  
DIN 4102-1 B1,  
NF P 92-503-507 M1,  
ÖNORM A 3800-1,  
B1/Q1/TR1,  
BS 5852 if mounted on CMHR foam,  
EN 1021-1/-2 if mounted on PUR foam min. 30 kg/m<sup>3</sup>,  
UNI VF 9175 11M if mounted on CMHR foam.

**Cleaning**  
Permanent covers: Vacuum regularly, have dry cleaned  
Replaceable covers:



### 56 / Cyber

#### Description

100 % post-consumer, recycled polyester  
570 g/lin. m,  
width 140 cm

#### Test results

Abrasion resistance:  
120,000 rubs,  
BS EN ISO 12947-2 (Martindale)  
Lightfastness:  
7-8, BS EN ISO 105-B02  
Pilling:  
4-5, BS EN ISO 12945-2  
Fastness to rubbing:  
Dry 4-5, wet 4-5  
EN ISO 105-X12  
Flame retardancy:  
EN 1021 1&2 (CMHR)  
CA TB 117-2013  
Flame retardancy depends on the foam used.

#### Cleaning

Permanent covers:  
Vacuum regularly,  
have dry cleaned  
Replaceable covers:

### 58 / Evida

#### Description

approx. 50 % renewable raw materials  
approx. 30 % natural raw materials  
approx. 20 % petroleum-based raw materials  
750 +/- 50 g/m<sup>2</sup>  
width 137 cm

#### Test results

Abrasion resistance:  
150,000 rubs,  
DIN EN ISO 5470-2 (Martindale)  
meets the German Medical Product Act  
DIN EN ISO 10993-5+10  
Flame resistance:  
DIN EN 1021-1+2,  
BS 5852 Crib 0+1,  
CA TB 117-2013,  
flame retardancy depends on the foam used.

#### Cleaning

Please remove any soiling immediately (use warm, mild soapy water, a microfiber cloth and soft brush).  
Please don't use solvents.

### 60 / Blend (Blazer)

#### Description

100% virgin wool  
645 g/lin. m,  
width 140 cm

#### Test results

Abrasion resistance:  
50,000 rubs,  
BS EN ISO 12947-2 (Martindale)  
Lightfastness:  
5, BS EN ISO 105-B02  
Pilling:  
3-4, BS EN ISO 12945-2  
Fastness to rubbing:  
Dry 4, wet 4  
EN ISO 105-X12  
Flame resistance:  
EN 1021-1,  
EN 1021-2  
BS 7176 Low Hazard  
NF D 60-013  
ÖNORM B 3825 & A 3800-1 (58kg/m<sup>3</sup> CMHR Foam)  
UNI 9175 Class 1 IM  
BS 476 Part 7 Class 1  
EN 13501-1 Adhered Class D, s1, d0  
Please state when ordering:  
BS 5852 Ignition Source 5 if treated with flame retardants;  
BS 7176 Medium Hazard if treated with flame retardants;  
BS 476 Part 6 Class 0 if treated with flame retardants;  
EN 13501-1 Adhered Class B, s1, d0 wenn mit FR ausgerüstet;  
EN 13501-1 Unadhered Class D, s2, d0 if treated with flame retardants;  
BS 5867-2: Type B Curtains & Drapes if treated with flame retardants  
**Cleaning**  
Permanent covers:  
Vacuum regularly, have dry cleaned  
Replaceable covers:

### 64 / Morph

#### Description

85% New Zealand wool  
15% polyamide  
475 g/lin. m,  
width 140 cm

#### Test results

Abrasion resistance:  
200,000 rubs,  
BS EN ISO 12947-2 (Martindale)  
Lightfastness:  
5-6, BS EN ISO 105-B02  
Pilling:  
4, BS EN ISO 12945-2  
Fastness to rubbing:  
Dry 4-5, wet 4-5  
EN ISO 105-X12  
Flame resistance:  
EN 1021 1&2  
BS 5852 Part 1  
BS 5852 Crib 5 (CMHR)  
CA TB 117-2013  
Flame retardancy depends on the foam used.  
**Cleaning**  
Vacuum regularly, have dry cleaned

### 65 / Re-wool

#### Description

45% recycled wool, 45% virgin wool, worsted, 10% nylon  
540 g/lin. m,  
width 140 cm

#### Test results

Abrasion resistance:  
approx. 100,000 rubs,  
BS EN ISO 12947 (Martindale)  
Lightfastness:  
5-7, BS EN ISO 105-B02  
Fastness to rubbing:  
Dry 5-7, wet 4-5  
EN ISO 105-X12  
Flame resistance:  
EN 1021 1&2  
BS 5852 Part 1  
BS 5852 ignition source 3 (CMHR)  
BS 5852 Crib 5 (CMHR+treatment)  
NF D 60-013 (CMHR)  
UNI 9175 Class 1 | M (CMHR)  
ÖNORM A 3800-1 B1, Q1  
CA TB 117-2013  
**Cleaning**  
Vacuum regularly, have dry cleaned

### 66 / Lona (Lano)

#### Description

85 % virgin wool, 15 % polyamide  
520 lin. m  
width 140 cm

#### Test results

Abrasion resistance:  
150,000 rubs,  
BS EN ISO 12947-2 (Martindale)  
Lightfastness:  
5-7, BS EN ISO 105-B02 method 2  
Pilling:  
4, BS EN ISO 12945-2  
Fastness to rubbing:  
Dry 4-5, wet 4-5  
EN ISO 105-X12  
Flame resistance:  
EN 1021-1/-2 if mounted on PUR foam, 22 kg/m<sup>3</sup> min.,  
BS 7176 medium hazard if mounted on CMHR foam 35 kg/m<sup>3</sup> min.,  
ÖNORM A 3800-1 Q1,  
ÖNORM B 3852 flame retardant if mounted on PUR foam B2,  
CAL 117 E

#### Cleaning

Permanent covers:  
Vacuum regularly, have dry cleaned.  
Because of pilling, the Lona fabric might require more cleaning.  
Replaceable covers:

### 68 / Kvadrat Remix

#### Description

90 % virgin wool, worsted  
10 % nylon,  
415 g/lin. m,  
width approx. 138 cm (54")

#### Test results

Abrasion resistance:  
approx. 100,000 rubs,  
BS EN ISO 12947-2 (Martindale)  
Lightfastness:  
6, BS EN ISO 105-B02 method 2  
Pilling:  
4, BS EN ISO 12945-2  
Fastness to rubbing:  
Dry 4, wet 4  
EN ISO 105-X12  
Flame resistance:  
EN 1021 1&2  
BS 5852 Part 1  
BS 5852 Crib 5  
(CMHR + treatment)  
NF D 60-013 (CMHR)  
UNI 9175 1IM (CMHR)  
ÖNORM B1/Q1  
CA TB 117-2013  
Flame retardancy depends on the foam used.  
**Cleaning**  
Cleaning permanent covers:  
Vacuum regularly, have dry cleaned.  
Replaceable covers:



#### 600 / Hush Stripe 40

##### Description

80% polyester, 20% viscose  
290 g/lin. m  
width 170 cm

##### Test results

Lightfastness:  
5-7, BS EN ISO 105-B02  
Fastness to rubbing:  
Dry 4-5, wet 4-5  
EN ISO 105-X12

Flame resistance:  
BS 476 Part 7, class  
ASTM E 84 class 1+2

##### Cleaning

Vacuum regularly

#### 91 / Kvadrat Steelcut Trio

##### Description

90% virgin wool,  
worsted 10% nylon,  
770 g/lin. m,  
width approx. 140 cm

##### Test results

Abrasion resistance:  
approx. 100,000 rubs,  
BS EN ISO 12947-2 (Martindale)  
Lightfastness:  
5-7, BS EN ISO 105-B02 method 2

Pilling:  
4, BS EN ISO 12945-2

Fastness to rubbing:  
Dry 4-5, wet 3-5  
EN ISO 105-X12

Flame resistance:  
when ordering, please state  
EN 1021-1/2  
BS 5852 part 1 DIN 4102 B2

Önorm B1/Q1  
NF D 60 013  
UNI 9175 11M  
US Cal. Bull. 117, – 2013  
NFFPA 260 AS/NZS 3837

IMO FTP Code 2010:

Part 8

B2 and Crib 5 and SN  
198 898 5.3 for flame retardant  
finishes.

##### Cleaning

Permanent covers:  
vacuum regularly, have dry  
cleaned.

Replaceable covers:

☒ ☒ ☒ ☒ ☒

#### 92 / Credo

##### Description

95% virgin wool  
5% polyamide  
870 g/lin. m  
width 140 cm

##### Test results

Abrasion resistance:  
100,000 rubs,  
BS EN ISO 12947-2 (Martindale)

Lightfastness:  
min. 5-8, BS EN ISO 105-B02  
method 2

Pilling:

min. 4-5, BS EN ISO 12945-2

Fastness to rubbing:

dry 5, wet 4-5  
EN ISO 105-X12  
Flame resistance:  
please state when ordering,  
FAR 25.853 (12 seconds vertical)

CAL TB 117-2013

DIN 4102-1 B2

EN 13501-1

EN 1021-1 and -2

BS 5852:1979 (part 1)

BS 5852:2006 (part 2) Crib5

BKZ: 5.3 SN 198898

UNI 9175 (1 IM)

NF P92 503-507 M2

IMO: 2014/90/EU marine

equipment directive

##### Cleaning

Permanent covers:  
Vacuum regularly, have dry  
cleaned

Replaceable covers:

☒ ☒ ☒

##### Information

###### Fabrics and leather sent in

Wilkhahn provides no guarantee  
for fabrics and leathers  
submitted that come from fabric  
manufacturers whom it has no  
supplier agreement with. Please  
note that we require a cover  
material sample of at least  
DIN A4 in size to check whether  
we can use it.

#### 74 / Leather

##### Description

Cowhide for furniture with  
tolerances in terms of color and  
texture, compliant with DGM,  
RAL GZ 430.

##### Test results

Lightfastness:

6-7, BS EN ISO 105-B02 method 2

Flame resistance:

California TB 117 E BS 5852-3

when mounted on PUR foam 22

kg/m<sup>3</sup> min.,

EN 1021-/-2 when mounted on

PUR foam 22 kg/m<sup>3</sup> min.

##### Cleaning

Remove any soiling with a damp,  
absorbent cloth and rub over the  
whole area with a dry woolen  
cloth immediately.

#### 87 / Leather

##### Description

Particularly high-quality, pure  
aniline-dyed cowhide leather,  
which reveals natural  
irregularities or subsequent  
shine.

##### Test results

Lightfastness:

(WBS level) >3 compliant with

DIN EN ISO 105-B02

Flame resistance:

DIN 75200 and DIN EN 1021

part 1 + 2,

CE 117 E

##### Cleaning

Carefully remove any soiling with  
a slightly damp, absorbent cloth  
and immediately rub all over with  
a dry woolen cloth.

##### Information

###### Leather characteristics

Leather is a natural product.

Each leather hide is unique.

Insect bites, chafed areas or

scars are part of the hide's

history. They indicate the natural

aspect and high quality of the

material and are therefore not

recognized as a justified cause

for complaint.

#### Felt

##### Description

100 % wool,  
with non-slip coating,  
Felt thickness 5 mm  
1,5 kg/sq m

##### Test results

Abrasion:

0.4 to 0.5 g/50 cm<sup>3</sup>,

DIN 53863 T2

Lightfastness:

5, BS EN ISO 105-B02 method 2

5-7, depending on the colour,

BS EN ISO 105-B02 method 2

Pilling:

low

Flame resistance:

on request

##### Cleaning

Permanent covers:

Vacuum regularly,

have dry cleaned

Replaceable covers:

☒ ☒

##### Information

###### Felt characteristics

Felt is a natural product.

Therefore, there can be


differences in the color. These

differences are not a justified

reason for complaint but

underscore the material's

uniqueness.



	Armrests	Height adjustment	Depth adjustment	Width adjustment		Swivel
				Bottom	top (AL-Pad)	
<b>164 ME</b>	2-D	100 mm		35 mm	25 mm	
	4-D	100 mm	50 mm	35 mm	25 mm	15/30°
<b>170 ON</b>	3-D	100 mm	40 mm			30°
	1-D	100 mm				
<b>184 IN</b>	3-D	100 mm	50 mm			25°
	4-D	100 mm	50 mm		25 mm	25°
<b>187 AT</b>	1-D	100 mm				
	3-D	100 mm	50 mm	25 mm		
	4-D	100 mm	50 mm		25 mm	25°



**Wilkhahn and sustainability**

In over 100 years of its corporate history, Wilkhahn can look back on a sustainability philosophy that has grown over decades. Aspects such as durability, social fairness, environmental responsibility and cultural orientation have been evolving as corporate principles since the 1950s. Wilkhahn today is regarded internationally as a model of excellence, not only on account of its products but also because of its modern corporate philosophy. This is because the company realized early on that sustainable design should embrace environmental aspects, improve social relationships and define the cultural role of a company. This approach to the way we do business creates a bond between us and our customers throughout the world. There is surely no more rewarding task than working together for a successful future that is worth living in.

**Corporate principles**

**We believe in the power of good design.**

Which is why we're passionate about sustainable office furnishings worldwide that boost health, foster well-being and creativity and empower people to do their jobs well.

**Good communication is the key to encouraging creativity and productivity.**

We develop, produce and market pioneering, superbly designed, high-quality office chairs and tables.

**Form and function on an equal footing.**

The Wilkhahn brand stands for first-class product quality, highly innovative ergonomics, and pioneering design.

**We set ground-breaking trends.**

Which is why innovations at Wilkhahn start by thinking outside the box. A product development isn't about a new chair per se, but better dynamic sitting, not about a new table, but nurturing communication, not about a new sofa, but coming together with other people and relaxing.

**We pass knowledge on.**

Because knowledge is the future's most important commodity. As a company, our competitive edge is underpinned by our workforce's expertise. Which is why we see learning as a personal

development opportunity. And we share that expertise in the company and with business partners to build on our joint success.

**We provide products and service in impressive quality.**

The whole is more than the sum of its parts – but it's the quality of all the details that governs the quality of the finished product or service. Which is why providing excellence that covers the whole spectrum of issuing quotes, producing and shipping our products is one of the core brand values and is evident in every product and process and every encounter with the brand.

**We understand the changes in workplaces and offer our customers solution-driven support.**

Wilkhahn customers buy the added value and benefits associated with our products and services. To spot new trends and requirements, we keep our finger on the pulse. We examine our customers' needs in detail to provide impressive solutions.

**Simply the best.**

**We take responsibility and help shape the future.**

We operate a policy of fairness towards each other and our suppliers, customers, and the environment. The combination of business success, socio-ecological responsibility and involvement in cultural activities makes us an exemplary company worldwide that we continue to develop sensitively.

**Sustainability policy**

**UN Global Compact**

Wilkhahn joined the United Nations Global Compact initiative in 2007. The company commits itself to the ten principles of Global Compact regarding the protection of international human rights, adherence to labor standards and rights for employees,

the protection of the environment and anti-corruption, all of which are specified as binding corporate policy.



WE SUPPORT

**ISO 9001:2015 quality management system**

In order to safeguard and continually optimize the high quality of products and processes at Wilkhahn, a comprehensive quality management system was set up as early as 1996. Since then it has been certified for compliance with the ISO 9001 Quality Management Standard of the International Standardization Organization. Quality management is all about customer focus, management responsibility, the participation of all employees involved, ensuring and improving process safety and supplier relations.



**ISO 14001:2015 environmental management system**

Wilkhahn is also certified to the ISO 14001 international environmental management standard, which defines globally recognized requirements for environmental management systems, such as environmental performance indicators and environmental performance assessments.

**EMAS**

EMAS is the acronym for EcoManagement and Audit Scheme, developed by the European Union. As a combined environmental management and auditing system, its purpose is to verify companies are improving their environmental performance. At the north German headquarters in Bad Münden, Wilkhahn has been regularly certified based on the latest version of EMAS since 2001. In the environmental statement, confirmed by annual audits, Wilkhahn gives a public account of the company's environmental performance. The printed version of the environmental statement can

be ordered at [www.wilkhahn.com/](http://www.wilkhahn.com/) service. Detailed ecological product information on each of the products is also available to download.



**FSC**

The Forest Stewardship Council® (FSC) quality label indicates compliance with stringent socio-ecological requirements in terms of forest management and trading wood products. Wilkhahn's Bad Münden headquarters meet the criteria of the Forest Stewardship Council (FSC) and are entitled to process and sell FSC®-certified products (license code C118389, certificate no. TUEV-COC-000462).



Das Zeichen für verantwortungsvolle Waldwirtschaft

**Product certification**

Wilkhahn office furniture ranges are not only certified according to international testing and inspection standards regarding product safety and functional integrity. They also meet all key international reference systems for highly health-compatible and environmentally friendly products.

**GREENGUARD™**

Virtually all Wilkhahn ranges undergo GREENGUARD testing and certification. The Greenguard Environmental Institute is an independent institution in the US that primarily certifies products with regard to their suitability for interiors. Besides environmental



aspects, special focus is placed on ensuring that products do not emit any pollutants that might be harmful to health.




### LEED

Leadership in Energy and Environmental Design (LEED) is a rating system used by the US Green Building Council to evaluate the environmental and social compatibility of buildings. LEED certification awards extra credit points if Wilkhahn office chair and table ranges are used.



### Green Star

Green Star is an extensive, voluntary rating system developed by the Australian Green Building Council. The system assesses how ecological a building's design is. The system uses various categories to rate any potential ecological impact resulting from a location chosen for a project, the way the project is carried out, managed or its design.



### FISP

The UK Furniture Industry Sustainability Program (or FISP for short) wants to foster effective environmental protection, social progress, careful usage of natural resources, economic growth and employment. FISP was developed by the British Furniture Industry Environment Committee (FIEC) whose members include key trade associations and furniture

manufacturers. Since 2006, FISP has developed into an international network of over 60 members, one of whom is Wilkhahn.



### Responsibility from the very start

In the design and development process, ecological impact is also taken into consideration in addition to design, functional and business-related aspects. Because these factors play a pivotal role in the materials chosen, manufacturing processes, options regarding assembly, logistics and transport and how easy products are to repair or recycle. This overview shows the key aspects for the entire product life cycle that currently apply at Wilkhahn.

### Materials

The materials used are subject to stringent controls. Prohibited chemicals are not used in our products at all. All feedstock is listed in a register of hazardous substances. This helps to minimise the use of or substitute any potentially harmful materials. With the goal being to achieve maximum durability and quality, some recycled materials are used in the production of Wilkhahn ranges. This applies in particular to metals like steel and aluminum.

### Production

#### Water conservation, waste management and sustainable energy production

Water is becoming an increasingly important resource. Wilkhahn spares no effort in minimizing water consumption in all areas. By treating process water, recycling and using state-of-the-art varnishing machinery, no waste water is produced that requires monitoring. The Wilkhahn waste management concept includes sorting waste selectively, as well as recycling and disposing of all waste fractions resulting from the production and management departments. The continual decrease of energy consumption is an important goal of the environmental management system. A combined heat and power plant and connection to a biogas plant at the Bad Münders site have more than

doubled energy efficiency. As a result, heating at the headquarters and production facilities is CO<sub>2</sub> neutral.

### Wilkhahn production sites

Wilkhahn products are produced or assembled at the Bad Münders (Germany) and Sydney (Australia) sites. The branch facilities and the international subsidiaries are not only subject to quality management requirements, but also to guidelines for the socio-ecological focus of corporate policy which apply through the entire company.

### Product utility

#### Aesthetics and design

Sustainable products must be practical. The Wilkhahn ranges are timeless, with useful, intuitive-to-use functions and come in durable materials. A standard that is reflected in every single detail. The Wilkhahn design approach therefore results in an increase in the utility value of a product that is destined to last.

#### Durability and guarantee

The ranges set standards for product design that is sustainable in the best possible sense of the word. The durability of the high-quality materials, the innovative functionality and the traditional, understated design guarantee our furniture will last for decades. We give a five-year manufacturers' guarantee, allowing customers to plan reliably (refer to the relevant guarantee policy for details). An issue we feel responsible for, regardless of our products' long useful lives. We consider guarantees way beyond these periods as selling the future short. Our services to extend the ecological life of the furniture include maintenance as well as an overhaul of older ranges. Wilkhahn guarantees it will carry out repairs on discontinued furniture for at least two years after production has ceased.

#### End of the product life cycle

#### Product take-back and recycling

Even after the product has reached the end of its life, we still feel responsible and offer our customers extensive take-back and recycling services. We guarantee to take back all products that are no longer in use. Wilkhahn products are dismantled in the factory, all parts are selectively sorted in terms of their inherent materials and then recycled. By labeling the materials, ensuring

they're non-toxic and easy to dismantle, we're already making sure today that the components in Wilkhahn products can be incorporated into local material and production cycles and be properly recycled and disposed of.

#### Disassembly and recycling

Most of Wilkhahn's product components are suitable for non-destructive disassembly. To ensure that materials can be sorted according to type, all components weighing more than 150 g come with a label that is valid across the world. No agents to protect materials or organic halogen compounds are used which would prevent subsequent recycling.

# 164 Range ME

Design: Wilkhahn



## Technical details

### Function

ME – the tailor-made chair for superb comfort and versatility. Thanks to its modular design, it meets all customer requirements and international certification standards. Its broad adjustment ranges make ME ideal for very short and tall users. Therefore, ME is one of the few chairs on the market, which (with the appropriate features) complies with the new, very stringent European 1335 type AX standard. Adjustments are intuitive and easy to make. ME adapts quickly and effortlessly to people's needs. Whether users are bending forward to write something, or leaning back to take phone calls, ME adjusts to any postures perfectly. You can choose between a synchronous adjustment mechanism with automatic weight adjustment and a synchronous adjustment mechanism with manual weight adjustment. Both options come with the patented Progressive Motion module. This allows the ME task chair to make multi-dimensional movements automatically and therefore fosters greater comfort and well-being. The design combines the backrest and seat to form one unit. Its contours look appealing from any perspective. Crisp edges merge into soft surfaces. This contrast creates interesting surfaces and an attractive and highly distinctive look.

ME is ideal for people weighing from 45 to 150 kg. The backrest height is optionally adjustable by 70 mm and an optional height-adjustable lumbar support (adjustable by up to 70 mm in 7 lockable positions), optionally precision-adjustable depth of 15 mm by turning a knob. The backrest and seat can be locked in a neutral horizontal 0-position, the optional 5° forward seat tilt can be activated by lifting the lever.

Pressing a tab allows precision-adjustable seating height of between 40 and 53 cm via a gas lift compliant with DIN 4550, optionally with a contact suppression feature, then seating height 42 – 53 cm. Seat depth: 43 cm, optionally integrated, users can press a tab while sitting for precision-adjustable seat depth adjustment of 80 mm or 100 mm (38 – 46 or 38 – 48 cm). The height of models with elevated sitting positions (ESP) are precision-adjustable between 43 and 61 cm, and the counter chairs between 65 and 77 cm.

The following controls are made of black, through-dyed plastic: The tab to adjust the height and lock the chair in place, the lever to extend the seat depth, knobs to adjust the weight and lock the backrest frame in place. The height-adjustable lumbar support comes in black or white to match the color of the frame.

### Base frame

#### Task chair

Five-star base made of black through-dyed plastic, optionally in white or made of coated aluminum (in black or white with a textured matte finish) or high-luster polished aluminum. Twin-wheel swivel casters with load-dependent braking, made of black DIN EN 12529-compliant polypropylene as the standard version for carpets, optionally with gray tire made of polyurethane for hard flooring. Casters optionally electrically conductive. Mechanism shell made of black, powder-coated aluminum.

#### Counter stool

With extra height-adjustable foot ring, bright chrome-plated, with lock screw to affix it and twin-wheel swivel casters with load-dependent braking.

#### Seat and backrest

Backrest frame made of black or white through-dyed polyamide with a mesh backrest made of 80% recycled post-consumer polyester and 20% elastomer. Height optionally adjustable by 70 mm. The seat shell and backrest frame are made of black through-dyed polyamide. The backrest comes with optional cushioning that consists of an upholstered mesh backrest covered with fabric. Optionally with height-adjustable lumbar support in black or white to match the color of the frame.

Seat cushioning made of CFC-free polyurethane foam, covered with fabrics from the Wilkhahn fabric collection. The seat optionally comes with soft padding (with contour-creating foam, 65 mm) and stitching all the way round. The cushioning and covers are replaceable. Optional seat-depth extension by 80 mm or 100 mm (38 – 46 or 38 – 48 cm).

If the optional Progressive Motion module is chosen, the flexible backrest can tilt slightly to the side temporarily when users get up, but has no impact on the way users sit on the chair and is not a sign of poor quality.

#### Armrests

As a standard, with 2D armrests made of fiberglass-reinforced polyamide, through-dyed in black or white, with polypropylene armrest pads. Optionally with 4D armrests and with armrest pads made of polyurethane foam, black through-dyed. The height of the 2D armrests can be adjusted by 100 mm and the width by 35 mm; the depth of the armrest pads on the 4D armrests can be adjusted by 50 mm and they can also be swiveled inward and outward by 15° or 30°.

Additional AX/NPR armrests with a clear width of 41 to 51 cm, adjustable in width by 30 and 25 mm, adjustable in height by 11.5 cm, adjustable in depth by 50 mm and with 360° swiveling capability for even greater adjustment ranges.

### Task chairs

#### Star base

50	Plastic
40	White plastic
72	High-luster polished aluminum
90	Coated with a black textured matte finish (RAL9011)
91	Coated white with a textured matte finish (RAL9016)

#### Gas lift

Black
Black
Black
Black
Black

#### Synchro-adjustment mechanism

Black
Black
Black
Black
Black

#### Armrests

#### Height adjustment

#### Depth adjustment

#### Width adjustment

#### Swivel

2-D	100 mm
4-D	100 mm

50 mm

35 mm
35 mm

25 mm
25 mm

15/30°



### Accessories

A clothes hanger that can be fitted to the backrest frame is optional for all models.

All models are also available with a headrest made of through-dyed polyamide (in black or white to match the color of the frame, height can be adjusted by 60 mm in 6 lockable positions, with a 125° tilt function, which allows the depth to be adjusted by approx. 50 mm). It's either covered with 34/Vivid fabric to match the backrest, or with 1401 (black metal) or, in the case of models with back cushioning, with 34/Vivid in 1401 (black metal), or 1001 (digital white), 37/Racer (black) or upholstered (covered in fabric in the same color and material as the backrest cover). The headrest is not available for models with a clothes hanger. Retrofittable on request.

### Knock-down capability

On request, some of the ME task chairs can be supplied pre-assembled in a box. Knock-down packaging reduces the shipment volume by up to 66% to just 0.22 m<sup>3</sup>.

### Standards

The ME task chairs comply with the following standards and come with the following certificates: DIN EN 13.35, DIN EN 13.35 A/AX, NPR 1813, BS 5459 24 h, FISP, Greenguard, Quality Office, Bifma X 5.1, 1 IM (fire safety Italy). Preparations to obtain the following certification are underway: Blue Angel








**Medium-height backrest**

103/116 H70 H68  
40/53 H50 H36/46



**164/7**

Fixed backrest, mesh-covered (34/Vivid), backrest frame, seat shell and synchro-adjustment mechanism in black, 2D armrests, armrest pad made of PP, precision-adjustable height, synchronous adjustment mechanism with automatic weight adjustment, plastic star base  
Seat standard upholstery  
Seat with soft padding

**Additional charge/reduced prices**

Headrest, mesh-covered, height and depth adjustable  
Coat hanger (not in combination with headrest)

Backrest frame, seat shell and, if applicable, armrests in white  
Backrest, height-adjustable  
Lumbar support, height-adjustable  
Lumbar support, adjustable height and depth

Without armrests  
4D armrests, armrest pads made of PP  
Armrest pads made of polyurethane foam for 2D and 4D  
4D+ armrests NPR/AX, TPU armrest pads

Soft padding  
Seat-depth extension (approx. 38 to 46 cm)  
Seat-depth extension (approx. 38 to 48 cm)  
3D forward tilt of 5° can be activated  
Contact suppression feature (seating height approx. 42–53 cm)

Synchronous adjustment mechanism with manual weight adjustment  
Progressive Motion module  
Gas lift NPR/AX for 40–56 cm seating heights

Coated aluminum star base  
High-luster polished aluminum star base  
Casters in white  
Electrically conductive casters


	37 38	47*	51 54 56 58*	60 64 65 66 68*	91* 92	74*
	SEK	SEK	SEK	SEK	SEK	SEK
7088						
7625		8025	8413	9200	9988	10775
1238	1238	1238	1238	1238	1238	1238
813	813	813	813	813	813	813
463	463	463	463	463	463	463
1188	1188	1188	1188	1188	1188	1188
150	150	150	150	150	150	150
513	513	513	513	513	513	513
-925	-925	-925	-925	-925	-925	-925
588	588	588	588	588	588	588
413	413	413	413	413	413	413
738	738	738	738	738	738	738
538	538	538	538	538	538	538
138	138	138	138	138	138	138
138	138	138	138	138	138	138
163	163	163	163	163	163	163
438	438	438	438	438	438	438
300	300	300	300	300	300	300
1050	1050	1050	1050	1050	1050	1050
525	525	525	525	525	525	525
588	588	588	588	588	588	588
1050	1050	1050	1050	1050	1050	1050
375	375	375	375	375	375	375
625	625	625	625	625	625	625

All task chairs are fitted with casters for soft flooring (e.g. carpets). Please order with soft casters (at no additional charge) for hard flooring (e.g. stone, parquet). Electrically conductive casters (only if an aluminum frame is chosen) available for an additional charge.



**Medium-height backrest  
elevated sitting position (ESP)**

■ 107/126 ■ 70 ■ 68  
■ 44/62 ■ 50 ■ 36/46



**164/72**

Fixed backrest, mesh-covered (34/Vivid), backrest frame, seat shell and synchro-adjustment mechanism in black, 2D armrests, armrest pad made of PP, gas lift for an elevated sitting position (ESP), forward seat tilt of 5° can be activated, precision-adjustable height, synchro-adjustment mechanism with automatic weight adjustment plastic star base Seat standard upholstery Seat with soft padding

**Additional charge/reduced prices**

Headrest, mesh-covered, height and depth adjustable  
Coat hanger (not in combination with headrest)  
  
Backrest frame, seat shell and, if applicable, armrests in white  
Backrest, height-adjustable  
Lumbar support, height-adjustable  
Lumbar support, adjustable height and depth

Without armrests  
4D armrests, armrest pads made of PP  
Armrest pads made of polyurethane foam for 2D and 4D

Soft padding  
Seat-depth extension (approx. 38 to 46 cm)  
Seat-depth extension (approx. 38 to 48 cm)

Synchronous adjustment mechanism with manual weight adjustment  
Progressive Motion module


Coated aluminum star base  
High-luster polished aluminum star base  
Casters in white  
Electrically conductive casters

	37 38	47*	51 54 56 58*	60 64 65 66 68*	91*	74*
	SEK	SEK	SEK	SEK	SEK	SEK
	7938		8725	9513	10300	
	8475	8875	9263	10050	10838	11625
	1238	1238	1238	1238	1238	1238
	813	813	813	813	813	813
	463	463	463	463	463	463
	1188	1188	1188	1188	1188	1188
	150	150	150	150	150	150
	513	513	513	513	513	513
	-925	-925	-925	-925	-925	-925
	588	588	588	588	588	588
	413	413	413	413	413	413
	538	538	538	538	538	538
	138	138	138	138	138	138
	138	138	138	138	138	138
	300	300	300	300	300	300
	1050	1050	1050	1050	1050	1050
	588	588	588	588	588	588
	1050	1050	1050	1050	1050	1050
	375	375	375	375	375	375
	625	625	625	625	625	625



**Medium-height backrest**

103/116 H70 H68  
40/53 H50 H36/46



**165/7**

Fixed backrest, upholstered, backrest frame, seat shell and synchro-adjustment mechanism in black, 2D armrests and armrest pad made of PP, with precision-adjustable height synchronous adjustment mechanism with automatic weight adjustment, plastic star base  
Seat standard upholstery  
Seat with soft padding

**Additional charge/reduced prices**

Headrest upholstered, height and depth adjustable  
Coat hanger (not in combination with headrest)

Backrest frame, seat shell and, if applicable, armrests in white  
Backrest, height-adjustable  
Lumbar support, height-adjustable  
Lumbar support, adjustable height and depth

Without armrests  
4D armrests, armrest pads made of PP  
Armrest pads made of polyurethane foam for 2D and 4D  
4D+ armrests NPR/AX, TPU armrest pads

Soft padding  
Seat-depth extension (approx. 38 to 46 cm)  
Seat-depth extension (approx. 38 to 48 cm)  
3D forward tilt of 5° can be activated  
Contact suppression feature (seating height approx. 42–53 cm)

Synchronous adjustment mechanism with manual weight adjustment  
Progressive Motion module  
Gas lift NPR/AX for 40–56 cm seating heights

Coated aluminum star base  
High-luster polished aluminum star base  
Casters in white  
Electrically conductive casters

	37 38	47*	51 54 56 58*	60 64 65 66 68*	91* 92
	SEK	SEK	SEK	SEK	SEK
Seat standard upholstery	7750		8538	9325	10113
Seat with soft padding	8288	8688	9075	9863	10650
Headrest upholstered, height and depth adjustable	1475	1475	1475	1475	1475
Coat hanger (not in combination with headrest)	813	813	813	813	813
Backrest frame, seat shell and, if applicable, armrests in white	463	463	463	463	463
Backrest, height-adjustable	1188	1188	1188	1188	1188
Lumbar support, height-adjustable	150	150	150	150	150
Lumbar support, adjustable height and depth	513	513	513	513	513
Without armrests	-925	-925	-925	-925	-925
4D armrests, armrest pads made of PP	588	588	588	588	588
Armrest pads made of polyurethane foam for 2D and 4D	413	413	413	413	413
4D+ armrests NPR/AX, TPU armrest pads	738	738	738	738	738
Soft padding	538	538	538	538	538
Seat-depth extension (approx. 38 to 46 cm)	138	138	138	138	138
Seat-depth extension (approx. 38 to 48 cm)	138	138	138	138	138
3D forward tilt of 5° can be activated	163	163	163	163	163
Contact suppression feature (seating height approx. 42–53 cm)	438	438	438	438	438
Synchronous adjustment mechanism with manual weight adjustment	300	300	300	300	300
Progressive Motion module	1050	1050	1050	1050	1050
Gas lift NPR/AX for 40–56 cm seating heights	525	525	525	525	525
Coated aluminum star base	588	588	588	588	588
High-luster polished aluminum star base	1050	1050	1050	1050	1050
Casters in white	375	375	375	375	375
Electrically conductive casters	625	625	625	625	625



**Medium-height backrest  
elevated sitting position (ESP)**

■ 107/126 ■ 70 ■ 68  
■ 43/61 ■ 50 ■ 36/46



**165/72**

Fixed backrest, upholstered, backrest frame, seat shell and synchro-adjustment mechanism in black, 2D armrests and armrest pad in PP, gas lift for an elevated sitting position (ESP), forward seat tilt of 5° can be activated, with precision-adjustable height synchronous adjustment mechanism with automatic weight adjustment, plastic star base  
Seat standard upholstery  
Seat with soft padding

**Additional charge/reduced prices**

Headrest upholstered, height and depth adjustable  
Coat hanger (not in combination with headrest)

Backrest frame, seat shell and, if applicable, armrests in white  
Backrest, height-adjustable  
Lumbar support, height-adjustable  
Lumbar support, adjustable height and depth

Without armrests  
4D armrests, armrest pads made of PP  
Armrest pads made of polyurethane foam for 2D and 4D

Soft padding  
Seat-depth extension (approx. 38 to 46 cm)  
Seat-depth extension (approx. 38 to 48 cm)

Synchronous adjustment mechanism with manual weight adjustment  
Progressive Motion module

Coated aluminum star base  
High-luster polished aluminum star base  
Casters in white  
Electrically conductive casters

	37 38	47*	51 54 56 58*	60 64 66 68*	91* 92
	SEK	SEK	SEK	SEK	SEK
8600			9388	10175	10963
9138		9538	9925	10713	11500
1475	1475	1475	1475	1475	1475
813	813	813	813	813	813
463	463	463	463	463	463
1188	1188	1188	1188	1188	1188
150	150	150	150	150	150
513	513	513	513	513	513
-925	-925	-925	-925	-925	-925
588	588	588	588	588	588
413	413	413	413	413	413
538	538	538	538	538	538
138	138	138	138	138	138
138	138	138	138	138	138
300	300	300	300	300	300
1050	1050	1050	1050	1050	1050
588	588	588	588	588	588
1050	1050	1050	1050	1050	1050
375	375	375	375	375	375
625	625	625	625	625	625



**Medium-height backrest**

127/140 H70 H68  
64/77 H50 H36/46



**164/1**

Fixed backrest, mesh-covered (34/Vivid), backrest frame, seat shell and synchro-adjustment mechanism in black, 2D armrests, armrest pad made of PP, with precision-adjustable height, synchronous adjustment mechanism with automatic weight adjustment, with foot ring, bright chrome-plated (precision-adjustable height), plastic star base  
Seat standard upholstery  
Seat with soft padding

**Additional charge/reduced prices**

Headrest, mesh-covered, height and depth adjustable  
Coat hanger (not in combination with headrest)

Backrest frame, seat shell and, if applicable, armrests in white  
Backrest, height-adjustable  
Lumbar support, height-adjustable  
Lumbar support, adjustable height and depth

Without armrests  
4D armrests, armrest pads made of PP  
Armrest pads made of polyurethane foam for 2D and 4D

Soft padding  
Seat-depth extension (approx. 38 to 46 cm)  
Seat-depth extension (approx. 38 to 48 cm)

Synchronous adjustment mechanism with manual weight adjustment  
Progressive Motion module


Coated aluminum star base  
High-luster polished aluminum star base  
Casters in white  
Electrically conductive casters

	37 38	47*	51 54 56 58*	60 64 65 66 68*	91* 92	74*
	SEK	SEK	SEK	SEK	SEK	SEK
	9713 10250	10650	10500 11038	11288 11825	12075 12613	13400
	1238	1238	1238	1238	1238	1238
	813	813	813	813	813	813
	463	463	463	463	463	463
	1188	1188	1188	1188	1188	1188
	150	150	150	150	150	150
	513	513	513	513	513	513
	-925	-925	-925	-925	-925	-925
	588	588	588	588	588	588
	413	413	413	413	413	413
	538	538	538	538	538	538
	138	138	138	138	138	138
	138	138	138	138	138	138
	300	300	300	300	300	300
	1050	1050	1050	1050	1050	1050
	588	588	588	588	588	588
	1050	1050	1050	1050	1050	1050
	375	375	375	375	375	375
	613	613	613	613	613	613



**Medium-height backrest**

127/140 H 70 H 68  
65/77 H 50 H 36/46



**165/1**

Fixed backrest, upholstered, backrest frame, seat shell and synchro-adjustment mechanism in black, 2D armrests, armrest pad made of PP, with precision-adjustable height synchronous adjustment mechanism with automatic weight adjustment, with foot ring, bright chrome-plated (precision-adjustable height), plastic star base  
Seat standard upholstery  
Seat with soft padding

**Additional charge/reduced prices**

Headrest upholstered, height and depth adjustable  
Coat hanger (not in combination with headrest)

Backrest frame, seat shell and, if applicable, armrests in white  
Backrest, height-adjustable  
Lumbar support, height-adjustable  
Lumbar support, adjustable height and depth

Without armrests  
4D armrests, armrest pads made of PP  
Armrest pads made of polyurethane foam for 2D and 4D

Soft padding  
Seat-depth extension (approx. 38 to 46 cm)  
Seat-depth extension (approx. 38 to 48 cm)

Synchronous adjustment mechanism with manual weight adjustment  
Progressive Motion module

Coated aluminum star base  
High-luster polished aluminum star base  
Casters in white  
Electrically conductive casters

	37 38	47*	51 54 56 58*	60 64 65 66 68*	91* 92
	SEK	SEK	SEK	SEK	SEK
	10375		11163	11950	12738
	10913	11313	11700	12488	13275
	1475	1475	1475	1475	1475
	813	813	813	813	813
	463	463	463	463	463
	1188	1188	1188	1188	1188
	150	150	150	150	150
	513	513	513	513	513
	-925	-925	-925	-925	-925
	588	588	588	588	588
	413	413	413	413	413
	538	538	538	538	538
	138	138	138	138	138
	138	138	138	138	138
	300	300	300	300	300
	1050	1050	1050	1050	1050
	588	588	588	588	588
	1050	1050	1050	1050	1050
	375	375	375	375	375
	625	625	625	625	625

# 170 Range ON®

Design: wiege



## Technical details

### Function

Task chairs with Trimension®, synchronous, three-dimensional kinematics to encourage three-dimensional dynamic sitting. The perfect interaction of the synchro-adjustment mechanism, seat and backrest automatically adapts to any posture the user adopts. The supporting counter pressure is quickly and precisely adjustable in any direction (4.5 rotations max.) for people weighing from 45 to 120 kg. The backrest height is adjustable by up to 60 mm in six lockable positions. The backrest and seat can be locked in the front sitting position. The seating height is precision adjustable between 400 mm and 520 mm at the touch of a button with a DIN 4550-compliant gas lift. All models are optionally available with seat-depth extension of 400 to 450 mm. (The height of the counter chairs is precision adjustable between 680 mm and 810 mm). Meeting/visitor chairs with Trimension, on request, available with swivel-mounted column, not height adjustable, alternatively as a four-leg variant or cantilever chair, optionally stackable.

### Frame

#### Task chairs and counter stool

Five-star base, optionally made of black through-dyed plastic or die-cast aluminum, coated (black, black with a textured matte finish, white with a textured matte finish, or in a silver satin finish), polished or bright chrome-plated. Twin-wheel swivel casters with load-dependent braking, made of black or white polyamide compliant with DIN EN 12529 as the standard version for carpets; with gray soft polyurethane tire for hard floors. The casters are optionally electrically conductive. Swivel arms made of die-cast aluminum, coated (black or black with a textured matte finish, or white with a textured matte finish, or silver satin finish), polished or bright chrome-plated. Mechanism shell made of blasted die-cast aluminum, optionally coated black, or white with a textured matte finish or with a silver satin finish, with a top cover made of black or white through-dyed polypropylene. The gas lift is covered by a telescopic protective tube made of black or white through-dyed polypropylene.

Task chairs	Frame	Star base	Swivel arms	Mechanism shell
		50 Plastic	Silver satin finish, coated black or black with textured matte finish	Shot-blasted aluminum, silver satin or black coated
		51 Bright chrome-plated	Silver satin finish, coated black or black or white with textured matte finish or with bright chrome plating	Shot-blasted aluminum, silver satin, black or white textured matte coated
		52 Polished aluminum	Polished aluminum or coated white with a textured matte finish	Shot-blasted aluminum, silver satin, black or white textured matte coated
		53 Coated black (RAL9011)	Coated black or black with textured matte finish	Shot-blasted aluminum
		60 Coated with a silver satin finish (RAL9006)	Coated with a silver satin or white with a textured matte finish	Shot-blasted aluminum, silver satin, black or white textured matte coated
		90 Coated with a black textured matte finish (RAL9011)	Coated with a black textured matte finish (RAL9011)	Shot-blasted aluminum
		91 Coated white with a textured matte finish (RAL9016)	Coated white with a textured matte finish (RAL9016)	Coated white
	<b>Armrests</b>	<b>Height adjustment</b>	<b>Depth adjustment</b>	<b>Swivel</b>
		3-D 100 mm	40 mm	30°
Visitor chairs	Frame	Round steel tubing frame		
		51 Bright chrome-plated		
		91 Coated white with a textured matte finish (RAL9016)		
		90 Coated with a black textured matte finish (RAL9011)		
Cantilever chair	Frame	Round steel tubing frame		
		51 Bright chrome-plated		
		91 Coated white with a textured matte finish (RAL9016)		
		90 Coated with a black textured matte finish (RAL9011)		
Small components	Casters, glides, frame components, adjustment levers			
	40 Black plastic		Plastic black	Black
	40 White plastic		Plastic gray	Black or white

## Awards



Bundespreis  
**ecodesign**  
Produkt 2012



mixology<sup>10</sup>





Counter stool with extra height-adjustable foot ring, bright chrome-plated, with lock screw to affix it and twin-wheel swivel casters with load-dependent braking.

#### **24-hour chairs**

All have a die-cast aluminum star base with extra swivel arm supports, with a modified synchro-adjustment mechanism and exceptionally hard-wearing covers from Wilkhahn's fabric and leather collection. Designed for people weighing up to 120 kg, the models consequently comply with the DIN EN 1335 standard requirements for 24-hour use.

#### **Visitor/conference chairs**

Four-star base made of die-cast aluminum, coated (black, black with a textured matte finish or silver satin finish), polished or bright chrome-plated. Black, multipurpose glides made of plastic for all types of flooring. Swivel arms made of die-cast aluminum, coated (black or black with a textured matte finish or silver satin finish), polished or bright chrome-plated. Mechanism shell made of die-cast, shot-blasted aluminum, optionally coated in black or with a silver satin finish, with top cover made of black, through-dyed polypropylene. The gas lift is covered by a telescopic protective tube made of black, through-dyed polypropylene.

#### **Cantilever chair**

Frame made of tubular steel (bright chrome-plated tubular steel, black or white coating with a textured matte finish), 22 mm in diameter, optionally with anti-tilt stopper made of black or white polyamide as the standard version for carpets, with extra glides for hard flooring, with felt inserts on request.

#### **Four-leg visitor chair**

Frame made of tubular steel (bright chrome-plated, black or white coating with a textured matte finish), leg diameter 22 mm. Models 176/7 and 176/71 with multipurpose, POM (polyoxymethylene) glides in black for soft and hard floorings.

#### **Seat**

##### **Task, visitor, and conference chairs**

Very elastic, flexibly suspended seat shell with seat upholstery panel made of black or white, through-dyed polypropylene, polyurethane seat cushioning covered in the same material as the backrest cover in Fiberflex, or fabric. The seat is replaceable. All models optionally have seats with soft padding (with extra cut foam and facings at the sides). In models with management grade upholstery (174/71, 175/71, 171/71), seat cushioning also with extra padding and side facings, optionally covered in leather too. Optionally with seat-depth extension from 400 to 450 mm (all types of upholstery).

Model 175/73 with soft padding, as well as color-contrasting double seams and contour stitching. Seat cushioning with side facings.

Task chair models 174/7, 174/72, 175/7, 175/72, 174/71, 175/71 optionally with a constant 6-degree tilt. Permanent comfort tilt (6°) not combinable with a white version.

#### **Backrest**

##### **Task, visitor, and conference chairs**

Elastic backrest frame, height adjustable by 60 mm in six lockable positions, made of through-dyed, fiberglass-reinforced polyamide, covered with Fiberflex, optionally also with fabric (and extra padding).

All models optionally with soft padding (with extra cushion thickness). For models with management grade upholstery, the backrest frame also optionally comes with back cushioning with extra padding and the front of the backrest also with a concealed, cut foam fleece sewn into the cover and with side facings, optionally with a leather cover.

All models optionally with soft padding (with extra cut foam). Medium-high and high backrest, high backrest optionally with headrest (height 16 cm), either in the same material as the backrest cover, or covered in leather on the front. The backrest is replaceable.

Model 175/73 with soft padding, as well as color-contrasting double seams and contour-defining stitching.

#### **Seat and backrest**

##### **Cantilever chair/four-leg visitor chair**

Unitary shell-backrest component made of black or white through-dyed, fiberglass-reinforced polypropylene. Seat cushioning made of polyurethane one-piece molded foam, in models with management grade upholstery (models 176/71, 178/71) with additional padding and side facings. All models optionally with soft padding (with extra cut foam). In models 176/7, 178/7 seat cushioning covered in the same material as the backrest cover in Fiberflex or fabric, in models 176/71 and 178/71 with management grade upholstery optionally also covered in leather. The seat is replaceable.

The backrest frame is covered in Fiberflex, in models 176/7, 178/7 optionally with back covered in fabric (with additional padding).

In models with management grade upholstery optionally with backrest upholstery in fabric or leather, with additional padding, as well as on the front of backrest also with concealed, cut foam fleece sewn into the cover and side facings, backrest cover is replaceable.

#### **Armrests**

##### **Task chairs**

3D armrests made of fiberglass-reinforced, black or white through-dyed polyamide. Armrest pads made of black or gray, through-dyed polyurethane (TPU), optionally also made of black polyurethane foam and covered in leather if desired. Upholstered, leather-covered armrests (optional) in model 175/73 with color-contrasting stitching.

Through-dyed black or white polypropylene armrest covers. Height of armrests adjustable by 100 mm (eight lockable positions), depth by 40 mm, can be swiveled 30° inward and outward in each case.

##### **Conference/visitor chairs**

Fixed armrests made of fiberglass-reinforced, black, through-dyed polyamide. Armrest pads made of black, through-dyed polyurethane (TPU), optionally also made of polyurethane foam and covered in leather if desired. Armrest covers made of black, through-dyed polypropylene.

##### **Cantilever chair/four-leg visitor chair**

Black or gray through-dyed polypropylene armrest pads. In the case of non-stackable chairs, optionally with upholstered armrests, when covered in fabric with black leather 74/99, when covered in leather to match the color of the leather.





## Standards

The ON task chairs and visitor/meeting chairs comply with the type A or B DIN EN 1335 office-chair, ANSI/BIFMA X5.1 and IGR standards. On request, NPR 1813 models are available.

The ON cantilever chairs and four-leg visitor chairs comply with the DIN EN 16139-L1 and ANSI/BIFMA X5 standards.



## Accessories

Optionally for visitor chair model 176/7: Inline connector model 177 made of zinc-plated steel.

Optionally for cantilever chair, model 178/7, four-wheeled trolley, model 178 for 8 cantilever chairs. Optionally, the ON task, visitor and conference chairs (without headrest) can also be shipped with dismantled backrests in boxes.

All visitor and conference chairs have glides for soft flooring (e.g. carpets). On request, available with swivel-mounted column, not height adjustable, (at no additional charge).

## Please note:

The prices for types with cushioning that includes fabrics and leather provided by the customer are given on request.

Four-leg chairs: to the DIN EN 16139-L1 office-chair standard, up to 5 chairs can be stacked vertically.

Cantilever chair: to the DIN EN 16139-L1 office-chair standard, up to 3 chairs can be stacked vertically.


Stacking versions with coated frames can cause color to rub off, which is not covered by our guarantee. The same applies when inline connectors are used. We recommend chrome-plated versions for circumstances like these.





**Medium-height backrest**

■ 97/109 ■ 69 ■ 66  
■ 40/52 ■ 50 ■ 43



**174/7**

Seat and backrest shell in black, backrest covered with Fiberflex fabric, backrest height adjustment (up to 60 mm), with 3D armrests, with seat cushioning, optionally with soft padding (please state in order), precision-adjustable height, Trimension, tension control  
Plastic star base, aluminum-coated swivel arms

**Additional charge/reduced prices**

Seat and backrest shell, synchro-adjustment mechanism and, if applicable, armrests in white  
Covered backrest (not in the case of artificial leather 58)  
Backrest with soft padding  
Without armrests  
Polyurethane foam armrest pad  
Upholstered, leather-covered armrests

Seat-depth extension, approx. 40 to 45 cm  
Permanent comfort tilt (6°)

Mechanism shell coated in black or with a silver satin finish.  
Coated aluminum star base  
Polished aluminum star base  
Aluminum bright chrome-plated star base  
Polished aluminum swivel arms  
Aluminum bright chrome-plated swivel arms

Casters in white  
Electrically conductive casters


	35	47	51 54 56 58	60 64 65 66 68	91 92
	SEK	SEK	SEK	SEK	SEK
Seat and backrest shell in black, backrest covered with Fiberflex fabric, backrest height adjustment (up to 60 mm), with 3D armrests, with seat cushioning, optionally with soft padding (please state in order), precision-adjustable height, Trimension, tension control Plastic star base, aluminum-coated swivel arms	12425	13313	13513	13713	14013
Seat and backrest shell, synchro-adjustment mechanism and, if applicable, armrests in white	588	588	588	588	588
Covered backrest (not in the case of artificial leather 58)		1288	1588	1788	2100
Backrest with soft padding	1213	1463	1738	1938	2313
Without armrests	-987	-987	-987	-987	-987
Polyurethane foam armrest pad	813	813	813	813	813
Upholstered, leather-covered armrests	2913	2913	2913	2913	2913
Seat-depth extension, approx. 40 to 45 cm	1250	1250	1250	1250	1250
Permanent comfort tilt (6°)	725	725	725	725	725
Mechanism shell coated in black or with a silver satin finish.	588	588	588	588	588
Coated aluminum star base	1313	1313	1313	1313	1313
Polished aluminum star base	1888	1888	1888	1888	1888
Aluminum bright chrome-plated star base	2625	2625	2625	2625	2625
Polished aluminum swivel arms	588	588	588	588	588
Aluminum bright chrome-plated swivel arms	2938	2938	2938	2938	2938
Casters in white	375	375	375	375	375
Electrically conductive casters	625	625	625	625	625

All task chairs are fitted with casters for soft flooring (e.g. carpets). Please order with soft casters (at no extra charge) for hard flooring (e.g. stone, parquet). Electrically conductive casters (only if an aluminum frame is chosen) available for an extra charge.



**High backrest**

105/117 H70 H66  
40/52 H50 H43



**175/7**

Seat and backrest shell in black, backrest covered with Fiberflex fabric, backrest height adjustment (up to 60 mm), with 3D armrests, with seat cushioning, optionally with soft padding (please state in order), precision-adjustable height, Trimension, tension control  
Plastic star base, aluminum-coated swivel arms

**Additional charge/reduced prices**

Headrest in same material as backrest cover  
Headrest covered in leather on the front, 74/99, black  
Seat and backrest shell, synchro-adjustment mechanism and, if applicable, armrests in white  
Covered backrest (not in the case of artificial leather 58)  
Backrest with soft padding  
  
Without armrests  
Polyurethane foam armrest pad  
Upholstered, leather-covered armrests  
  
Seat-depth extension, approx. 40 to 45 cm  
Permanent comfort tilt (6°)  
  
Mechanism shell coated in black or with a silver satin finish.  
Coated aluminum star base  
Polished aluminum star base  
Aluminum bright chrome-plated star base  
Polished aluminum swivel arms  
Aluminum bright chrome-plated swivel arms  
  
Casters in white  
Electrically conductive casters

	35	47	51 54 56 58	60 64 65 66 68	91 92
	SEK	SEK	SEK	SEK	SEK
175/7	15625	16513	16713	16913	17213
Headrest in same material as backrest cover	1125	1125	1125	1125	1125
Headrest covered in leather on the front, 74/99, black	1838	1838	1838	1838	1838
Seat and backrest shell, synchro-adjustment mechanism and, if applicable, armrests in white	588	588	588	588	588
Covered backrest (not in the case of artificial leather 58)		1513	1838	2238	2763
Backrest with soft padding	1450	1613	2013	2413	3075
Without armrests	-987	-987	-987	-987	-987
Polyurethane foam armrest pad	813	813	813	813	813
Upholstered, leather-covered armrests	2913	2913	2913	2913	2913
Seat-depth extension, approx. 40 to 45 cm	1250	1250	1250	1250	1250
Permanent comfort tilt (6°)	725	725	725	725	725
Mechanism shell coated in black or with a silver satin finish.	588	588	588	588	588
Coated aluminum star base	1313	1313	1313	1313	1313
Polished aluminum star base	1888	1888	1888	1888	1888
Aluminum bright chrome-plated star base	2625	2625	2625	2625	2625
Polished aluminum swivel arms	588	588	588	588	588
Aluminum bright chrome-plated swivel arms	2938	2938	2938	2938	2938
Casters in white	375	375	375	375	375
Electrically conductive casters	625	625	625	625	625



**High backrest  
with contoured upholstery**

105/117 H70 H66  
40/52 H50 H43



**175/73**

Seat and backrest shell in black, covered backrest, with contoured upholstery, backrest height adjustment (up to 60 mm), with 3D armrests, with seat cushioning and soft padding, precision-adjustable height, Trimension, tension control  
Plastic star base, aluminum-coated swivel arms

**Additional charge/reduced prices**

Headrest in same material as backrest cover  
Headrest covered in leather on the front, 74/99, black  
Seat and backrest shell, synchro-adjustment mechanism and, if applicable, armrests in white

Without armrests

Polyurethane foam armrest pad

Upholstered, leather-covered armrests

Seat-depth extension, approx. 40 to 45 cm

Permanent comfort tilt (6°)

Mechanism shell coated in black or with a silver satin finish.

Coated aluminum star base

Polished aluminum star base

Aluminum bright chrome-plated star base

Polished aluminum swivel arms

Aluminum bright chrome-plated swivel arms

Casters in white

Electrically conductive casters

60\*

SEK

21000

1125

1838

588

-987

813

2913

1250

725

588

1313

1888

2625

588

2938

375

625

\* colors available: 60/08, 60/1P, 60/86, 60/67, 60/1J



**24-hour chair**

105/117 69 66  
40/52 50 43



**175/8**

Seat and backrest shell in black, covered backrest, backrest height adjustment (up to 60 mm), with 3D armrests, with seat cushioning, optionally with soft padding (please state in order), precision-adjustable height, Trimension, tension control Aluminum coated star base and swivel arms

**Additional charge/reduced prices**

Headrest in same material as backrest cover  
Headrest covered in leather on the front, 74/99, black  
Backrest with soft padding

Without armrests  
Polyurethane foam armrest pad  
Upholstered, leather-covered armrests

Seat-depth extension, approx. 40 to 45 cm  
Permanent comfort tilt (6°)

Polished aluminum star base  
Aluminum bright chrome-plated star base  
Polished aluminum swivel arms  
Aluminum bright chrome-plated swivel arms

Electrically conductive casters

54 66 91  
68 92

SEK SEK SEK

24000 24588 27075

1125 1125 1125

1838 1838 1838

2013 2413 3075

-987 -987 -987

813 813 813

2913 2913 2913

1250 1250 1250

725 725 725

575 575 575

1313 1313 1313

588 588 588


2938 2938 2938

625 625 625



**Counter stool**

□125/138 □69 □66  
□68/81 □50 □43



**174/1**

Seat and backrest shell in black, backrest covered with Fiberflex fabric, backrest height adjustment (up to 60 mm), with 3D armrests, with seat cushioning, optionally with soft padding (please state in order), precision-adjustable height, Trimension, tension control with bright chrome-plated foot ring (with precision-adjustable height) Aluminum coated star base and swivel arms


**Additional charge/reduced prices**

Covered backrest (not in the case of artificial leather 58)  
Backrest with soft padding  
  
Without armrests  
Polyurethane foam armrest pad  
Upholstered, leather-covered armrests  
Mechanism shell coated in black or with a silver satin finish.  
  
Seat-depth extension, approx. 40 to 45 cm  
  
Polished aluminum star base  
Aluminum bright chrome-plated star base  
Polished aluminum swivel arms  
Aluminum bright chrome-plated swivel arms

	35	47	51 54 56 58	60 64 65 66 68	91 92
	SEK	SEK	SEK	SEK	SEK
174/1	16913	17800	18000	18200	18500
Covered backrest (not in the case of artificial leather 58)		1288	1588	1788	2100
Backrest with soft padding	1213	1463	1738	1938	2313
Without armrests	-987	-987	-987	-987	-987
Polyurethane foam armrest pad	813	813	813	813	813
Upholstered, leather-covered armrests	2913	2913	2913	2913	2913
Mechanism shell coated in black or with a silver satin finish.	588	588	588	588	588
Seat-depth extension, approx. 40 to 45 cm	1250	1250	1250	1250	1250
Polished aluminum star base	575	575	575	575	575
Aluminum bright chrome-plated star base	1313	1313	1313	1313	1313
Polished aluminum swivel arms	588	588	588	588	588
Aluminum bright chrome-plated swivel arms	2938	2938	2938	2938	2938

**Medium-height backrest**

□97/109 □69 □66  
□40/52 □50 □43



**171/7**

Seat and backrest shell in black, backrest covered with Fiberflex fabric, backrest height adjustment (up to 60 mm), fixed armrests, with seat cushioning, precision-adjustable height, Trimension, tension control Aluminum coated star base and swivel arms

**Additional charge/reduced prices**

Covered backrest (not in the case of artificial leather 58)  
  
Without armrests  
Polyurethane foam armrest pad  
Upholstered, leather-covered armrests  
  
Mechanism shell coated in black or with a silver satin finish.  
Polished aluminum star base  
Aluminum bright chrome-plated star base  
Polished aluminum swivel arms  
Aluminum bright chrome-plated swivel arms

	35	47	51 54 56 58	60 64 65 66 68	91 92
	SEK	SEK	SEK	SEK	SEK
171/7	13988	14875	15075	15275	15575
Covered backrest (not in the case of artificial leather 58)		1288	1588	1788	2100
Without armrests	-987	-987	-987	-987	-987
Polyurethane foam armrest pad	813	813	813	813	813
Upholstered, leather-covered armrests	2913	2913	2913	2913	2913
Mechanism shell coated in black or with a silver satin finish.	588	588	588	588	588
Polished aluminum star base	575	575	575	575	575
Aluminum bright chrome-plated star base	1313	1313	1313	1313	1313
Polished aluminum swivel arms	588	588	588	588	588
Aluminum bright chrome-plated swivel arms	2938	2938	2938	2938	2938


All counter chairs come with multipurpose casters.

On request, all conference and visitor chairs are available with swivel-mounted column, not height adjustable, (at no extra charge).



**Medium-height backrest**

97/109 H 69 H 66  
40/52 H 50 H 43



**174/71**

Seat and backrest shell in black, backrest covered with Fiberflex fabric, backrest height adjustment (up to 60 mm), with 3D armrests, seat with management grade upholstery, optionally with soft padding (please state in order, precision-adjustable height, Trimension, tension control  
Plastic star base, aluminum-coated swivel arms

**Additional charge/reduced prices**

Seat and backrest shell, synchro-adjustment mechanism and, if applicable, armrests in white

Backrest with management grade upholstery

Without armrests

Polyurethane foam armrest pad

Upholstered, leather-covered armrests

Seat-depth extension (approx. 400 to 450 mm)

Permanent comfort tilt (6°)

Mechanism shell coated in black or with a silver satin finish.

Coated aluminum star base

Polished aluminum star base

Aluminum bright chrome-plated star base

Polished aluminum swivel arms

Aluminum bright chrome-plated swivel arms

Casters in white

Electrically conductive casters

	51 56	60 64 65 66 68	91 92	74	87
	SEK	SEK	SEK	SEK	SEK
	13925	14138	14613	16213	19125
	588	588	588	588	588
	3938	4350	5075	6013	7875
	-987	-987	-987	-987	-987
	813	813	813	813	813
	2913	2913	2913	2913	3313
	1250	1250	1250	1250	1250
	550	550	550	550	550
	588	588	588	588	588
	1313	1313	1313	1313	1313
	1888	1888	1888	1888	1888
	2625	2625	2625	2625	2625
	588	588	588	588	588
	2938	2938	2938	2938	2938
	375	375	375	375	375
	625	625	625	625	625


All task chairs are fitted with casters for soft flooring (e.g. carpets). Please order with soft casters (at no extra charge) for hard flooring (e.g. stone, parquet). Electrically conductive casters (only if an aluminum frame is chosen) available for an extra charge.





**High backrest**

105/117 H 70 H 66  
40/52 H 50 H 43



**175/71**

Seat and backrest shell in black, backrest covered with Fiberflex fabric, backrest height adjustment (up to 60 mm), with 3D armrests, seat with management grade upholstery, optionally with soft padding (please state in order, precision-adjustable height, Trimension, tension control Plastic star base, aluminum-coated swivel arms

**Additional charge/reduced prices**

Headrest in same material as backrest cover  
Headrest covered in leather on the front, 74/99, black

Seat and backrest shell, synchro-adjustment mechanism and, if applicable, armrests in white

Backrest with management grade upholstery

Without armrests

Polyurethane foam armrest pad

Upholstered, leather-covered armrests

Seat-depth extension (approx. 400 to 450 mm)

Permanent comfort tilt (6°)

Silver or black coated mechanism shell

Coated aluminum star base

Polished aluminum star base

Aluminum bright chrome-plated star base

Polished aluminum swivel arms

Aluminum bright chrome-plated swivel arms

Casters in white

Electrically conductive casters

	51 56	60 64 65 66 68	91 92	74	87
	SEK	SEK	SEK	SEK	SEK
	16838	17050	17525	20988	22038
	1125	1125	1125	1838	1913
	1838	1838	1838	1838	1838
	588	588	588	588	588
	4263	4700	5488	6400	8300
	-987	-987	-987	-987	-987
	813	813	813	813	813
	2913	2913	2913	2913	3313
	1250	1250	1250	1250	1250
	550	550	550	550	550
	588	588	588	588	588
	1313	1313	1313	1313	1313
	1888	1888	1888	1888	1888
	2625	2625	2625	2625	2625
	588	588	588	588	588
	2938	2938	2938	2938	2938
	375	375	375	375	375
	625	625	625	625	625



# 184 Range IN

Design: wiege



## Technical details

### Function

An office task chair with Trimension®, integrated synchronously supporting 3D kinematics which allows the right-hand and left-hand half of the chair to be tilted in any direction via two flexible swing swivel arms. The goal is to encourage the natural range of motion the pelvis is capable of which includes flexing, extending, and moving it sideways to rotating it. The combination of the 3D synchronous adjustment mechanism with a very elastic seat and backrest guarantees the chair adapts automatically to any movement made or posture adopted by the person sitting on it. As a result, the body is supported in any position and maintains its center of gravity.

The counter pressure, which provides support in any direction moved in, is precision adjustable for people weighing from 45 to 140 kg by changing the elasticity. The backrest has optional, height-adjustable lumbar support (in six positions of up to 60 mm).

The backrest and seat can be locked in a neutral sitting position and the 3D forward tilt of 5° can be optionally activated at the touch of a button to harness the maximum range of motion. The seating height can be precision adjusted at the touch of a button between 400 mm and 520 mm with a DIN 4550-compliant gas lift. Seat depth: 43 cm, optionally with seat-depth extension, which can be adjusted while sitting in 4 lockable positions from 40 to 45 cm. (The height of the elevated sitting position (ESP) models is precision adjustable from between 440 mm and 580 mm and the counter chairs between 65 cm and 78 cm.)

Task chairs	Frame	Star base	Swivel arms	Mechanism shell	
	50	Plastic	Coated black matte or with a silver satin finish	Coated black matte, flexible mechanism shell cover and tension control knob made of black through-dyed plastic.	
	52	Polished aluminum	Coated black or white matte, or with a silver satin finish, or polished	Coated black or white matte, flexible mechanism shell cover and tension control knob made of black or white through-dyed plastic.	
	60	Coated with a silver satin finish (RAL9006)	Coated with a silver satin or white with a textured matte finish	Coated black or white matte, flexible mechanism shell cover and tension control knob made of black or white through-dyed plastic.	
	72	High-luster polished aluminum	Coated black or white matte or with a silver satin finish, or high-luster polished	Coated black or white matte, flexible mechanism shell cover and tension control knob made of black or white through-dyed plastic.	
	80	Coated black matte (RAL9005)	Black with a matte coating (RAL9005)	Coated black matte, flexible mechanism shell cover and tension control knob made of black through-dyed plastic.	
	91	Coated white with a textured matte finish (RAL9016)	Coated white with a textured matte finish (RAL9016)	Coated white matte, flexible mechanism shell cover and tension control knob made of white through-dyed plastic.	
	81	Coated turquoise matte (RAL230 60 30)	Coated turquoise matte	Coated black matte, flexible mechanism shell cover and tension control knob made of black through-dyed plastic.	
	82	Coated gray matte (RAL7040)	Coated gray matte	Coated black matte, flexible mechanism shell cover and tension control knob made of black through-dyed plastic.	
	83	Coated orange matte (RAL2001)	Coated orange matte	Coated black matte, flexible mechanism shell cover and tension control knob made of black through-dyed plastic.	
	84	Coated red matte (RAL3003)	Coated red matte	Coated black matte, flexible mechanism shell cover and tension control knob made of black through-dyed plastic.	
	<b>Armrests</b>	<b>Height adjustment</b>	<b>Depth adjustment</b>	<b>Width adjustment</b> Bottom top (AL-Pad)	<b>Swivel</b>
	1-D	100 mm			
	3-D	100 mm	50 mm		25°
	4-D	100 mm	50 mm	25 mm	25°

## Awards





## Frame

### Task chairs

Five-star base made of black through-dyed, fiberglass-reinforced polyamide, optionally of die-cast aluminum, color-coated (e.g. white with a textured matte finish), polished or high-luster polished. Twin-wheel swivel casters with load-dependent braking, made of black or white DIN EN 12529-compliant polypropylene as the standard version for carpets, optionally with gray tire made of polyurethane for hard flooring. Casters optionally electrically conductive.

The gas lift is covered by a telescopic protective tube made of black or white through-dyed polypropylene.

Mechanism shell made of die-cast aluminum, with a black or white coating with a textured matte finish with black or white through-dyed polypropylene bellows and thermoplastic elastomer to accommodate the flexibly mounted central spring, knob to adjust the counter pressure made of black or white polyamide (for people weighing from 45 to 140 kg).

Each chair has two swivel arms which can move independently of one another, made of die-cast aluminum, color coated (e.g. white with a textured matte finish), matte polished or high-luster polished, with protective caps made of polypropylene.

### Counter stool

Star base from the ON 170 range, with additional height-adjustable, bright chrome-plated foot ring, with lock screw to affix it and twin-wheel swivel casters with load-dependent braking.

### 24-hour chairs

Always with die-cast aluminum star base, with extra swivel arm supports and high-performance covers. Designed for people weighing up to 150 kg, the models also comply with the British Standard.

### Seat-backrest element

Unitary, highly elastic, and flexibly suspended seat-backrest element made of high-performance polyamide. Seat shell made of black or white through-dyed polyamide with polypropylene seat upholstery panel. Ergonomic polyurethane seat cushioning with CFC-free foam, covered in Racer, optionally also with Formstrick (form-fit knit) that offers different support zones, in the same material as the backrest cover. Or with fabric covers from the Wilkhahn fabric collection, then with facings sewn-in and deep top stitching lengthwise to create contours as well as side facings in the same material and color. When optional soft padding is chosen, more defined edges because of the higher quantity of foam and all fabric covers with upholstered facings at the side are in the same material and color. Form-fit knit is not available in combination with soft padding.

Optional seat-depth extension, which can be adjusted in 4 lockable positions from 40 to 45 cm. Then standard and soft padding with side facings in Racer, color-matched when the fabric cover is Racer, in black, anthracite or light gray for all other fabrics.

Seat upholstery panel, cushioning and covers are replaceable.

The back section is the frame, optionally with Hytrell® lumbar support (which is retrofittable at any time), comes in black or white to match the seat shell and is adjustable in height by 60 mm in six lockable positions. The back is covered in Formstrick (form-fit knit) which includes different elasticity for flexible and supporting zones, optional two-ply cover made of Formstrick with integrated upholstery foam with different support zones. Colors from the Wilkhahn sample card.

Optional headrest made of through-dyed polyamide, in black or white to match the color of the frame, height can be adjusted by 60 mm in 6 lockable positions, with a 125-degree tilt function, which allows the depth to be adjusted by 50 mm. Upholstered, covered in 37 Racer or Evida 58 fabric, color-matched with the backrest cover, or in black. Headrest not possible when the chair has a clothes hanger. The headrest can be retrofitted on request.

## Armrests

Armrests made of fiberglass-reinforced, black or white through-dyed polyamide.

1D armrests whose height is adjustable in 10 lockable positions by 100 mm, in the case of 3D armrests the armrest pads can also be swiveled 50 mm in depth and by 25 degrees inward and outward, in the case of 4D armrests, each can also be adjusted in width by 25 mm.

Armrest pads are made of black or gray through-dyed polypropylene, optionally made of polyurethane foam.

Can also optionally be supplied without armrests.

## Standards

The IN task chairs comply with the type A DIN EN 1335 office-chair, ANSI/BIFMA X5.1 and IGR standards.




## Information

If very damp, the elasticity of the Formstrick can slightly slacken, but will regain its original shape when it dries.



**Medium-height backrest**

101/113 H 69 H 66  
40/52 H 46 H 43



**184/7**

Seat and backrest frame optionally in black or white, back covered with single-ply form-fit knit, with 1D armrests, armrest pads made of PP with seat cushioning, precision-adjustable height, Trimension, tension control, optionally with 3D 5° forward tilt that can be activated (please state when ordering) Plastic star base, aluminum-coated swivel arms

**Additional charge/reduced prices**

Headrest (cover 37 / Racer, color-matched with the backrest cover or in black)  
Headrest (cover 58 / Evida)

Seat and backrest shell, mechanism, bellows, gas lift, if applicable, lumbar support and armrests in white

Back covered in Formstrick knit, two-ply, with integrated upholstery foam with different support zones

Lumbar support, height-adjustable

Without armrests

3D armrests, armrest pads made of PP

4D armrests, armrest pads made of PP

Armrest pads made of polyurethane foam for 1D, 3D and 4D armrests

Soft padding

Seat-depth extension, approx. 40 to 45 cm

Aluminum coated star base and swivel arms

Polished aluminum star base, coated swivel arms

High-luster polished aluminum star base, coated swivel arms

Aluminum polished star base and swivel arms

Aluminum high-luster polished star base and swivel arms

Casters in white

Electrically conductive casters


	37 38	41	51 54 56 58	60 64 65 66 68	91 92
	SEK	SEK	SEK	SEK	SEK
	10088	10263	11213	11700	12450
Headrest (cover 37 / Racer, color-matched with the backrest cover or in black)	1475	1475	1475	1475	1475
Headrest (cover 58 / Evida)	1475	1475	1475	1475	1475
Seat and backrest shell, mechanism, bellows, gas lift, if applicable, lumbar support and armrests in white	475	475	475	475	475
Back covered in Formstrick knit, two-ply, with integrated upholstery foam with different support zones	750	750	750	750	750
Lumbar support, height-adjustable	225	225	225	225	225
Without armrests	-1037	-1037	-1037	-1037	-1037
3D armrests, armrest pads made of PP	363	363	363	363	363
4D armrests, armrest pads made of PP	675	675	675	675	675
Armrest pads made of polyurethane foam for 1D, 3D and 4D armrests	150	150	150	150	150
Soft padding	138	138	138	138	138
Seat-depth extension, approx. 40 to 45 cm	1413	1588	1588	1613	1663
Aluminum coated star base and swivel arms	750	750	750	750	750
Polished aluminum star base, coated swivel arms	750	750	750	750	750
High-luster polished aluminum star base, coated swivel arms	750	750	750	750	750
Aluminum polished star base and swivel arms	1650	1650	1650	1650	1650
Aluminum high-luster polished star base and swivel arms	1650	1650	1650	1650	1650
Casters in white	400	400	400	400	400
Electrically conductive casters	625	625	625	625	625

All task chairs have casters for soft flooring (e. g. carpets). Please order with soft casters (at no extra charge) for hard flooring (e. g. stone, parquet) Electrically conductive casters (only if an aluminum frame is chosen) available for an extra charge.



**Medium-height backrest  
elevated sitting position (ESP)**

■ 105/119 ■ 69 ■ 66  
■ 44/58 ■ 46 ■ 43



**184/72**

Seat and backrest frame optionally in black or white, back covered with single-ply form-fit knit, with 1D armrests, armrest pads made of PP with seat cushioning, precision-adjustable height, Trimension, tension control, optionally with 3D 5° forward tilt that can be activated (please state when ordering) Plastic star base, aluminum-coated swivel arms

**Additional charge/reduced prices**

Headrest (cover 37 / Racer, color-matched with the backrest cover or in black)  
Headrest (cover 58 / Evida)

Back covered in Formstrick knit, two-ply, with integrated upholstery foam with different support zones  
Lumbar support, height-adjustable

Without armrests

3D armrests, armrest pads made of PP

4D armrests, armrest pads made of PP

Armrest pads made of polyurethane foam for 1D, 3D and 4D armrests

Soft padding

Seat-depth extension, approx. 40 to 45 cm

Aluminum coated star base and swivel arms

Polished aluminum star base, coated swivel arms

High-luster polished aluminum star base, coated swivel arms

Aluminum polished star base and swivel arms

Aluminum high-luster polished star base and swivel arms

Electrically conductive casters

	37 38	41	51 54 56 58	60 64 65 66 68	91 92
	SEK	SEK	SEK	SEK	SEK
	11175	11350	12300	12788	13538
Headrest (cover 37 / Racer, color-matched with the backrest cover or in black)	1475	1475	1475	1475	1475
Headrest (cover 58 / Evida)	1475	1475	1475	1475	1475
Back covered in Formstrick knit, two-ply, with integrated upholstery foam with different support zones	750	750	750	750	750
Lumbar support, height-adjustable	225	225	225	225	225
Without armrests	-1037	-1037	-1037	-1037	-1037
3D armrests, armrest pads made of PP	363	363	363	363	363
4D armrests, armrest pads made of PP	675	675	675	675	675
Armrest pads made of polyurethane foam for 1D, 3D and 4D armrests	150	150	150	150	150
Soft padding	138	138	138	138	138
Seat-depth extension, approx. 40 to 45 cm	•	•	•	•	•
Aluminum coated star base and swivel arms	750	750	750	750	750
Polished aluminum star base, coated swivel arms	750	750	750	750	750
High-luster polished aluminum star base, coated swivel arms	750	750	750	750	750
Aluminum polished star base and swivel arms	1650	1650	1650	1650	1650
Aluminum high-luster polished star base and swivel arms	1650	1650	1650	1650	1650
Electrically conductive casters	625	625	625	625	625


• available

All task chairs have casters for soft flooring (e. g. carpets). Please order with soft casters (at no extra charge) for hard flooring (e. g. stone, parquet) Electrically conductive casters (only if an aluminum frame is chosen) available for an extra charge.



**24-hour chair**

101/113 H 69 H 66  
40/52 H 46 H 43



**184/8**

Seat and backrest frame optionally in black or white, back covered with single-ply form-fit knit, with 1D armrests, armrest pads made of PP with seat cushioning, precision-adjustable height, Trimension, tension control, optionally with 3D 5° forward tilt that can be activated (please state when ordering) Aluminum coated star base and swivel arms

**Additional charge/reduced prices**

Headrest (cover 37 / Racer, color-matched with the backrest cover or in black)  
Headrest (cover 58 / Evida)

Back covered in Formstrick knit, two-ply, with integrated upholstery foam with different support zones  
Height-adjustable lumbar support

Without armrests  
3D armrests, armrest pads made of PP  
4D armrests, armrest pads made of PP  
Armrest pads made of polyurethane foam for 1D, 3D and 4D armrests

Soft padding  
Seat-depth extension, approx. 40 to 45 cm

Polished aluminum star base, coated swivel arms (at no extra charge)  
High-luster polished aluminum star base, coated swivel arms (at no extra charge)  
Aluminum polished star base and swivel arms  
Aluminum high-luster polished star base and swivel arms  
Electrically conductive casters

	37	41	54	66 68	91 92
	SEK	SEK	SEK	SEK	SEK
Aluminum coated star base and swivel arms	13375	13638	14838	15375	16213
Headrest (cover 37 / Racer, color-matched with the backrest cover or in black)	1475	1475	1475	1475	1475
Headrest (cover 58 / Evida)	1475	1475	1475	1475	1475
Back covered in Formstrick knit, two-ply, with integrated upholstery foam with different support zones	750	750	750	750	750
Height-adjustable lumbar support	225	225	225	225	225
Without armrests	-1037	-1037	-1037	-1037	-1037
3D armrests, armrest pads made of PP	363	363	363	363	363
4D armrests, armrest pads made of PP	675	675	675	675	675
Armrest pads made of polyurethane foam for 1D, 3D and 4D armrests	150	150	150	150	150
Soft padding	138	138	138	138	138
Seat-depth extension, approx. 40 to 45 cm	1413	1588	1588	1613	1663
Polished aluminum star base, coated swivel arms (at no extra charge)	•	•	•	•	•
High-luster polished aluminum star base, coated swivel arms (at no extra charge)	•	•	•	•	•
Aluminum polished star base and swivel arms	900	900	900	900	900
Aluminum high-luster polished star base and swivel arms	938	938	938	938	938
Electrically conductive casters	625	625	625	625	625


• available

All task chairs have casters for soft flooring (e. g. carpets). Please order with soft casters (at no extra charge) for hard flooring (e. g. stone, parquet) Electrically conductive casters (only if an aluminum frame is chosen) available for an extra charge.



**Counter stool**

126/139 H 69 H 66  
65/78 H 46 H 43



**184/1**

Seat and backrest frame optionally in black or white, back covered with single-ply form-fit knit, with 1D armrests, armrest pads made of PP with seat cushioning, precision-adjustable height, Trimension tension control, without 3D 5° forward tilt with bright chrome-plated foot ring (precision-adjustable height)  
Aluminum coated star base and swivel arms

**Additional charge/reduced prices**

Headrest (cover 37 / Racer, color-matched with the backrest cover or in black)  
Headrest (cover 58 / Evida)

Back covered in Formstrick knit, two-ply, with integrated upholstery foam with different support zones  
Height-adjustable lumbar support

Without armrests  
3D armrests, armrest pads made of PP  
4D armrests, armrest pads made of PP  
Armrest pads made of polyurethane foam for 1D, 3D and 4D armrests

Soft padding  
Seat-depth extension (approx. 400 to 450 mm)

Aluminum polished star base, coated swivel arms (at no extra charge)  
Aluminum polished star base and swivel arms  
Electrically conductive casters

	37 38	41	51 54 56 58	60 64 65 66 68	91 92
	SEK	SEK	SEK	SEK	SEK
Aluminum coated star base and swivel arms	14188	14363	15313	15800	16550
Headrest (cover 37 / Racer, color-matched with the backrest cover or in black)	1475	1475	1475	1475	1475
Headrest (cover 58 / Evida)	1475	1475	1475	1475	1475
Back covered in Formstrick knit, two-ply, with integrated upholstery foam with different support zones	750	750	750	750	750
Height-adjustable lumbar support	225	225	225	225	225
Without armrests	-1037	-1037	-1037	-1037	-1037
3D armrests, armrest pads made of PP	363	363	363	363	363
4D armrests, armrest pads made of PP	675	675	675	675	675
Armrest pads made of polyurethane foam for 1D, 3D and 4D armrests	150	150	150	150	150
Soft padding	138	138	138	138	138
Seat-depth extension (approx. 400 to 450 mm)	1413	1588	1588	1613	1663
Aluminum polished star base, coated swivel arms (at no extra charge)	•	•	•	•	•
Aluminum polished star base and swivel arms	900	900	900	900	900
Electrically conductive casters	625	625	625	625	625

• available

All counter chairs come with multipurpose casters.



# 187 Range

## AT

Design: Wilkhahn



### Technical details

#### Function

Free-to-move office task chair with Trimension®, integrated synchronously supporting 3D kinematics. The self-centering suspension of the seat shell is combined with automatic weight adjustment and the chair optionally comes with the ability to preset the automatic weight adjustment in ten increments to suit personal preferences. Trimension® activates the natural range of motion the human pelvis is capable of and which matches the way the joints function, from flexing, extending, leaning sideways or rotating the pelvis. When moving synchronously backwards and forwards, the angle of the tilt ranges from 12° in the seat and up to 26° in the backrest, optionally with a 3D forward tilt of up to 5° that can be activated, during which the backrest is raised synchronously by 25 mm so that the lumbar support is always in the right position. The seat and back can be tilted sideways from the horizontal by up to 12°. At the same time, the counter pressure adjusts automatically to any posture or movement so that the body always maintains its center of gravity.

AT is ideal for people weighing from 45 to 140 kg.

The backrest has height-adjustable lumbar support (in eight lockable positions of up to 60 mm). The backrest and seat can be locked in a neutral horizontal 0-position, the optional 5° 3D forward tilt can be activated by lifting the seat and back.

The seating height can be precision adjusted at the touch of a button between 400 mm and 530 mm with a DIN 4550-compliant, precision-adjustable gas lift, optionally with a contact suppression feature, then the seating height is between 42 cm - 53 cm.

Seat depth: 43 cm, optionally integrated seat-depth extension that is precision-adjustable from 39 cm to 45 cm by users turning a knob while they are sitting down. The height of the elevated sitting position (ESP) models is precision-adjustable from between 43 cm and 61 cm and the counter chairs between 65 cm and 77 cm.

#### Frame

##### Task chairs

Five-star base made of black through-dyed, fiberglass-reinforced polyamide, optionally of die-cast aluminum, coated, polished or high-luster polished. Twin-wheel swivel casters with load-dependent braking, made of black DIN EN 12529-compliant polypropylene as the standard version for carpets, optionally with gray tire made of polyurethane for hard flooring. Casters optionally electrically conductive.

The gas lift is covered by a telescopic protective tube made of black or white through-dyed polypropylene (does not apply to the ESP version). The mechanism shell is made of black or white through-dyed, fiberglass-reinforced polyamide with a cover made of black or white through-dyed polypropylene.

The backrest bearer to accommodate the seat and backrest is made of black or white through-dyed, fiberglass-reinforced polyamide with a central steel joint.

##### Counter stool

With extra height-adjustable foot ring, bright chrome-plated, with lock screw to affix it and twin-wheel swivel casters with load-dependent braking.

#### Task chairs

Frame	Star base	Armrests	Height adjustment	Depth adjustment	Width adjustment	Swivel
	50 Plastic		1-D 100 mm		Bottom	
	52 Polished aluminum		3-D 100 mm	50 mm		
	72 High-luster polished aluminum		4-D 100 mm	50 mm	25 mm	
	90 Coated with a black textured matte finish (RAL9011)					25 mm
	91 Coated white with a textured matte finish (RAL9016)					25°

#### Awards





## Seat and back

### Models 187/7, 187/8, 187/9, 187/72, 187/1

Unitary and highly elastic self-centering seat and backrest shell suspended on the backrest bearer made of black or white through-dyed glass-bead reinforced polypropylene.

Three backrest heights (medium height, advanced height, advanced height with headrest and neck rest), backrest shell optionally covered in fabric or leather, neck rest made of polyurethane foam, covered in black or gray leather. When leather 74 is chosen, in the same material and color as the backrest cover. Seat and back cushioning made of polyurethane with CFC-free foam, as replaceable upholstery element with covers from the Wilkhahn fabric and leather collection. Ergonomic, with seat cushioning with higher edges at the sides, made of molded foam, covers without side facings. When optional soft padding is chosen, more defined edges because of the higher quantity of foam and all fabric covers with facings at the side are in the same material and color. With optional seat-depth extension from 39 to 45 cm that is precision adjustable by turning a knob. Then standard and soft padding with side facings in Racer, color-matched when the fabric cover is Racer, optionally in black (37/99), anthracite (37/25) and light gray (37/95) for all other fabrics. Leather for all types of upholstery with facings all the way round in the same material and color. Optional plastic lumbar support between the seat and backrest shell and backrest cushioning, height-adjustable by 6 cm in eight lockable positions.

### AT Mesh models 187/71, 187/73, 187/11

The seat and backrest element is suspended in a self-centering manner on the backrest bearer and the back is a mesh-covered frame. The mesh is made of 80% post-consumer-recycled polyester and 20% elastomer. The backrest frame is made of black or white, through-dyed, fiberglass-reinforced polyamide, which is screwed to the seat shell made of black or white through-dyed, glass-bead reinforced polypropylene, with a seat shell and backrest frame made of black or white through-dyed plastic with a polypropylene seat upholstery panel.

Seat cushioning made of polyurethane with CFC-free foam, as replaceable upholstery element with covers from the Wilkhahn fabric and leather collection. Ergonomic, with seat cushioning with higher edges at the sides, made of molded foam, covers without side facings.

When optional soft padding is chosen, more defined edges because of the higher quantity of foam and all fabric covers with facings at the side are in the same material and color. With optional seat-depth extension from 39 to 45 cm that is precision adjustable by turning a knob. Then standard and soft padding with side facings in Racer, color-matched when the fabric cover is Racer, optionally in black (37/99), anthracite (37/25) and light gray (37/95) for all other fabrics. Leather for all types of upholstery with facings all the way round in the same material and color. Optionally with a polypropylene lumbar support, which is in black or white to match the color of the frame and height-adjustable by 6 cm in six lockable positions, optionally additionally adjustable in depth by up to 1.5 cm by turning a knob made of fiberglass-reinforced polyamide that is retrofittable at any time.

Optional backrest frame with an upholstered headrest in the same color

as the frame in through-dyed, fiberglass-reinforced polyamide, height-adjustable by 6 cm in 6 lockable positions and can be tilted forward in 4 lockable positions by up to 125° (depth adjustable by up to 5 cm). Cover in the same material and color as the backrest or in black.

### Optional armrests

Armrests made of fiberglass-reinforced, black or white through-dyed polyamide with armrest pads made of gray or black through-dyed polypropylene, optionally with armrest pads made of gray or black through-dyed polyurethane foam.

The height of 1D armrests can be adjusted in ten lockable positions by 100 mm, the depth of the armrest pads on 3D armrests can be adjusted by 50 mm and the width by 25 mm in each case, 4D armrests can also be pivoted inward and outward by 25°.

### Standards

The AT task chairs comply with the type A DIN EN 1335 office-chair, ANSI/BIFMA X5.1 and IGR standards.





**Medium-height backrest**

98/111 67 64  
40/53 50 43



**187/7**

Seat and backrest shell, automatic synchro-adjustment mechanism in black with seat and backrest upholstery height-adjustable lumbar support without armrests precision-adjustable height, 3D kinematics with automatic weight adjustment, optionally with customized presetting Trimension Plastic star base

**Additional charge/reduced prices**

Coat hanger

Seat-/backrest shell covered in fabric on the rear (fabric 68 not possible)

Seat and backrest shell, synchro-adjustment mechanism and, if applicable, armrests in white

1D armrests, armrest pads made of PP

3D armrests, armrest pads made of PP

4D armrests, armrest pads made of PP

Armrest pads made of polyurethane foam for 1D, 3D and 4D armrests

Soft padding

Seat-depth extension, approx. 39 to 45 cm

3D forward tilt of 5° can be activated

Contact suppression feature (seating height approx. 42–53 cm)

Coated aluminum star base

Polished aluminum star base

High-luster polished aluminum star base

Electrically conductive casters

	37 38	47	51 54 56	60 64 65 66 68	91 92	74
	SEK	SEK	SEK	SEK	SEK	SEK
	7650	8275	8863	9288	10013	12513
Coat hanger	825	825	825	825	825	825
Seat-/backrest shell covered in fabric on the rear (fabric 68 not possible)		1025	1150	1638	2138	
Seat and backrest shell, synchro-adjustment mechanism and, if applicable, armrests in white	413	413	413	413	413	413
1D armrests, armrest pads made of PP	950	950	950	950	950	950
3D armrests, armrest pads made of PP	1575	1575	1575	1575	1575	1575
4D armrests, armrest pads made of PP	1925	1925	1925	1925	1925	1925
Armrest pads made of polyurethane foam for 1D, 3D and 4D armrests	225	225	225	225	225	225
Soft padding	138	138	138	138	138	138
Seat-depth extension, approx. 39 to 45 cm	638	800	800	800	800	1213
3D forward tilt of 5° can be activated	313	313	313	313	313	313
Contact suppression feature (seating height approx. 42–53 cm)	400	400	400	400	400	400
Coated aluminum star base	788	788	788	788	788	788
Polished aluminum star base	1263	1263	1263	1263	1263	1263
High-luster polished aluminum star base	1413	1413	1413	1413	1413	1413
Electrically conductive casters	625	625	625	625	625	625

All task chairs are fitted with casters for soft flooring (e.g. carpets). Please order with soft casters (at no extra charge) for hard flooring (e.g. stone, parquet). Electrically conductive casters (only if an aluminum frame is chosen) available for an extra charge.



**Medium-height backrest**

101/114 H67 H64  
40/53 H50 H43



**187/71**

with seat cushioning, mesh-covered backrest seat shell, backrest frame and synchro-adjustment mechanism in black, without armrests  
precision-adjustable height, 3D kinematics with automatic weight adjustment optionally with customized presetting  
Trimension  
Plastic star base

**Additional charge/reduced prices**

Headrest, mesh-covered, height and depth adjustable  
Coat hanger

Backrest frame, seat shell, synchro-adjustment mechanism and, if applicable, armrests in white

Lumbar support

Lumbar support, adjustable height and depth

1D armrests, armrest pads made of PP

3D armrests, armrest pads made of PP

4D armrests, armrest pads made of PP

Armrest pads made of polyurethane foam for 1D, 3D and 4D armrests

Soft padding

Seat-depth extension, approx. 39 to 45 cm

3D forward tilt of 5° can be activated

Contact suppression feature (seating height approx. 42 – 53 cm)

Coated aluminum star base

Polished aluminum star base

High-luster polished aluminum frame


Electrically conductive casters

	37 38	47	51 54 56	60 64 65 66 68	91 92	74
	SEK	SEK	SEK	SEK	SEK	SEK
	7650	8275	8863	9288	10013	11275
	1238	1238	1238	1238	1238	1238
	825	825	825	825	825	825
	413	413	413	413	413	413
	150	150	150	150	150	150
	513	513	513	513	513	513
	950	950	950	950	950	950
	1575	1575	1575	1575	1575	1575
	1925	1925	1925	1925	1925	1925
	225	225	225	225	225	225
	138	138	138	138	138	138
	638	800	800	800	800	1213
	313	313	313	313	313	313
	400	400	400	400	400	400
	788	788	788	788	788	788
	1263	1263	1263	1263	1263	1263
	1413	1413	1413	1413	1413	1413
	625	625	625	625	625	625



**High backrest**

□ 110/123 □ 67 □ 64  
□ 40/53 □ 50 □ 43



**187/8**

with seat- and back cushioning, seat- and backrest shell, automatic synchro-adjustment mechanism in black height-adjustable lumbar support without armrests precision-adjustable height, 3D kinematics with automatic weight adjustment, optionally with customized presetting Trimension Plastic star base

**Additional charge/reduced prices**

Coat hanger

Seat-/backrest shell covered in fabric on the rear (fabric 68 not possible)

Seat and backrest shell, synchro-adjustment mechanism and, if applicable, armrests in white

1D armrests, armrest pads made of PP

3D armrests, armrest pads made of PP

4D armrests, armrest pads made of PP

Armrest pads made of polyurethane foam for 1D, 3D and 4D armrests

Soft padding

Seat-depth extension, approx. 39 to 45 cm

3D forward tilt of 5° can be activated

Contact suppression feature (seating height approx. 42–53 cm)

Coated aluminum star base

Polished aluminum star base

High-luster polished aluminum star base

Electrically conductive casters

	37 38	47	51 54 56	60 64 65 66 68	91 92	74
	SEK	SEK	SEK	SEK	SEK	SEK
	8863	9588	10225	10750	11625	13663
Coat hanger	825	825	825	825	825	825
Seat-/backrest shell covered in fabric on the rear (fabric 68 not possible)		1025	1150	1638	2138	
Seat and backrest shell, synchro-adjustment mechanism and, if applicable, armrests in white	413	413	413	413	413	413
1D armrests, armrest pads made of PP	950	950	950	950	950	950
3D armrests, armrest pads made of PP	1575	1575	1575	1575	1575	1575
4D armrests, armrest pads made of PP	1925	1925	1925	1925	1925	1925
Armrest pads made of polyurethane foam for 1D, 3D and 4D armrests	225	225	225	225	225	225
Soft padding	138	138	138	138	138	138
Seat-depth extension, approx. 39 to 45 cm	638	800	800	800	800	1213
3D forward tilt of 5° can be activated	313	313	313	313	313	313
Contact suppression feature (seating height approx. 42–53 cm)	400	400	400	400	400	400
Coated aluminum star base	788	788	788	788	788	788
Polished aluminum star base	1263	1263	1263	1263	1263	1263
High-luster polished aluminum star base	1413	1413	1413	1413	1413	1413
Electrically conductive casters	625	625	625	625	625	625

All task chairs are fitted with casters for soft flooring (e.g. carpets). Please order with soft casters (at no extra charge) for hard flooring (e.g. stone, parquet). Electrically conductive casters (only if an aluminum frame is chosen) available for an extra charge.



**High backrest with headrest and neck rest**

■ 120/133 ■ 67 ■ 64  
■ 40/53 ■ 50 ■ 43



**187/9**

with seat cushioning,  
neck rest covered optionally in 74/99 or  
74/34 leather,  
seat and backrest shell, synchro-adjustment  
mechanism in black  
height-adjustable lumbar support  
without armrests  
precision-adjustable height  
3D kinematics with automatic weight adjustment  
optionally with customized presetting  
Trimension  
Plastic star base

**Additional charge/reduced prices**

Coat hanger

Seat-/backrest shell covered in fabric on the rear  
(fabric 68 not possible)

Seat and backrest shell, synchro-  
adjustment mechanism and, if applicable,  
armrests in white

1D armrests, armrest pads made of PP  
3D armrests, armrest pads made of PP  
4D armrests, armrest pads made of PP

Armrest pads made of polyurethane foam for 1D,  
3D and 4D armrests

Soft padding

Seat-depth extension, approx. 39 to 45 cm

3D forward tilt of 5° can be activated

Contact suppression feature (seating height  
approx. 42–53 cm)

Coated aluminum star base

Polished aluminum star base

High-luster polished aluminum star base


Electrically conductive casters

	37 38	47	51 54 56	60 64 65 66 68	91 92	74
	SEK	SEK	SEK	SEK	SEK	SEK
	11600	12525	13413	14075	15213	16538
Coat hanger	825	825	825	825	825	825
Seat-/backrest shell covered in fabric on the rear (fabric 68 not possible)		1025	1150	1638	2138	
Seat and backrest shell, synchro-adjustment mechanism and, if applicable, armrests in white	413	413	413	413	413	413
1D armrests, armrest pads made of PP	950	950	950	950	950	950
3D armrests, armrest pads made of PP	1575	1575	1575	1575	1575	1575
4D armrests, armrest pads made of PP	1925	1925	1925	1925	1925	1925
Armrest pads made of polyurethane foam for 1D, 3D and 4D armrests	225	225	225	225	225	225
Soft padding	138	138	138	138	138	138
Seat-depth extension, approx. 39 to 45 cm	638	800	800	800	800	1213
3D forward tilt of 5° can be activated	313	313	313	313	313	313
Contact suppression feature (seating height approx. 42–53 cm)	400	400	400	400	400	400
Coated aluminum star base	788	788	788	788	788	788
Polished aluminum star base	1263	1263	1263	1263	1263	1263
High-luster polished aluminum star base	1413	1413	1413	1413	1413	1413
Electrically conductive casters	625	625	625	625	625	625



**Medium-height backrest  
elevated sitting position (ESP)**

101/119 H67 H64  
43/61 H50 H43



**187/72**

with seat- and back cushioning,  
seat- and backrest shell, automatic synchro-  
adjustment mechanism in black  
height-adjustable lumbar support  
without armrests  
precision-adjustable height,  
3D kinematics with automatic weight adjustment,  
optionally with customized presetting  
Trimension  
3D forward tilt of 5° can be activated  
Plastic star base

**Additional charge/reduced prices**

Coat hanger

Seat-/backrest shell covered in fabric on the rear  
(fabric 68 not possible)

Seat and backrest shell, synchro-  
adjustment mechanism and, if applicable,  
armrests in white

1D armrests, armrest pads made of PP

3D armrests, armrest pads made of PP

4D armrests, armrest pads made of PP

Armrest pads made of polyurethane foam for 1D,  
3D and 4D armrests

Soft padding

Seat-depth extension (approx. 39 to 45 cm) not  
possible in the combination without armrests  
and/or plastic star base)

Coated aluminum star base

Polished aluminum star base

High-luster polished aluminum star base

Electrically conductive casters

	37 38	47	51 54 56	60 64 65 66 68	91 92	74
	SEK	SEK	SEK	SEK	SEK	SEK
	8650	9275	9863	10288	11013	13513
Coat hanger	825	825	825	825	825	825
Seat-/backrest shell covered in fabric on the rear (fabric 68 not possible)		1025	1150	1638	2138	
Seat and backrest shell, synchro-adjustment mechanism and, if applicable, armrests in white	413	413	413	413	413	413
1D armrests, armrest pads made of PP	950	950	950	950	950	950
3D armrests, armrest pads made of PP	1575	1575	1575	1575	1575	1575
4D armrests, armrest pads made of PP	1925	1925	1925	1925	1925	1925
Armrest pads made of polyurethane foam for 1D, 3D and 4D armrests	225	225	225	225	225	225
Soft padding	138	138	138	138	138	138
Seat-depth extension (approx. 39 to 45 cm) not possible in the combination without armrests and/or plastic star base)	638	800	800	800	800	1213
Coated aluminum star base	788	788	788	788	788	788
Polished aluminum star base	1263	1263	1263	1263	1263	1263
High-luster polished aluminum star base	1413	1413	1413	1413	1413	1413
Electrically conductive casters	625	625	625	625	625	625

All task chairs are fitted with casters for soft flooring (e. g. carpets). Please order with soft casters (at no extra charge) for hard flooring (e. g. stone, parquet). Electrically conductive casters (only if an aluminum frame is chosen) available for an extra charge.



**Medium-height backrest  
elevated sitting position (ESP)**

■ 104/122 ■ 67 ■ 64  
■ 43/61 ■ 50 ■ 43



**187/73**

with seat cushioning, mesh-covered backrest seat shell, backrest frame and synchro-adjustment mechanism in black, without armrests  
precision-adjustable height  
3D kinematics with automatic weight adjustment optionally with customized presetting  
Trimension  
3D 5° forward tilt can be activated  
Plastic star base

**Additional charge/reduced prices**

Headrest, mesh-covered, height and depth adjustable  
Coat hanger

Backrest frame, seat shell, synchro-adjustment mechanism and, if applicable, armrests in white

Lumbar support

Lumbar support, adjustable height and depth

1D armrests, armrest pads made of PP

3D armrests, armrest pads made of PP

4D armrests, armrest pads made of PP

Armrest pads made of polyurethane foam for 1D, 3D and 4D armrests

Soft padding

Seat-depth extension (approx. 39 to 45 cm) not possible in the combination without armrests and/or plastic star base)

Coated aluminum star base

Polished aluminum star base

High-luster polished aluminum frame

Electrically conductive casters

	37 38	47	51 54 56	60 64 65 66 68	91 92	74
	SEK	SEK	SEK	SEK	SEK	SEK
	8650	9275	9863	10288	11013	12275
Headrest, mesh-covered, height and depth adjustable	1238	1238	1238	1238	1238	1238
Coat hanger	825	825	825	825	825	825
Backrest frame, seat shell, synchro-adjustment mechanism and, if applicable, armrests in white	413	413	413	413	413	413
Lumbar support	150	150	150	150	150	150
Lumbar support, adjustable height and depth	513	513	513	513	513	513
1D armrests, armrest pads made of PP	950	950	950	950	950	950
3D armrests, armrest pads made of PP	1575	1575	1575	1575	1575	1575
4D armrests, armrest pads made of PP	1925	1925	1925	1925	1925	1925
Armrest pads made of polyurethane foam for 1D, 3D and 4D armrests	225	225	225	225	225	225
Soft padding	138	138	138	138	138	138
Seat-depth extension (approx. 39 to 45 cm) not possible in the combination without armrests and/or plastic star base)	638	800	800	800	800	1213
Coated aluminum star base	788	788	788	788	788	788
Polished aluminum star base	1263	1263	1263	1263	1263	1263
High-luster polished aluminum frame	1413	1413	1413	1413	1413	1413
Electrically conductive casters	625	625	625	625	625	625





**Counter stool**

□ 123/135 □ 67 □ 64  
□ 65/77 □ 50 □ 43



**187/1**

with seat- and back cushioning, seat- and backrest shell, automatic synchro-adjustment mechanism in black height-adjustable lumbar support without armrests precision-adjustable height, 3D kinematics with automatic weight adjustment, optionally with customized presetting Trimension with bright chrome-plated foot ring (precision-adjustable height) Coated aluminum star base

**Additional charge/reduced prices**

Coat hanger

Seat-/backrest shell covered in fabric on the rear (fabric 68 not possible)

Seat and backrest shell, synchro-adjustment mechanism and, if applicable, armrests in white

1D armrests, armrest pads made of PP

3D armrests, armrest pads made of PP

4D armrests, armrest pads made of PP

Armrest pads made of polyurethane foam for 1D, 3D and 4D armrests

Soft padding

Polished aluminum star base

High-luster polished aluminum star base

	37 38	47	51 54 56	60 64 65 66 68	91 92	74
	SEK	SEK	SEK	SEK	SEK	SEK
	11425	12050	12638	13063	13788	16475
Coat hanger	825	825	825	825	825	825
Seat-/backrest shell covered in fabric on the rear (fabric 68 not possible)		1025	1150	1638	2138	
Seat and backrest shell, synchro-adjustment mechanism and, if applicable, armrests in white	413	413	413	413	413	413
1D armrests, armrest pads made of PP	950	950	950	950	950	950
3D armrests, armrest pads made of PP	1575	1575	1575	1575	1575	1575
4D armrests, armrest pads made of PP	1925	1925	1925	1925	1925	1925
Armrest pads made of polyurethane foam for 1D, 3D and 4D armrests	225	225	225	225	225	225
Soft padding	138	138	138	138	138	138
Polished aluminum star base	475	475	475	475	475	475
High-luster polished aluminum star base	625	625	625	625	625	625



**Counter stool**

126/138 67/64 64  
65/77 50 43



**187/11**

with seat cushioning, mesh-covered backrest  
seat shell, backrest frame and synchro-  
adjustment mechanism in black  
without armrests  
precision adjustable height  
3D kinematics with automatic weight adjustment  
optionally with customized presetting  
Trimension  
with bright chrome-plated foot ring (precision-  
adjustable height)  
Coated aluminum star base

**Additional charge/reduced prices**

Headrest, mesh-covered, height and depth  
adjustable  
Coat hanger

Backrest frame, seat shell, synchro-  
adjustment mechanism and, if applicable,  
armrests in white

Lumbar support

Lumbar support, adjustable height and depth

1D armrests, armrest pads made of PP

3D armrests, armrest pads made of PP

4D armrests, armrest pads made of PP

Armrest pads made of polyurethane foam for 1D,  
3D and 4D armrests

Soft padding

Polished aluminum star base

High-luster polished aluminum frame

	37	47	51	60	64	65	66	68	91	74
	38		54	64	65	66	68		92	
	SEK	SEK	SEK	SEK	SEK	SEK	SEK	SEK	SEK	SEK
	11425	12050	12638	13063	13788	15238				
	1238	1238	1238	1238	1238	1238	825	825	825	825
	825	825	825	825	825	825				
	413	413	413	413	413	413				
	150	150	150	150	150	150				
	513	513	513	513	513	513				
	950	950	950	950	950	950				
	1575	1575	1575	1575	1575	1575				
	1925	1925	1925	1925	1925	1925				
	225	225	225	225	225	225				
	138	138	138	138	138	138				
	475	475	475	475	475	475				
	625	625	625	625	625	625				

# 20 Range Stitz 2

Design: ProduktEntwicklung Roericht



## Technical details

### Function

Stitz is a sitting-standing stool with precision-adjustable height via an encapsulated gas lift. Stitz is ideal for people weighing up to 120 kg.

### Frame

Black elastomer base filled with quartz sand. Black polyamide base plate.

### Seat

Black polyamide seat frame. Cork insert, either treated with hard wax, covered with fabric or embossed leather. Underneath the seat, black polyamide grip to engage the gas lift.

**Stitz**  
63/88 H31

**201/1**  
Cork seat  
black frame

**SEK**

6550



Upholstery material

Upholstery material	SEK	SEK	SEK	SEK
51	60	64	91	74
56	65	66	92	
SEK	SEK	SEK	SEK	
7163	7300	7575	7613	

**Stitz**  
63/88 H31

**201/2**  
Black frame



## Awards

Design Preis Schweiz  
Prix Design Suisse  
Design Prize Switzerland


design  
preis  
SCHWEIZ



reddot award  
winner



APEX  
AWARDS FOR  
PUBLICATION EXCELLENCE



# 30 Range Graph

Design: jehs+laub



## Technical details

### Function

Distinctive, high-end, standalone conference chair in two backrest heights. Armrests stylishly link the seat and backrest. Exceptional, sprung (and at the sides also elastic) comfort due to three-point support with rear spring strut and sophisticated upholstery. Can be used in traditional conference and meeting rooms, executive offices and boardrooms or prestigious dining areas.

### Frame

Models 301/5, 302/5 and 304/5:  
Four-star base made of die-cast aluminum, coated black or signal white, matte polished or bright chrome-plated. Black, multipurpose glides made of plastic for all types of flooring. Optionally with base glides with larger contact area for sensitive floorings, either to match the star base coated black or in signal white, matte chrome-plated (matte-polished star base) or bright chrome plated (bright chrome-plated star base). Black polyamide glides for carpets. For hard floors (e.g. stone), please order with soft TPU, for wooden floors (e.g. parquet) with additional felt. These glides change the seating height to 44 cm.  
Optionally with casters for four-star bases compliant with the DIN EN 1335 and ANSI/BIFMA X 5.1 standards for conference chairs. Black polyamide twin-wheel swivel casters with load-dependent braking compliant with the DIN EN 12529 standard, with black polyurethane tire for multipurpose use on hard and soft floorings: The casters' black plastic shell comes either with a chrome-plated ring (for a coated star base), matte chrome-plated ring (for a matte polished star base) or a chrome-plated ring (for a bright chrome-plated star base). These casters change the seating height to 45 cm.

Models 301/5, 302/5 and 304/5:  
Swivel-mounted column with Y-shaped seat bearer made of die-cast aluminum, coated in black or signal white, matte polished or bright chrome-plated to match the star base. Permanently elastic, rubber/metal connecting elements. Sprung elastic strut made of top-quality spring steel in black. Models 301/8, 302/8 and 304/8: Swivel-mounted column with seat bearer and integrated rocking mechanism made of die-cast aluminum and high-luster polished or matte polished.

Conference chairs	Star base	Gas lift column (models 301/7, 302/7, 301/8 and 302/8)	Synchro-adjustment mechanism (models 301/8 and 302/8)	Casters	Base glides
48	Coated white (RAL 9016)	Bright chrome-plated	High-luster polish	Black plastic shell mit chrome-plated ring	Color-matched or coated black or white
51	Bright chrome-plated	Bright chrome-plated	High-luster polish	Black plastic shell mit chrome-plated ring	Bright chrome-plated
53	Coated black (RAL 9011)	Coated black	High-luster polish	Black plastic shell mit chrome-plated ring	Color-matched or coated black or white
79	Matte-polished aluminum	Bright chrome-plated	Matte-polished aluminum	Black plastic shell with chrome-plated ring	Matte chrome-plated
90	Coated with a black textured matte finish (RAL 9011)	Coated black	High-luster polish	Black plastic shell mit chrome-plated ring	Color-matched or coated black or white
91	Coated white with a textured matte finish (RAL 9016)	Bright chrome-plated	High-luster polish	Black plastic shell mit chrome-plated ring	Color-matched or coated black or white

## Awards





Models 301/6, 302/6, 304/6, 301/7, 302/7, 304/7, 301/8, 302/8 and 304/8: Die-cast aluminum five-star base coated in black or signal white, matte polished or bright chrome-plated, with casters for five-star bases compliant with the DIN EN 1335 and ANSI/BIFMA X 5.1 standards for conference chairs. Twin-wheel swivel casters with load-dependent braking made of black polyamide compliant with DIN EN 12529, with black polyurethane tire for multipurpose use on hard and soft floors: Black plastic shell for the casters either with chrome-plated ring (coated star base), matte chrome-plated ring (matte polished star base) or chrome-plated ring (bright chrome-plated star base).

All models (except for 301/8, 302/8 and 304/8) with Y-shaped seat bearer made of die-cast aluminum, coated in black or signal white, matte polished or bright chrome-plated to match the star base. Permanently elastic, rubber/metal connecting elements. Sprung elastic strut made of top-quality spring steel in black.

Models 301/6, 302/6 and 304/6 with swivel-mounted columns.

Models 301/7, 302/7, 304/7 and models 301/8, 302/8 and 304/8 with precision-adjustable seating height via a gas lift column.

#### Seat and backrest

Seat and backrest frame made of metal, with wave springs, fully covered in polyurethane foam with additional cushioning and replaceable textile or leather covers. Covers on the 304/5, 304/6, 304/7, 304/8 (Iconic Edition) models come with diamond-shaped top stitching and cut foam laminated on both sides and incorporated into the covers and are only available in 74/99, 74/16, 87/99, 87/85 leather.

#### Armrests

Armrests that connect the seat and backrest made of die-cast aluminum and to match the frame coated black or signal white, matte polished or bright chrome plated. Optionally with integrated, leather-covered armrest pads, in black 74/99 leather when the chair has fabric covers, in the same color and material in the case of leather covers.

#### Standards

The Graph chairs comply with the DIN EN 16139-L1 and ANSI/BIFMA X 5.1 office-chair standard.



#### Information

The prices for types with cushioning that includes fabrics and leather provided by the customer are given on request.





**Medium-height backrest**

104 62 64  
45 48 47



**301/6**

Fully upholstered unitary seat and backrest frame, with armrests  
Aluminum coated frame


**Additional charge/reduced prices**

Leather-covered armrest pad  
Matte polished aluminum frame  
Bright chrome-plated aluminum frame

	51	60	64	65	66	68	91	74	87
	56	64	65	66	68	68	92	74	87
	SEK	SEK	SEK	SEK	SEK	SEK	SEK	SEK	SEK
	33013	33800	35225	39863	45113				
Leather-covered armrest pad	4100	4100	4100	4100	4100				
Matte polished aluminum frame	1675	1675	1675	1675	1675				
Bright chrome-plated aluminum frame	7425	7425	7425	7425	7425				

**High backrest**

127 62 64  
45 48 47



**302/6**

Fully upholstered unitary seat and backrest frame, with armrests  
Aluminum coated frame

**Additional charge/reduced prices**

Leather-covered armrest pad  
Matte polished aluminum frame  
Bright chrome-plated aluminum frame

	51	60	64	65	66	68	91	74	87
	56	64	65	66	68	68	92	74	87
	SEK	SEK	SEK	SEK	SEK	SEK	SEK	SEK	SEK
	38538	39688	41450	47675	53938				
Leather-covered armrest pad	4100	4100	4100	4100	4100				
Matte polished aluminum frame	1675	1675	1675	1675	1675				
Bright chrome-plated aluminum frame	7425	7425	7425	7425	7425				





**Medium-height backrest**

100/110 H 62 H 64  
41/51 48 47



**301/7**

Fully upholstered unitary seat and backrest frame, with armrests  
precision-adjustable height  
Aluminum coated frame


**Additional charge/reduced prices**

Leather-covered armrest pad  
Matte polished aluminum frame  
Bright chrome-plated aluminum frame

	51 56	60 64 65 66 68	91 92	74	87
	SEK	SEK	SEK	SEK	SEK
	33338	34125	35550	40188	45438
	4100	4100	4100	4100	4100
	1675	1675	1675	1675	1675
	7425	7425	7425	7425	7425

**High backrest**

123/133 H 62 H 64  
41/51 48 47



**302/7**

Fully upholstered unitary seat and backrest frame, with armrests,  
precision-adjustable height  
Aluminum coated frame

**Additional charge/reduced prices**

Leather-covered armrest pad  
Matte polished aluminum frame  
Bright chrome-plated aluminum frame

	51 56	60 64 65 66 68	91 92	74	87
	SEK	SEK	SEK	SEK	SEK
	38863	40013	41775	48000	54263
	4100	4100	4100	4100	4100
	1675	1675	1675	1675	1675
	7425	7425	7425	7425	7425



**Medium-height backrest**

W104 H62 B64  
D39/49 W47 D48



**301/8**

Fully upholstered unitary seat and backrest frame, with armrests, precision-adjustable height, rocking mechanism  
Aluminum coated frame


**Additional charge/reduced prices**

Leather-covered armrest pad  
Matte polished aluminum frame  
Bright chrome-plated aluminum frame

	51	60 64 65 66 68	91	74	87
	56	68	92		87
	SEK	SEK	SEK	SEK	SEK
	36550	37338	38763	43400	48650
Leather-covered armrest pad	4100	4100	4100	4100	4100
Matte polished aluminum frame	1675	1675	1675	1675	1675
Bright chrome-plated aluminum frame	7425	7425	7425	7425	7425

**High backrest**

W123/133 H62 B64  
D39/49 W47 D48



**302/8**

Fully upholstered unitary seat and backrest frame, with armrests, precision-adjustable height, rocking mechanism  
Aluminum coated frame

**Additional charge/reduced prices**

Leather-covered armrest pad  
Matte polished aluminum frame  
Bright chrome-plated aluminum frame


	51	60 64 65 66 68	91	74	87
	56	68	92		87
	SEK	SEK	SEK	SEK	SEK
	42075	43225	44988	51213	57475
Leather-covered armrest pad	4100	4100	4100	4100	4100
Matte polished aluminum frame	1675	1675	1675	1675	1675
Bright chrome-plated aluminum frame	7425	7425	7425	7425	7425



	74	87
	SEK	SEK
	55488	61750
	4100	4100
	1675	1675
	7425	7425

**High backrest**

W 127 H 62 D 64  
W 45 H 48 D 47



**304/6**

Unitary seat and backrest frame,  
fully upholstered  
with armrests  
Aluminum coated frame

**Additional charge/reduced prices**

Leather-covered armrest pad  
Matte polished aluminum frame  
Bright chrome-plated aluminum frame



**High backrest**

123/133 H 62 H 64  
41/51 48 47



**304/7**

Unitary seat and backrest frame,  
fully upholstered  
with armrests  
precision-adjustable height,  
Aluminum coated frame

**Additional charge/reduced prices**

Leather-covered armrest pad  
Matte polished aluminum frame  
Bright chrome-plated aluminum frame

74 87

SEK SEK

55813 62075

4100 4100


1675 1675

7425 7425

74 87

**High backrest**

127/137 H 62 H 64  
39/49 47 48



**304/8**

Unitary seat and backrest frame,  
fully upholstered  
with armrests  
precision-adjustable height,  
rocking mechanism  
Aluminum coated frame

**Additional charge/reduced prices**

Leather-covered armrest pad  
Matte polished aluminum frame  
Bright chrome-plated aluminum frame

SEK SEK

59025 65288

4100 4100

1675 1675

7425 7425