

BAUX

Pricelist SEK

Version: 2023-1.4

Valid from November 7:th 2023



Acoustic Wood Wool

Page 3-9



Acoustic Pulp

Page 10-12



Acoustic Felt

Page 13-17

SENAB

Färgmarkeringar och/eller symboler för hållbara alternativ i prislistan:

Mörkgrön markering eller symbol

Miljömärkt produkt – Möbler där hela den sammansatta varan har en typ 1 miljömärkning enligt ISO 14024 med Svanen, Möbelfakta, EU Ecolabel eller annan likvärdig märkning.

Ljusgrön markering eller symbol

Hållbarhetsmärkt produkt eller beståndsdel – Möbler där hela eller delar av den sammansatta varan är hållbarhetsmärkt, exempelvis med FSC, EU Ecolabel eller OEKO-TEX®. Leverantören ska kunna ge mer detaljerad information om vilka delar eller variationer som är hållbarhetsmärka vid begäran.

Orange markering eller symbol

Klimatberäknad produkt – Produkt med dokumenterad miljövarudeklaration (EPD) enligt ISO 14025.

Lila markering eller symbol

Produkt med återvunnet eller förnybart material (enligt definitionerna i ISO 14021). Leverantören ska kunna ge information om andel (%) återvunnet och/eller förnybart (biobaserat) vid begäran. Märkning av återvinningsbart material utgår.

Blå markering eller symbol

Demonterbar produkt – Produkt som är demonterbar till olika komponenter och beståndsdelar som i första hand möjliggör återbruk och i andra hand materialåtervinning när produkten nått sin fulla livslängd. Produkten ska vara designad för renovering, det vill säga att det ska vara enkelt att reparera och byta ut moduler, komponenter och beståndsdelar som slits över tid. Exempelvis ska ytskikt, som bordsskivor, textil och stoppning kunna tas isär, avlägsnas och ersättas med hjälp av vanligt förekommande manuella verktyg, ej specialverktyg. Enklare reparationer och utbytesarbeten ska kunna utföras av en lekman. Om det krävs fackmanakunskap för mer avancerade arbeten ska det framgå av anvisningarna som leverantören ska kunna ge vid begäran. Anvisningarna ska innehålla en sprängskiss, steg för steg beskrivning inklusive vilka verktyg som krävs samt hur möbelns ingående delar bör källsorteras.

BAUX IS FOUNDED
ON THE BELIEF
THAT BUILDING
MATERIALS
SHOULD BE
SUSTAINABLE,
SURPRISINGLY
FUNCTIONAL AND
REMARKABLY
BEAUTIFUL.

CONTACT

BAUX designs, produces and markets functional construction materials that meet the contemporary expectations of architects, engineers and builders – without compromising tomorrow’s safety and environmental standards.

We deliver globally from our factories in Sweden, USA and Australia.

For support, please contact BAUX HQ in Stockholm.

BAUX HQ Stockholm
BAUX AB
Sankt Eriksgatan 106
113 31, Stockholm
SWEDEN

info@baux.com

www.baux.com


+46 8 21 07 07

Wood Wool is a functional, natural material. BAUX Acoustic Wood Wool is made from two of the world's oldest building materials, wood and cement. The combination is simple and ingenious. Wood fibre offers excellent insulation, heat retention and sound absorption. Cement, a proven and popular building material, is the binder that provides strength, moisture resistance and fire protection. Therefore, BAUX Acoustic products are versatile and durable in all climates.



Acoustic Wood Wool TILES

3D Pixel



A: 290 mm
B: 290 mm

Thickness:



25 mm




50 mm



70 mm


Hexagon



Small
A: 250 mm
B: 290 mm
Thickness: 25 mm

Large
A: 500 mm
B: 580 mm
Thickness: 25 mm


Square



Small
A: 290 mm
B: 290 mm
Thickness: 25 mm

Large
A: 580 mm
B: 580 mm
Thickness: 25 mm

Quarter Circle



Small
A: 290 mm
B: 290 mm
Thickness: 25 mm

Large
A: 580 mm
B: 580 mm
Thickness: 25 mm

Triangle



Small
A: 290 mm
B: 290 mm
Thickness: 25 mm

Large
A: 580 mm
B: 580 mm
Thickness: 25 mm

Acoustic Wood Wool TILES

Parallelogram



Small
A: 290 mm
B: 580 mm
Thickness: 25 mm

Large
A: 580 mm
B: 1160 mm
Thickness: 25 mm

Two options: left and right ⇄

Circle



Small
A: 290 mm
B: 290 mm
Thickness: 25 mm

Large
A: 580 mm
B: 580 mm
Thickness: 25 mm

Plank



Small
A: 145 mm
B: 580 mm
Thickness: 25 mm

Large
A: 290 mm
B: 1160 mm
Thickness: 25 mm

Rectangle



Small
A: 290 mm
B: 580 mm
Thickness: 25 mm

Large
A: 580 mm
B: 1160 mm
Thickness: 25 mm

Acoustic Wood Wool PANELS

Diagonal



Two options: left and right ↔

Stripes



Lines



Check



Quilted



Curve



Two options: left and right ↔

Arch



All Panels
A: 580 mm
B: 1160 mm
Thickness: 25 mm

Acoustic Wood Wool CEILING

Flat



A: 600 mm
B: 1200 mm
Thickness: 25 mm

BAUX Ceiling Panels can be delivered to fit both a Concealed or Exposed Grid.

Widestripe



A: 600 mm
B: 1200 mm
Thickness: 25 mm

BAUX Ceiling Panels can be delivered to fit both a Concealed or Exposed Grid.

Pinstripe



A: 600 mm
B: 1200 mm
Thickness: 25 mm

BAUX Ceiling Panels can be delivered to fit both a Concealed or Exposed Grid.

PRICELIST SEK

BAUX ACOUSTIC WOOD WOOL

All prices stated in SEK excluding VAT.

Delivery term EXW factory in Sweden.

Painting of BAUX Acoustic Wood Wool Panels and Tiles with indoor paint and BAUX colour collection included.

BAUX Acoustic WOOD WOOL – TILES & PANELS

| Product | Measurements | | | Area pieces/m2 | Excluding magnet | | Incl. magnet SEK/piece |
|-----------------------|--------------|-------|----------|-------------------|------------------|---------|---------------------------|
| | w: mm | h: mm | t: mm | | SEK/piece | ~SEK/m2 | |
| 3D Pixel ¹ | 290 | 290 | 25/50/70 | 11,89 | 349 | 4 150 | 435 |
| 3D Square t25 | 290 | 290 | 25 | 11,89 | 263 | 3 127 | 349 |
| 3D Square t50 | 290 | 290 | 50 | 11,89 | 362 | 4 304 | 448 |
| 3D Square t70 | 290 | 290 | 70 | 11,89 | 422 | 5 018 | 508 |
| Mini Hexagon | 220 | 190 | 25 | 31,29 | 104 | 3 308 | 147 |
| Small Hexagon | 290 | 250 | 25 | 17,82 | 171 | 3 130 | 214 |
| Small Quarter Circle | 290 | 290 | 25 | 11,89 | 263 | 3 127 | 349 |
| Small Square | 290 | 290 | 25 | 11,89 | 263 | 3 127 | 349 |
| Small Triangle | 290 | 290 | 25 | 23,78 | 132 | 3 139 | 175 |
| Small Parallel. | 290 | 580 | 25 | 11,89 | 263 | 3 127 | 349 |
| Small Circle | 290 | 290 | 25 | 15,14 | 205 | 3 104 | 248 |
| Small Plank | 580 | 145 | 25 | 11,89 | 263 | 3 127 | 349 |
| Small Rectangle | 580 | 290 | 25 | 5,95 | 525 | 3 121 | 611 |
| Large Hexagon | 580 | 500 | 25 | 4,45 | 443 | 2 027 | 572 |
| Large Quarter Circle | 580 | 580 | 25 | 2,97 | 684 | 2 033 | 856 |
| Large Square | 580 | 580 | 25 | 2,97 | 684 | 2 033 | 856 |
| Large Triangle | 580 | 580 | 25 | 5,95 | 342 | 2 033 | 471 |
| Large Parallel. | 580 | 1160 | 25 | 2,97 | 684 | 2 033 | 899 |
| Large Circle | 580 | 580 | 25 | 3,78 | 537 | 2 032 | 666 |
| Large Plank | 1160 | 290 | 25 | 2,97 | 684 | 2 033 | 813 |
| Large Rectangle | 1160 | 580 | 25 | 1,49 | 1 135 | 1 687 | n.a. |
| Panels (all patterns) | 1160 | 580 | 25 | 1,49 | 1 135 | 1 687 | n.a. |

1) Price for a 3D tile wall with equal mix of three different thicknesses - 25mm, 50mm and 70mm.

BAUX Acoustic WOOD WOOL – CEILING

| Product ³ | Measurements ² mm or feet | Area pieces/m2 | Price | | |
|-----------------------------|---|-------------------|-----------|---------|-------|
| | | | SEK/piece | ~SEK/m2 | |
| Natur (omålad) | Flat | 1200x600x25 mm | 1,39 | 194 | 269 |
| | Widestripe | 1200x600x25 mm | 1,39 | 619 | 860 |
| | Pinstripe | 1200x600x25 mm | 1,39 | 619 | 860 |
| Målad Vit | Flat | 1200x600x25 mm | 1,39 | 250 | 347 |
| | Widestripe | 1200x600x25 mm | 1,39 | 732 | 1 017 |
| | Pinstripe | 1200x600x25 mm | 1,39 | 732 | 1 017 |
| Målad i annan BAUX kulör | Flat | 1200x600x25 mm | 1,39 | 295 | 410 |
| | Widestripe | 1200x600x25 mm | 1,39 | 845 | 1 174 |
| | Pinstripe | 1200x600x25 mm | 1,39 | 845 | 1 174 |

2) Also available for Exposed Lay-In grid dimensions "iläggsmått"

3) All ceiling products are available in different dimensions and edge designs to fit various installation methods, see table below. Same price for all codes.

| CODE | EXPLANATION |
|---------|--|
| CT2s.EU | Concealed Grid, Tegular Edge 2 sides, EU.600x1200mm |
| ET2s.EU | Exposed Lay-In, Tegular Edge 2 sides, EU.593x1193mm |
| ET4s.EU | Exposed Lay-In, Tegular Edge 4 sides, EU.593x1193mm |
| CB4s.EU | Concealed Grid, Bevelled Edge 4 sides, EU.600x1200mm (ONLY FLAT) |
| | Dolt bärverk, L-kant 2 sidor, 600x1200mm |
| | Synligt bärverk, L-kant 2 sidor, 593x1193mm |
| | Synligt bärverk, L-kant 4 sidor, 593x1193mm |
| | Dolt bärverk, Fasad kant 4 sidor, 500x122 (Endast FLAT) |

PRICELIST SEK

BAUX ACOUSTIC WOOD WOOL – INSTALLATION ACCESSORIES ETC.

All prices stated in SEK excluding VAT.

Delivery term SEK factory in Sweden.

| BAUX Acoustic WOOD WOOL – Installation Accessories | | | | | | | |
|--|---------------------------------------|----------------------------------|------------|----------|-------------------------|-------------|---------|
| Product | | Measurements & amounts | | | Area (m2/piece) | Price (EXW) | |
| | | | | | | SEK/piece | ~SEK/m2 |
| Glue | Bostik A785 High Grip Deco (or equal) | 280 ml | | | 1,5 - 1,7 m2/tube | 168 | 105 |
| Short Screws | Screw Short - Unpainted | Length 45 mm Box with 100 pcs | | | See installation manual | 284 | --- |
| | Screw Short - Painted Natural | | | | See installation manual | 320 | --- |
| | Screw Short - Painted White | | | | See installation manual | 320 | --- |
| Long Screws | Screw Long - Unpainted | Length 75 mm Box with 100 pcs | | | See installation manual | 434 | --- |
| | Screw Long - Painted Natural | | | | See installation manual | 470 | --- |
| | Screw Long - Painted White | | | | See installation manual | 470 | --- |
| Metal Sheets & Magnets | Metal Sheets ¹ | w: 500 mm | h: 1000 mm | t: 1 mm | 0,5 m2/pc | 494 | 988 |
| | Standard Cassette ² | w: 690 mm | h: 1120 mm | t: 20 mm | 0,77 m2/pc | 2 570 | 3 326 |
| | Magnet | --- | --- | --- | --- | 43 | --- |
| Paint | Touch Up Paint | 100 ml | | | 0,3-0,5 m2/can | 39,75 | --- |
| | Paint | 1 litre | | | 3 - 5 m2/can | 477 | 95 |

1) White painted metal sheet.

2) 0,7mm galvanized, white powder coated with perforation

Custom Shapes and Custom Colours

| Special Requirement | Description | Price | |
|-----------------------------|---|-------|------------|
| Custom shape wood wool | Setup fee to create a custom shape, only valid for orders < 150 m2 | 4 750 | SEK/shape |
| Outdoor paint fee | For outdoor usage an extra fee will be charged for the outdoor paint needed | 138 | SEK/m2 |
| Custom colour fee wood wool | For custom colour orders less than < 25 m2 | 3 950 | SEK/colour |
| Custom colour fee screws | Setup fee to get screws with painted head in a custom colour | 2 160 | SEK/colour |
| Custom colour fee touch up | Setup fee to get custom colour touch up paint (100ml) | 150 | SEK/colour |
| Custom colour fee paint | Setup fee to get custom colour paint (1 litre) | 477 | SEK/colour |


The new 100% bio-based BAUX Acoustic Pulp panel is the first in the world to uncompromisingly combine the performance properties of sound absorption, safety and durability with sustainability and modern aesthetics. The result is a restful and sustainable acoustical environment for residential buildings, industrial premises and public spaces that calls us back to the harmonizing pulse of nature. Harmless for us, harmless for the environment. It's nothing short of an acoustical revolution.

This is BAUX Acoustic Pulp.



Acoustic Pulp ORIGAMI PANELS

Origami Energy



A: 500 mm
B: 1000 mm
Thickness: 20 mm

Origami Pulse



A: 500 mm
B: 1000 mm
Thickness: 20 mm


Origami Sense



A: 500 mm
B: 1000 mm
Thickness: 20 mm



Front side of panel (ENERGY)



Back side of panel

PRICELIST SEK

BAUX ACOUSTIC PULP

All prices stated in SEK excluding VAT.

Delivery term EXW factory in Sweden.

| BAUX Acoustic PULP | | | | | | |
|--|---------------------------|-------|-------|-------------------------------|----------------------------|---------------------|
| Product | Measurements ² | | | Area pieces/m ² | Price (EXW factory) | |
| | w: mm | h: mm | t: mm | | SEK | ~SEK/m ² |
| Origami 50x100 – Bio Natural Wheat Box with 6 panels ¹ | 500 | 1000 | 20 | 2,0 | 7 800 (1 300 SEK/panel) | 2 600 |
| Origami 50x100 – Bio Colours Box with 6 panels ¹ | 500 | 1000 | 20 | 2,0 | 9 900 (1 650 SEK/panel) | 3 300 |

1) One box contain 6 panels in one of the variants: Energy, Pulse or Sense. All panels in a box have same colour, i.e. a box can't have mixed colours.

2) Some dimension tolerance should be expected since the material is organic.

| BAUX Acoustic PULP - Accessories | | | | |
|----------------------------------|--------------|--------------------------------|-------------|---------------------|
| Product | Measurements | Area | Price (SEK) | |
| | ml | m ² /tube | SEK/st. | ~SEK/m ² |
| Adhesive Tube | 280 | 1,5 - 1,7 m ² /tube | 168 | 105 |

The excess of unwanted plastics in the world is obvious, only a small fragment is recycled and reused into new products, a devastatingly big amount is still going to the landfill or burned to generate energy.


BAUX Recycled PET products are made from GRS certified and IOAS accredited recycled PET bottles sourced from recycling entities across Europe.

Because origin is important.



Acoustic FELT Recycled PET FLOOR SCREENS


Feltflex 140x120



A: 1400 mm
B: 1200 mm
Thickness: 16 mm (panel), 36 mm (holes)

Set of 2 floor stands needed.


Feltflex 120x120



A: 1200 mm
B: 1200 mm
Thickness: 16 mm (panel), 36 mm (holes)

Set of 2 floor stands needed.


Feltflex 70x120



A: 700 mm
B: 1200 mm
Thickness: 16 mm (panel), 36 mm (holes)

1 single floor stand needed.


Floor Stand



A: 350 mm (diameter base)
B: 300 mm (visible height after install)


Acoustic FELT Recycled PET TABLE SCREENS

Feltflex 140x60




A: 1400 mm
B: 600 mm
Thickness: 16 mm (panel), 36 mm (holes)
Set of 2 claps or table stands needed.

Feltflex 140x40




A: 1400 mm
B: 400 mm
Thickness: 16 mm (panel), 36 mm (holes)
Set of 2 claps or table stands needed.

Feltflex 120x60




A: 1200 mm
B: 600 mm
Thickness: 16 mm (panel), 36 mm (holes)
Set of 2 claps or table stands needed.

Feltflex 120x40




A: 1200 mm
B: 400 mm
Thickness: 16 mm (panel), 36 mm (holes)
Set of 2 claps or table stands needed.

Feltflex 70x60



A: 700 mm
B: 600 mm
Thickness: 16 mm (panel), 36 mm (holes)
Set of 2 claps or 1-2 table stands needed.

Feltflex 70x40



A: 700 mm
B: 400 mm
Thickness: 16 mm (panel), 36 mm (holes)
Set of 2 claps or 1-2 table stands needed.

Table Stand



d150 mm

Table Clamp Top



Suitable for tables that are
12-50 mm

295 x 50 x 32 mm

Table Clamp Side



Suitable for tables that are
12-50 mm

320 x 100 x 32 mm

PRICELIST SEK

BAUX ACOUSTIC FELT – RECYCLED PET (GREY SCALE)

Light Grey

Grey

Dark grey

All prices stated in SEK excluding VAT.

Delivery term SEK factory in Sweden.

Below prices are valid for Light Grey, Grey and Dark Grey screens.

BAUX Acoustic FELT – Recycled PET - Screens and Accessories

| Product | | Measurement per screen | | | Price (EXW factory) | | | |
|---------------|--|------------------------|-------|--------------------|---------------------|-------|--------|-------|
| | | w: mm | h: mm | t: mm ¹ | # | SEK | # | SEK |
| Table Screens | Acoustic Flexfelt Recycled PET (Grey Scale), 70x40 | 700 | 400 | 16/36 | Box 6 screens | 6 633 | 1 scrn | 1 356 |
| | Acoustic Flexfelt Recycled PET (Grey Scale), 120x40 | 1180 | 400 | 16/36 | Box 3 screens | 6 024 | 1 scrn | 2 308 |
| | Acoustic Flexfelt Recycled PET (Grey Scale), 140x40 | 1400 | 400 | 16/36 | Box 3 screens | 6 362 | 1 scrn | 2 471 |
| | Acoustic Flexfelt Recycled PET (Grey Scale), 70x60 | 700 | 600 | 16/36 | Box 4 screens | 6 227 | 1 scrn | 1 907 |
| | Acoustic Flexfelt Recycled PET (Grey Scale), 120x60 | 1180 | 600 | 16/36 | Box 2 screens | 6 136 | 1 scrn | 3 418 |
| | Acoustic Flexfelt Recycled PET (Grey Scale), 140x60 | 1400 | 600 | 16/36 | Box 2 screens | 6 813 | 1 scrn | 3 797 |
| Floor Screens | Acoustic Flexfelt Recycled PET (Grey Scale), 70x120 | 700 | 1200 | 16/36 | Box 2 screens | 6 813 | 1 scrn | 3 797 |
| | Acoustic Flexfelt Recycled PET (Grey Scale), 120x120 | 1180 | 1200 | 16/36 | | --- | 1 scrn | 6 114 |
| | Acoustic Flexfelt Recycled PET (Grey Scale), 140x120 | 1400 | 1200 | 16/36 | | --- | 1 scrn | 6 362 |

| | | | | | | |
|----------|------------------------------------|-----|-----|-----|----------|-------|
| Hardware | Box 2 pcs - Table Clamp Top, h295 | 50 | 295 | --- | One pair | 897 |
| | Box 2 pcs - Table Clamp Side, h320 | 100 | 320 | --- | One pair | 1 233 |
| | Box 2 pcs - Table Stand, d150 | 150 | 193 | --- | One pair | 1 233 |
| | Box 2 pcs - Floor Stand, d350 | 350 | 891 | --- | One pair | 2 914 |
| | Floor Stand - Single, d350 | 350 | 891 | --- | Single | 1 457 |

1) The panel material is 16 mm thick. Over the hardware holes, the panel is 36mm thick

PRICELIST SEK

BAUX ACOUSTIC FELT – RECYCLED PET (COLOR SCALE)

Khaki

Coral red

Jade green

All prices stated in SEK excluding VAT.

Delivery term SEK factory in Sweden.

Below prices are valid for Khaki, Coral red and Jade green screens.

BAUX Acoustic FELT – Recycled PET COLOR SCALE) - Screens and Accessories

| Product | | Measurement per screen | | | Price (EXW factory) | | | |
|---------------|---|------------------------|-------|--------------------|---------------------|-------|--------|-------|
| | | w: mm | h: mm | t: mm ¹ | # | SEK | # | SEK |
| Table Screens | Acoustic Flexfelt Recycled PET (Color Scale), 70x40 | 700 | 400 | 16/36 | Box 6 screens | 8 934 | 1 scrn | 1 739 |
| | Acoustic Flexfelt Recycled PET (Color Scale), 120x40 | 1180 | 400 | 16/36 | Box 3 screens | 7 919 | 1 scrn | 2 940 |
| | Acoustic Flexfelt Recycled PET (Color Scale), 140x40 | 1400 | 400 | 16/36 | Box 3 screens | 8 392 | 1 scrn | 3 147 |
| | Acoustic Flexfelt Recycled PET (Color Scale), 70x60 | 700 | 600 | 16/36 | Box 4 screens | 8 212 | 1 scrn | 2 403 |
| | Acoustic Flexfelt Recycled PET (Color Scale), 120x60 | 1180 | 600 | 16/36 | Box 2 screens | 8 302 | 1 scrn | 4 501 |
| | Acoustic Flexfelt Recycled PET (Color Scale), 140x60 | 1400 | 600 | 16/36 | Box 2 screens | 8 663 | 1 scrn | 4 722 |
| Floor Screens | Acoustic Flexfelt Recycled PET (Color Scale), 70x120 | 700 | 1200 | 16/36 | Box 2 screens | 8 663 | 1 scrn | 4 722 |
| | Acoustic Flexfelt Recycled PET (Color Scale), 120x120 | 1180 | 1200 | 16/36 | | --- | 1 scrn | 8 212 |
| | Acoustic Flexfelt Recycled PET (Color Scale), 140x120 | 1400 | 1200 | 16/36 | | --- | 1 scrn | 8 415 |

| | | | | | | |
|----------|------------------------------------|-----|-----|-----|----------|-------|
| Hardware | Box 2 pcs - Table Clamp Top, h295 | 50 | 295 | --- | One pair | 897 |
| | Box 2 pcs - Table Clamp Side, h320 | 100 | 320 | --- | One pair | 1 233 |
| | Box 2 pcs - Table Stand, d150 | 150 | 193 | --- | One pair | 1 233 |
| | Box 2 pcs - Floor Stand, d350 | 350 | 891 | --- | One pair | 2 914 |
| | Floor Stand - Single, d350 | 350 | 891 | --- | Single | 1 457 |

1) The panel material is 16 mm thick. Over the hardware holes, the panel is 36mm thick

BAUX

Let's build!

www.baux.com