



NowyStyl

Conference & Meeting

Price list

SENAB

Färgmarkeringar och/eller symboler för hållbara alternativ i prislistan:

Mörkgrön markering eller symbol

Miljömärkt produkt – Möbler där hela den sammansatta varan har en typ 1 miljömärkning enligt ISO 14024 med Svanen, Möbelfakta, EU Ecolabel eller annan likvärdig märkning.

Ljusgrön markering eller symbol

Hållbarhetsmärkt produkt eller beståndsdel – Möbler där hela eller delar av den sammansatta varan är hållbarhetsmärkt, exempelvis med FSC, EU Ecolabel eller OEKO-TEX®. Leverantören ska kunna ge mer detaljerad information om vilka delar eller variationer som är hållbarhetsmärka vid begäran.

Orange markering eller symbol

Klimatberäknad produkt – Produkt med dokumenterad miljövarudeklaration (EPD) enligt ISO 14025.

Lila markering eller symbol

Produkt med återvunnet eller förnybart material (enligt definitionerna i ISO 14021). Leverantören ska kunna ge information om andel (%) återvunnet och/eller förnybart (biobaserat) vid begäran. Märkning av återvinningsbart material utgår.

Blå markering eller symbol

Demonterbar produkt – Produkt som är demonterbar till olika komponenter och beståndsdelar som i första hand möjliggör återbruk och i andra hand materialåtervinning när produkten nått sin fulla livslängd. Produkten ska vara designad för renovering, det vill säga att det ska vara enkelt att reparera och byta ut moduler, komponenter och beståndsdelar som slits över tid. Exempelvis ska ytskikt, som bordsskivor, textil och stoppning kunna tas isär, avlägsnas och ersättas med hjälp av vanligt förekommande manuella verktyg, ej specialverktyg. Enklare reparationer och utbytesarbeten ska kunna utföras av en lekman. Om det krävs fackmanakunskap för mer avancerade arbeten ska det framgå av anvisningarna som leverantören ska kunna ge vid begäran. Anvisningarna ska innehålla en sprängskiss, steg för steg beskrivning inklusive vilka verktyg som krävs samt hur möbelns ingående delar bör källsorteras.

Index

2ME	59	Lara Inox	323
Amigo	277	Lena	331
Amigo benches	299	Levitate	229
Arioso	277	Loco II	249
Arizona	319	Lynx	243
Axo	123	Manager	243
Belise	219	MeeThink	225
Beta	277	Mirage	243
Beta benches	300	@-Motion	79
Bingo	311	Nadir	243
Bingo benches	302	Neo-Lux	235
Cadeira	111	Noreno	293
Cafe II	191	Nova	243
Cafe IV	191	Orion	243
Cafe LGW	197	Orlando	103
Cafe VI	191	Passu	95
Cafe VII	181	Polyfold	277
Cafe VII benches	188	Rico	335
Calado	149	Rumba	267
Chester	243	Sail	53
Chico	291	Samba	267
Coat stands	319	Simple	337
Convenio	223	Sit.Net	107
Cortina	277	Sonata	239
Cruzo	327	SO-one	71
CS5040	222	SQart Workstation	230
CX3200	224	Styl	267
Easy Space	226	Sylwia S	267
Elva	267	Tauko	161
eRange	228	Tiger UP	67
Espacio	133	Timmi Hocker	315
Evora	207	Tiramisu	333
Fano	211	Top	319
Fen	117	Tulipan	293
Flib	227	Vapaa	9
Fondo	215	Verbena	203
GLOBEline	83	Vesta New	155
HoldOp	319	Wing II	143
Inta	231	Xenium	47
Intrata	87	Xilium	37
Invitus	243	YouTEAM™	27
Iso	253	Z-body	75
Iso benches	304	Zen	139
Lantana	203	Zeta	293

Valid from: **February 2024**

© Copyright 2024 Nowy Styl sp. z o.o.

Nowy Styl sp. z o.o. reserves the right to change the constructional features and finishes of products.

Note: Colours and patterns illustrated here may vary from the originals.

Publications of Nowy Styl sp. z o.o. Brands and trademarks used herein are the property of NSG TM sp. z o.o.

Table of content


Product dimensioning	3	SOHOS by Nowy Styl products	
Price list	7	Inta	231
Vapaa	9	Neo-Lux	235
YouTEAM™	27	Sonata	239
Xilium	37	Chester	243
Xenium	47	Invitus	243
Sail	53	Lynx	243
2ME	59	Manager	243
Tiger UP	67	Mirage	243
SO-one	71	Nadir	243
Z-body	75	Nova	243
@-Motion	79	Orion	243
GLOBEline	83	Loco II	249
Intrata	87	Iso	253
Passu	95	Elva	267
Orlando	103	Rumba	267
Sit.Net	107	Samba	267
Cadeira	111	Styl	267
Fen	117	Sylwia S	267
Axo	123	Amigo	277
Espacio	133	Arioso	277
Zen	139	Beta	277
Wing II	143	Cortina	277
Calado	149	Polyfold	277
Vesta New	155	Chico	291
Tauko	161	Noreno	293
Cafe VII	181	Tulipan	293
Cafe VII benches	188	Zeta	293
Cafe II	191	Benches	297
Cafe IV	191	Amigo benches	299
Cafe VI	191	Beta benches	300
Cafe LGW	197	Bingo benches	302
Lantana	203	Iso benches	304
Verbena	203	Bingo	311
Evora	207	Timmi Hocker	315
Fano	211	Coat stands	319
Fondo	215	Arizona	319
Belise	219	HoldOp	319
		Top	319
In other price lists		Tables and Table Bases	321
CS5040	222	Lara Inox	323
Convenio	223	Cruzo	327
CX3200	224	Lena	331
MeeThink	225	Tiramisu	333
Easy Space	226	Rico	335
Flib	227	Simple	337
eRange	228	Table Tops	343
Levitata	229	Components	347
SQart Workstation	230	Finishes	373
		General Business Conditions	393
		General terms of product use, maintenance and cleaning	393

Product dimensioning

Dimensioning – frame chairs

Definitions:


- median plane (PLANE 1) – vertical plane dividing the chair into two symmetrical parts,
- transverse plane (PLANE 2) – a vertical plane perpendicular to the median plane,
- “S” point – the most forward point of backrest lying in the median plane.



Dimensioning – frame chairs

The measurement method does not refer to the standard measurement method according to PN-EN 16139.

Measurement of conference frame chairs performed on glides for soft floors.



A – Seat height

Seat height is the vertical distance between the ground and the highest point of seat measured at the front edge in the median plane of the product.

A1 – Seat height according to standard PN-EN 16139.


Seat height is the vertical distance between the ground and the seat point measured in the median plane with a designated template in accordance with the EN standard.

B – Seat depth

Seat depth is the distance between the seat front edge and the “S” point.

For products with seat depth adjustment, the measurement is given with the minimum and maximum seat extension.

For some chairs with one-piece shell, in which there is no clear borderline between seat and backrest, depth is measured from half of the arch between the seat and backrest.



C – Seat surface depth

Seat surface depth is the maximum distance between the vertical lines passing through the front and rear edges of the seat, measured in the median plane. For products with seat depth adjustment, the measurement is given at the minimum and maximum seat extension. For some chairs with one-piece shell, in which there is no clear borderline between seat and backrest, depth is measured from half of the arch between the seat and backrest. If C dimension is identical to B dimension, only one is given.

D – Seat width

Seat width is the distance between the vertical lines passing through the seat side edges measured in the transverse plane.

E – Overall height

Overall product height measured perpendicular to the ground, from the ground to the highest point of the product.

F – Backrest width

Backrest width is the maximum distance between the side edges of the backrest.

G – Backrest length

Backrest length is the vertical distance between the top and bottom edges of the backrest measured in the median plane.

H – Armrest height

Armrest height is measured perpendicular to the ground, from the ground to the highest point of the armrest.

K – Base width

Measurement at the extreme points of the base.

V – Overall width

Distance measured between the points of the chair, which are

L – Overall depth

Measurement at the extreme points of the product.

Price list

Vapaa


Technical description

1. Dimensions/Weight


1.1. Frame chairs




VAPAA FRAME CHAIR 4L W



VAPAA FRAME CHAIR 4L W HB




VAPAA FRAME CHAIR 4L UPH



VAPAA FRAME CHAIR 4L UPH HB



VAPAA FRAME CHAIR CFS W VAPAA




FRAME CHAIR CFS W HB




VAPAA FRAME CHAIR CFS UPH




VAPAA FRAME CHAIR CFS UPH HB




VAPAA FRAME CHAIR 4S W VAPAA



FRAME CHAIR 4S W HB



VAPAA FRAME CHAIR 4S UPH



VAPAA FRAME CHAIR 4S UPH HB



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
VAPAA FRAME CHAIR 4L W HB EA-XX BS-XX GD	485	—	415	415	420	905	395	430	710	530	560	525	6,40
VAPAA FRAME CHAIR 4L W HB EA-XX BS-PD-XX/XX GD	500	—	410	410	420	905	395	430	710	530	560	525	7,80
VAPAA FRAME CHAIR 4L UPH HB EA-XX BS-XX GD	505	—	415	415	420	910	400	435	710	530	560	530	6,60
VAPAA FRAME CHAIR 4L W EA-XX BS-XX GD	485	—	415	415	420	830	395	360	710	530	560	510	6,10
VAPAA FRAME CHAIR 4L W EA-XX BS-PD-XX/XX GD	500	—	410	410	420	830	395	360	710	530	560	510	7,50
VAPAA FRAME CHAIR 4L UPH EA-XX BS-XX GD	505	—	415	415	420	835	400	365	710	530	560	515	6,30
VAPAA FRAME CHAIR 4L W HB EA-XX BS-XX WT-R-XX GD	485	—	415	415	420	905	395	430	710	530	600	565	7,80
VAPAA FRAME CHAIR 4L W HB EA-XX BS-PD-XX/XX WT-R-XX GD	500	—	410	410	420	905	395	430	710	530	600	565	9,10
VAPAA FRAME CHAIR 4L UPH HB EA-XX BS-XX WT-R-XX GD	505	—	415	415	420	910	400	435	710	530	600	570	8,00
VAPAA FRAME CHAIR 4L W EA-XX BS-XX WT-R-XX GD	485	—	415	415	420	830	395	360	710	530	600	550	7,50
VAPAA FRAME CHAIR 4L W EA-XX BS-PD-XX/XX WT-R-XX GD	500	—	410	410	420	830	395	360	710	530	600	550	8,90
VAPAA FRAME CHAIR 4L UPH EA-XX BS-XX WT-R-XX GD	505	—	415	415	420	835	400	365	710	530	600	555	7,70
VAPAA FRAME CHAIR CFS W HB EA-XX BS-XX GD	485	—	415	415	420	905	395	430	715	515	555	525	7,60

A – Seat height

A1 – Seat height according to standard EN 16139

B – Seat depth

C – Seat surface depth

D – Seat width

E – Overall height

F – Backrest width

G – Backrest length

H – Armrests height

K – Base width

V – Overall width

L – Overall depth

Technical description



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
VAPAA FRAME CHAIR CFS W HB EA-XX BS-PD-XX/XX GD	500	—	410	410	420	905	395	430	715	515	555	525	9,00
VAPAA FRAME CHAIR CFS UPH HB EA-XX BS-XX GD	505	—	415	415	420	910	400	435	715	515	555	530	8,00
VAPAA FRAME CHAIR CFS W EA-XX BS-XX GD	485	—	415	415	420	830	395	360	715	515	555	510	7,50
VAPAA FRAME CHAIR CFS W EA-XX BS-PD-XX/XX GD	500	—	410	410	420	830	395	360	715	515	555	510	8,80
VAPAA FRAME CHAIR CFS UPH EA-XX BS-XX GD	505	—	415	415	420	835	400	365	715	515	555	515	7,60
VAPAA FRAME CHAIR 4S W HB EA-XX BS-XX CA	485	—	415	415	420	905	395	430	710	495	510	555	8,40
VAPAA FRAME CHAIR 4S W HB EA-XX BS-PD-XX/XX CA	500	—	410	410	420	905	395	430	710	495	510	555	9,80
VAPAA FRAME CHAIR 4S UPH HB EA-XX BS-XX CA	505	—	415	415	420	910	400	435	710	495	510	560	8,70
VAPAA FRAME CHAIR 4S W EA-XX BS-XX CA	485	—	415	415	420	830	395	360	710	495	510	545	8,10
VAPAA FRAME CHAIR 4S W EA-XX BS-PD-XX/XX CA	500	—	410	410	420	830	395	360	710	495	510	545	9,50
VAPAA FRAME CHAIR 4S UPH EA-XX BS-XX CA	505	—	415	415	420	835	400	365	710	495	510	545	8,30
VAPAA FRAME CHAIR 4S W HB EA-XX BS-XX WT-R-XX CA	485	—	415	415	420	905	395	430	710	495	550	575	9,70
VAPAA FRAME CHAIR 4S W HB EA-XX BS-PD-XX/XX WT-R-XX CA	500	—	410	410	420	905	395	430	710	495	550	575	11,00
VAPAA FRAME CHAIR 4S UPH HB EA-XX BS-XX WT-R-XX CA	505	—	415	415	420	910	400	435	710	495	550	580	9,90
VAPAA FRAME CHAIR 4S W EA-XX BS-XX WT-R-XX CA	485	—	415	415	420	830	395	360	710	495	550	565	9,40
VAPAA FRAME CHAIR 4S W EA-XX BS-PD-XX/XX WT-R-XX CA	500	—	410	410	420	830	395	360	710	495	550	565	10,80
VAPAA FRAME CHAIR 4S UPH EA-XX BS-XX WT-R-XX CA	505	—	415	415	420	835	400	365	710	495	550	565	9,60

A – Seat height

A1 – Seat height according to standard EN 16139

B – Seat depth

C – Seat surface depth

D – Seat width

E – Overall height

F – Backrest width

G – Backrest length

H – Armrests height


K – Base width

V – Overall width


L – Overall depth

Technical description


1.2. Bar stools



VAPAA FRAME CHAIR HKR 4L W



VAPAA FRAME CHAIR HKR CFS W



VAPAA FRAME CHAIR HKR 4L UPH



VAPAA FRAME CHAIR HKR CFS UPH



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
VAPAA FRAME CHAIR HKR 4L W E-XX BS-XX GD	745	—	415	415	400	1025	380	285	—	515	515	500	6,70
VAPAA FRAME CHAIR HKR 4L W E-XX BS-PD-XX GD	760	—	410	410	400	1025	380	285	—	515	515	500	8,80
VAPAA FRAME CHAIR HKR 4L UPH E-XX BS-XX GD	765	—	415	415	405	1030	385	290	—	515	515	505	7,40
VAPAA FRAME CHAIR HKR CFS W E-XX BS-XX GD	750	—	415	415	400	1030	380	285	—	515	515	500	8,80
VAPAA FRAME CHAIR HKR CFS W E-XX BS-PD-XX GD	765	—	410	410	400	1030	380	285	—	515	515	500	10,90
VAPAA FRAME CHAIR HKR CFS UPH E-XX BS-XX GD	770	—	415	415	405	1035	385	290	—	515	515	505	9,50

A – Seat height

A1 – Seat height according to standard EN 16139

B – Seat depth

C – Seat surface depth

D – Seat width

E – Overall height

F – Backrest width

G – Backrest length

H – Armrests height

K – Base width

V – Overall width

L – Overall depth

2. Materials / Versions

2.1. Frame

2.1.1. Frame chairs

4 legs – made of $\varnothing 18 \times 2$ mm steel tube.

4 legs with armrests – made of $\varnothing 18 \times 2$ mm steel tube, armrests integrated with frame, armrest pads made of black thermoplastic elastomer (TPE).

Cantilever – made of $\varnothing 12$ mm steel rod.

Cantilever with armrests – made of $\varnothing 12$ mm steel rod, armrests integrated with frame, armrest pads made of black thermoplastic elastomer (TPE).

Finish options:

- powder-coated in: Traffic white RAL 9016 (WT), Jet black RAL 9005 (BL), White aluminium RAL 9006 (WA) colour and in Fashion collection colours,
- chromium plated (CR).

Stacking:

- 4 legs without writing tablet and cantilever – up to 6 pcs,
- 4 legs with writing tablet – non-stackable.

4-star – with $\varnothing 643$ mm diameter made of $\varnothing 18 \times 2,5$ mm steel tube.

4-star with armrests – with $\varnothing 643$ mm diameter made of $\varnothing 18 \times 2,5$ mm steel tube, armrests integrated with frame, armrest pads made of black thermoplastic elastomer (TPE).

Finish options:

- powder-coated in: Traffic white RAL 9016 (WT), Jet black RAL 9005 (BL), White aluminium RAL 9006 (WA) colour and in Fashion collection colours,

Stacking:

- non-stackable.

2.1.2. Bar stools

4 legs – legs made of $\varnothing 18 \times 2$ mm steel tube, footrest made of $\varnothing 12$ mm steel rod.

Cantilever – legs and footrest made of $\varnothing 12$ mm steel rod.

Finish options:

- powder-coated in: Traffic white RAL 9016 (WT), Jet black RAL 9005 (BL), White aluminium RAL 9006 (WA) colour and in Fashion collection colours,
- chromium plated (CR).

Stacking:

- non-stackable.

2.1.3. Connectors

Connectors available for frame chairs on 4 legs only, not available for version with castors.

Row clamp for chairs – made of black plastic.

Row connector – made of steel powder-coated in Jet black (RAL 9005) colour.

Possibility of mounting to the floor, row distance adjustment: 460–520 mm.

2.2. Castors / Glides

2.2.1. Frame chairs

4-leg frame

Plastic glides in black colour as standard or with felt as an option.

Castors - $\varnothing 37$ mm for soft or hard floors, both as an option.

Cantilever frame

Transparent plastic glides as standard or with felt as an option.

4-star frame

Castors – $\varnothing 50$ mm for soft floors as standard or for hard floors as an option.

2.2.2. Bar stools

4-leg frame

Plastic glides in black colour as standard or with felt as an option.

Cantilever frame

Transparent plastic glides as standard or with felt as an option.

2.3. Seat and backrest

2.3.1. Frame chairs

Low plywood shell – made of beech plywood, thickness 10,5 mm.

Finish options:

- natural or stained beech,,
- laminated (visible plywood edges protected with wax).

Low upholstered shell – structure made of plywood shell, thickness 10,5 mm. Front part covered with flame retardant cut foam, thickness 20 mm, density 25 kg/m³, back part covered with flame retardant cut foam, thickness 10 mm, density 25 kg/m³.

Finish options:

- one-piece upholstery.

High plywood shell – made of beech plywood, thickness 10,5 mm.

Finish options:

- natural or stained beech,
- natural or stained beech, with upper and lower upholstered pads for seat and backrest – pad structure made of beech plywood, thickness 4 mm, covered with flame retardant cut foam, thickness 15 mm, density 25 kg/m³,
- laminated (visible plywood edges protected with wax).

High upholstered shell – structure made of plywood shell, thickness 10,5 mm. Front part covered with flame retardant cut foam, thickness 20 mm, density 25 kg/m³, back part covered with flame retardant cut foam, thickness 10 mm, density 25 kg/m³.

Finish options:

- one-piece upholstery,
- two-piece upholstery (possibility of selecting different upholstery colours of the same type).

2.3.2. Bar stools

Low plywood shell – made of beech plywood, thickness 10,5 mm.

Finish options:

- natural or stained beech,
- natural or stained beech with one-piece upholstered pad for seat and backrest – pad structure made of beech plywood, thickness 4 mm, covered with flame retardant cut foam, thickness 15 mm, density 25 kg/m³,
- laminated (visible plywood edges protected with wax).

Low upholstered shell – structure made of beech plywood, thickness 10,5 mm. Front part covered with flame retardant cut foam, thickness 20 mm, density 25 kg/m³, back part covered with flame retardant cut foam, thickness 10 mm, density 25 kg/m³.

Finish options:

- one-piece upholstery.

2.4. Writing tablet

Tablet top made of laminated plywood, thickness 10,5 mm (visible plywood edges protected with wax).

Tablet arm integrated with frame chair armrest:

- 4 legs – not available for version with castors,
- 4-star base.

3. Packaging

Frame chairs without writing tablet on 4-leg and cantilever base

Chair assembled, cardboard packaging (PACK-ASM), 4 pcs. in cardboard – as standard.

Frame chairs with writing tablet on 4-leg and cantilever base

Chair partially assembled, cardboard packaging (PACK-A), 4 pcs. in cardboard – as standard.

Chairs on 4-star frame with or without writing tablet

Chair partially assembled, cardboard packaging (PACK-A), 1 pc. in cardboard – as standard.

Chair partially assembled, compact cardboard packaging (dimensions suitable for courier delivery) (PACK-A1), 1 pc. in cardboard – as an option.

Bar stools

Chair assembled, cardboard packaging (PACK-ASM), 1 pc. in cardboard – as standard.

4. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)

- GS Safety Certificate (pending),
- Durability Certificate compliant with EN 16139 (pending),
- Product fulfils the FSC®(FSC-C120977) requirements.

Frame chairs 4L



Vapaa frame chair 4L W

Vapaa frame chair 4L W HB

VAPAA FRAME CHAIR 4L W

VAPAA FRAME CHAIR 4L W HB

Basic price (EUR)

115

115

Frame						
E-③	Frame without armrests	Powder-coated steel	•	•		
		Chromium plated steel	+ 13	+ 13		
EA-③	Frame with armrests	Powder-coated steel	+ 17	+ 17		
		Chromium plated steel	+ 30	+ 30		
Shell						
BS-①	Beech plywood	Natural beech	•	•	—	
		Stained	+8	+8	—	
		Laminated	+ 16	—	+ 16	
Upholstered pads						
None		•	•			
BS-PD-⑤/⑥	Upholstered pads: lower/upper (upholstery type must be the same for each element, colours may vary)	Price group:	1		+ 65	—
			2		+ 75	
			3	—	+ 85	
			4		+ 95	
			5		+ 110	
Writing tablet						
No writing tablet		•	•			
WT-R-①	Laminate	For right hand version	For chair with armrests	+ 75	+ 75	
WT-L-①		For left hand version				
Glides/Castors						
GD	Plastic glides		•	•		
GDF	Plastic glides with felt		○	○		
CA	Castors for soft floors		+ 27	+ 27		
CAH	Castors for hard floors		+ 27	+ 27		

① – Please specify wood/laminate colour code – see finishes

③ – Please specify metal colour code– see finishes

⑤ – Please specify upholstery colour code from selected price groupj – see finishes

⑥ – Please specify upholstery colour code from selected price groupj – see finishes

• Available as standard (included in basic price)

○ Available as an option (included in basic price)

To complete chair configuration select options on next pages →

PRICE GROUP 1: Bondai, Era, Sempre/Sempre Melange

PRICE GROUP 2: Felicity, Xtreme

PRICE GROUP 3: Step/Step Melange

PRICE GROUP 4: Blazer, Synergy

PRICE GROUP 5: Remix 3

Frame chairs 4L

		VAPAA FRAME CHAIR 4L W	VAPAA FRAME CHAIR 4L W HB
Stacking protection			
	None	For chair with upholstered pads	•
STP	Stacking cushion		—
	Stacking bumpers	For plywood chair	•
Wood and wood-based materials			
FSC	Raw material – EU Timber regulation, from certified forests, FSC certificate – authorized companies	For Natural beech or stained shell without writing tablet	•
EUTR	Raw material – EU Timber regulation	For laminated shell or for chair with writing tablet	○
Assembly			
PACK-ASM	Assembled, cardboard packaging	For chair without writing tablet	•
PACK-A	Partially assembled, cardboard packaging	For chair with writing tablet	○
Sample order	VAPAA FRAME CHAIR 4L W (EA-BL BS-1.007 WT-R-W1000 GD EUTR PACK-ASM)		

- Available as standard (included in basic price)
- Available as an option (included in basic price)

Frame chairs 4L



Vapaa frame chair 4L UPH

Vapaa frame chair 4L UPH HB

VAPAA FRAME CHAIR 4L UPH

VAPAA FRAME CHAIR 4L UPH HB

Basic price (EUR) according to upholstery price groups

	1	2	3	4	5
	150	160	170	180	200
	160	170	180	190	210

		Frame			
E-③	Frame without armrests	Powder-coated steel		•	•
		Chromium plated steel		+ 13	+ 13
EA-③	Frame with armrests	Powder-coated steel		+ 17	+ 17
		Chromium plated steel		+ 30	+ 30
		Shell			
BS-⑤/⑥	Upholstered with horizontal stitching	Upholstery lower part/upper part (upholstery type must be the same for each element, colours may vary)		—	•
BS-⑤	Upholstered			•	○
		Writing tablet			
	No writing tablet			•	•
WT-R-①	Laminate	For right hand version	For chair with armrests	+ 75	+ 75
WT-L-①		For left hand version			
		Glides/Castors			
GD	Plastic glides			•	•
GDF	Plastic glides with felt			○	○
CA	Castors for soft floors			+ 27	+ 27
CAH	Castors for hard floors			+ 27	+ 27
		Stacking protection			
	None			•	•
STP	Stacking cushion			+ 10	+ 10

① – Please specify wood/laminate colour code – [see finishes](#)

③ – Please specify metal colour code – [see finishes](#)

⑤ – Please specify upholstery colour code from selected price groupj – [see finishes](#)

⑥ – Please specify upholstery colour code from selected price groupj – [see finishes](#)

• Available as standard (included in basic price)

○ Available as an option (included in basic price)

To complete chair configuration select options on next pages →

PRICE GROUP 1: Bondai, Era, Sempre/Sempre Melange

PRICE GROUP 2: Felicity, Xtreme

PRICE GROUP 3: Step/Step Melange

PRICE GROUP 4: Blazer, Synergy

PRICE GROUP 5: Remix 3

Frame chairs 4L

		VAPAA FRAME CHAIR 4L UPH	VAPAA FRAME CHAIR 4L UPH HB
Wood and wood-based materials			
FSC	Raw material – EU Timber regulation, from certified forests, FSC certificate – authorized companies	For chair without writing tablet	•
EUTR	Raw material – EU Timber regulation	For chair with writing tablet	○
Assembly			
PACK-ASM	Assembled, cardboard packaging	For chair without writing tablet	•
PACK-A	Partially assembled, cardboard packaging	For chair with writing tablet	○
Sample order	VAPAA FRAME CHAIR 4L UPH (EA-BL BS-CSE02 WT-R-W1000 GD EUTR PACK-ASM)		

- Available as standard (included in basic price)
- Available as an option (included in basic price)

Frame chairs CFS



Vapaa frame chair CFS W

Vapaa frame chair CFS W HB

VAPAA FRAME CHAIR CFS W

VAPAA FRAME CHAIR CFS W HB

Basic price (EUR)

140

140

Frame					
E-③	Frame without armrests	Powder-coated steel	•	•	
		Chromium plated steel	+ 13	+ 13	
EA-③	Frame with armrests	Powder-coated steel	+ 17	+ 17	
		Chromium plated steel	+ 30	+ 30	
Shell					
BS-①	Beech plywood	Natural beech	•	•	—
		Stained	+8	+8	—
		Laminated	+ 16	—	+ 16
Upholstered pads					
None		•	•		
BS-PD-⑤/⑥	Upholstered pads: lower/upper (upholstery type must be the same for each element, colours may vary)	Price group:			
		1		+ 65	—
		2		+ 75	
		3	—	+ 85	
		4		+ 95	
5		+ 110			
Glides					
GD	Plastic glides	•	•		
GDF	Plastic glides with felt	○	○		
Stacking protection					
None		For chair with upholstered pads	•	•	
STP	Stacking cushion		—	+ 10	
	Stacking bumpers	For plywood chair	•	•	
Wood and wood-based materials					
FSC	Raw material – EU Timber regulation, from certified forests, FSC certificate – authorized companies	For Natural beech or stained shell	•	•	
EUTR	Raw material – EU Timber regulation	For laminated shell	○	○	
Assembly					
PACK-ASM	Assembled, cardboard packaging	•	•		
Sample order	VAPAA FRAME CHAIR CFS W (EA-BL BS-1.007 WT-R-W1000 GD EUTR PACK-ASM)				

① – Please specify wood/laminate colour code – [see finishes](#)③ – Please specify metal colour code – [see finishes](#)⑤ – Please specify upholstery colour code from selected price group – [see finishes](#)⑥ – Please specify upholstery colour code from selected price group – [see finishes](#)

• Available as standard (included in basic price)

○ Available as an option (included in basic price)

PRICE GROUP 1: Bondai, Era, Sempre/Sempre Melange

PRICE GROUP 2: Felicity, Xtreme

PRICE GROUP 3: Step/Step Melange

PRICE GROUP 4: Blazer, Synergy

PRICE GROUP 5: Remix 3

Frame chairs CFS



Vapaa frame chair CFS UPH

Vapaa frame chair CFS UPH HB

VAPAA FRAME CHAIR CFS UPH

VAPAA FRAME CHAIR CFS UPH HB

Basic price (EUR) according to upholstery price group

	1	2	3	4	5
	175	185	195	205	225
	185	195	205	215	235

Frame				
E-③	Frame without armrests	Powder-coated steel	•	•
		Chromium plated steel	+ 13	+ 13
EA-③	Frame with armrests	Powder-coated steel	+ 17	+ 17
		Chromium plated steel	+ 30	+ 30
Shell				
BS-⑤/⑥	Upholstered with horizontal stitching	Upholstery lower part/upper part (upholstery type must be the same for each element, colours may vary)	—	•
BS-⑤	Upholstered		•	○
Glides				
GD	Plastic glides		•	•
GDF	Plastic glides with felt		○	○
Stacking protection				
	None		•	•
STP	Stacking cushion		+ 10	+ 10
Wood and wood-based materials				
FSC	Raw material – EU Timber regulation, from certified forests, FSC certificate – authorized companies		•	•
Assembly				
PACK-ASM	Assembled, cardboard packaging		•	•
Sample order	VAPAA FRAME CHAIR CFS UPH (EA-BL BS-CSE02 WT-R-W1000 GD FSC PACK-ASM)			

③ – Please specify metal colour code– see finishes

⑤ – Please specify upholstery colour code from selected price groupj – see finishes

⑥ – Please specify upholstery colour code from selected price groupj – see finishes

• Available as standard (included in basic price)

○ Available as an option (included in basic price)

PRICE GROUP 1: Bondai, Era, Sempre/ Sempre Melange

PRICE GROUP 2: Felicity, Xtreme

PRICE GROUP 3: Step/Step Melange

PRICE GROUP 4: Blazer, Synergy

PRICE GROUP 5: Remix 3

Frame chairs 4S



Vapaa frame chair 4S W

Vapaa frame chair 4S W HB

VAPAA FRAME CHAIR 4S W

VAPAA FRAME CHAIR 4S W HB

Basic price (EUR)

210

210

Frame					
E-③	Frame without armrests	Powder-coated steel	•	•	
EA-③	Frame with armrests		+ 17	+ 17	
Shell					
BS-①	Beech plywood	Natural beech	•	•	—
		Stained	+8	+8	—
		Laminated	+ 16	—	+ 16
Upholstered pads					
BS-PD-⑤/⑥	Upholstered pads: lower/upper (upholstery type must be the same for each element, colours may vary)	Price group:	1		+ 65
			2		+ 75
			3	—	+ 85
			4		+ 95
			5		+ 110
Writing tablet					
	No writing tablet		•	•	
WT-R-①	Laminate	For right hand version	For chair with armrests	+ 75	+ 75
WT-L-①		For left hand version			
Castors					
CA	For soft floors		•	•	
CAH	For hard floors		○	○	
Wood and wood-based materials					
FSC	Raw material – EU Timber regulation, from certified forests, FSC certificate – authorized companies	For Natural beech or stained shell without writing tablet	•	•	
EUTR	Raw material – EU Timber regulation	For laminated shell or for chair with writing tablet	○	○	

① – Please specify wood/laminate colour code – [see finishes](#)

③ – Please specify metal colour code – [see finishes](#)

⑤ – Please specify upholstery colour code from selected price group – [see finishes](#)

⑥ – Please specify upholstery colour code from selected price group – [see finishes](#)

• Available as standard (included in basic price)

○ Available as an option (included in basic price)

To complete chair configuration select options on next pages →

PRICE GROUP 1: Bondai, Era, Sempre/Sempre Melange

PRICE GROUP 2: Felicity, Xtreme

PRICE GROUP 3: Step/Step Melange

PRICE GROUP 4: Blazer, Synergy

PRICE GROUP 5: Remix 3

Frame chairs 4S

		VAPAA FRAME CHAIR 4S W	VAPAA FRAME CHAIR 4S W HB
	Assembly		
PACK-ASM	Assembled, cardboard packaging	For chair without writing tablet	•
PACK-A1	Partially assembled, compact cardboard packaging	For chair without writing tablet or with writing tablet	○
PACK-A	Partially assembled, cardboard packaging	For chair with writing tablet	○
Sample order	VAPAA FRAME CHAIR 4S W (EA-BL BS-1.007 WT-R-W1000 CA EUTR PACK-ASM)		

- Available as standard (included in basic price)
- Available as an option (included in basic price)

Frame chairs 4S



Vapaa frame chair 4S UPH

Vapaa frame chair 4S UPH HB

VAPAA FRAME CHAIR 4S UPH

VAPAA FRAME CHAIR 4S UPH HB

Basic price (EUR) according to upholstery price group		
1	245	255
2	255	265
3	265	275
4	275	285
5	295	305

Frame			
E-③	Frame without armrests	Powder-coated steel	•
EA-③	Frame with armrests		+ 17
Shell			
BS-⑤/⑥	Upholstered with horizontal stitching	Upholstery upper part/lower part (upholstery type must be the same for each element, colours may vary)	•
BS-⑤	Upholstered		○
Writing tablet			
	No writing tablet		•
WT-R-①	Laminate	For right hand version	+ 75
WT-L-①		For left hand version	
		For chair with armrests	+ 75
Castors			
CA	For soft floors		•
CAH	For hard floors		○
Wood and wood-based materials			
FSC	Raw material – EU Timber regulation, from certified forests, FSC certificate – authorized companies	For chair without writing tablet	•
EUTR	Raw material – EU Timber regulation	For chair with writing tablet	○

- ① – Please specify wood/laminate colour code – [see finishes](#)
- ③ – Please specify metal colour code – [see finishes](#)
- ⑤ – Please specify upholstery colour code from selected price groupj – [see finishes](#)
- ⑥ – Please specify upholstery colour code from selected price groupj – [see finishes](#)
- Available as standard (included in basic price)
- Available as an option (included in basic price)



To complete chair configuration select options on next pages →

Frame chairs 4S

		VAPAA FRAME CHAIR 4S UPH	VAPAA FRAME CHAIR 4S UPH HB
	Assembly		
PACK-ASM	Assembled, cardboard packaging	For chair without writing tablet	●
PACK-A1	Partially assembled, compact cardboard packaging	For chair without writing tablet or with writing tablet	○
PACK-A	Partially assembled, cardboard packaging	For chair with writing tablet	○
Sample order	VAPAA FRAME CHAIR 4S UPH (EA-BL BS-CSE02 WT-R-W1000 CA EUTR PACK-ASM)		

- Available as standard (included in basic price)
- Available as an option (included in basic price)

Bar stools

	
Vapaa bar stool 4L W	Vapaa bar stool CFS W
VAPAA FRAME CHAIR HKR 4L W	VAPAA FRAME CHAIR HKR CFS W
Basic price (EUR)	
170	180

	Frame						
E-③	Frame without armrests	Powder-coated steel		•		•	
		Chromium plated steel		+ 30		+ 30	
	Shell						
BS-①	Beech plywood	Natural beech		•	—	•	—
		Stained		+8	—	+8	—
		Laminated		—	+ 16	—	+ 16
	Upholstered pad						
	None			•		•	
BS-PD-⑤	Upholstered one-piece pad	Price group:	1	+ 65	—	+ 65	—
			2	+ 75		+ 75	
			3	+ 85		+ 85	
			4	+ 95		+ 95	
			5	+ 110		+ 110	
	Glides						
GD	Plastic glides			•		•	
GDF	Plastic glides with felt			○		○	
	Wood and wood-based materials						
FSC	Raw material – EU Timber regulation, from certified forests, FSC certificate – authorized companies	For Natural beech or stained shell		•		•	
EUTR	Raw material – EU Timber regulation	For laminated shell		○		○	
	Assembly						
PACK-ASM	Assembled, cardboard packaging			•		•	
Sample order	VAPAA FRAME CHAIR HKR 4L W (E-BL BS-1.007 GD FSC PACK-ASM)						

- ① – Please specify wood/laminate colour code – [see finishes](#)
- ③ – Please specify metal colour code – [see finishes](#)
- ⑤ – Please specify upholstery colour code from selected price groupj – [see finishes](#)
- Available as standard (included in basic price)
- Available as an option (included in basic price)

PRICE GROUP 1: Bondai, Era, Sempre/Sempre Melange
 PRICE GROUP 2: Felicity, Xtreme
 PRICE GROUP 3: Step/Step Melange

PRICE GROUP 4: Blazer, Synergy
 PRICE GROUP 5: Remix 3

Bar stools



Vapaa bar stool 4L UPH

Vapaa bar stool CFS UPH

VAPAA FRAME CHAIR HKR 4L UPH

VAPAA FRAME CHAIR HKR CFS UPH

Basic price (EUR) according to upholstery price group

	4L UPH	CFS UPH
1	200	210
2	210	220
3	220	230
4	230	240
5	250	260



Frame			
E-③	Frame without armrests	Powder-coated steel	•
		Chromium plated steel	+ 30
Shell			
BS-⑤	Upholstered		•
Glides			
GD	Plastic glides		•
GDF	Plastic glides with felt		○
Wood and wood-based materials			
FSC	Raw material – EU Timber regulation, from certified forests, FSC certificate – authorized companies		•
Assembly			
PACK-ASM	Assembled, cardboard packaging		•
Sample order	VAPAA FRAME CHAIR HKR 4L UPH (E-BL BS-CSE02 GD FSC PACK-ASM)		

③ – Please specify metal colour code– see finishes

⑤ – Please specify upholstery colour code from selected price groupj – see finishes

- Available as standard (included in basic price)
- Available as an option (included in basic price)

Accessories



Vapaa row clamp for chairs

Vapaa row connector

CHAIR ACCESSORY ROW CLAMP 2

CHAIR ACCESSORY ROW CON 2

- For frame chairs on 4 legs
- Not available for chairs with castors

Basic price (EUR)

6

56

		Finish			
BL	Powder-coated steel	Jet black, RAL 9005	—	•	
B	Plastic	Black colour	•	—	
Sample order	CHAIR ACCESSORY ROW CLAMP 2 (B)				


- Available as standard (included in basic price)

YouTEAM™


1. Dimensions/Weight




YOUTEAM FRAME CHAIR
4L MESH




YOUTEAM FRAME CHAIR
4L UPH CST



YOUTEAM FRAME CHAIR
CF MESH



YOUTEAM FRAME CHAIR
CF UPH STB



	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	L	V	
YOUTEAM FRAME CHAIR 4L UPH	475	445	447	465	450	870	440	420	675	570	610	640	7.75
YOUTEAM FRAME CHAIR 4L UPH CST	475	445	447	465	450	870	440	420	675	580	610	640	7.85
YOUTEAM FRAME CHAIR CF UPH	475	445	447	465	450	870	440	420	675	580	610	640	8.15
YOUTEAM FRAME CHAIR CF UPH STB	475	445	447	465	450	870	440	420	675	580	610	640	8.65

- A – Seat height
- A1 – Seat height according to standard EN 16139
- B – Seat depth
- C – Seat surface depth

- D – Seat width
- E – Overall height
- F – Backrest width
- G – Backrest length
- H – Armrests height

- K – Base width
- L – Overall depth
- V – Overall width

2. Materials/Versions

2.1. Base/Frame

Cantilever frame (CF) – made of steel tube $\varnothing 22 \times 3$ mm,

Cantilever frame stackable (CF STB) –

made of steel tube $\varnothing 22 \times 3$ mm,

4-leg frame (4L) – made of steel tube

$\varnothing 22 \times 3$ mm,

4-leg frame with castors (4L CST) –

made of steel tube $\varnothing 22 \times 3$ mm.

Frame finish options:

- powder-coated in black grey colour (EA-GF),
- powder-coated in pure white colour (EA-WH),
- powder-coated in white aluminium colour (EA-WA),
- chromium plated (EA-CR).

Stacking:

cantilever frame (CF) – non-stackable,

cantilever frame stackable (CF STB) – stackable

up to 4 pieces, with stacking protection

as standard,

4-leg frame (4L) – non-stackable,

4-leg frame with castors (4L CST) –

non-stackable.

2.2. Castors/Glides

4-leg frame:

- self-leveling glides for soft floors (GBP) as standard, or hard floors (GBPF) as an option.

4-leg frame with castors:

- $\varnothing 60$ mm black plastic self-braking castors for soft floors (ESSH) as standard, or black/grey castors for hard floors (ESSHH) as an option.

Cantilever frame:

- black glides for soft floors (GB) as standard, or for hard floors (GBF) as an option.

Cantilever frame stackable:

- black glides for soft floors (GB) as standard, or hard floors (GBF) as an option

2.3. Seat, backrest and headrest

Seat

Mesh seat (SE-RN) – frame is made of glass fiber reinforced polyamide (PA + GF) in black grey or pearl white colour, with following layers inserted into seat frame groove:

- supporting material – thermoshrinking mesh in grey colour,
- Runner 3D fabric.

Upholstered seat (SE) – frame is made of glass fiber reinforced polyamide (PA + GF) in black grey or pearl white colour, with following layers inserted into seat frame groove:

- supporting material – thermoshrinking mesh in grey colour, with polyester foam, thickness 10 mm, density 25 kg/m³,
- upholstery.

Note: stackable cantilever frame chairs are equipped with stacking protection made of black polypropylene (PP) under the seat.

Backrest

Mesh backrest (MESH) – frame is made of glass fiber reinforced polyamide (PA + GF) in black grey or pearl white colour, with Runner 3D fabric inserted into frame groove.

Upholstered backrest (UPH)– frame is made of glass fiber reinforced polyamide (PA + GF) in

black grey or pearl white colour, with following layers inserted into frame groove: supporting material – Runner 3D fabric (colour always matching frame colour: RN60025 for black grey frame and RN61128 for pearl white frame) with polyester foam, thickness 10 mm, density 25 kg/m³,

- upholstery.

Product versions:

- upholstered seat and backrest as standard,
- mesh seat and backrest as standard,
- upholstered seat and mesh backrest as an option.

3. Armrests

Fixed armrests – made of aluminium powder-coated in: black grey (GF), pure white (WH), white aluminium (WA) colour, or chromium plated (CR). Armrest pads made of black polypropylene (PP).

Armrests are assembled to linking element, made of aluminium, colour always matching frame finish.

4. Packaging

Cantilever frame stackable (CF STB) – 2 pieces per box (assembled),

Cantilever frame (CF), 4-leg frame (4L), 4-leg

frame with castors (4L CST) – 1 piece per box (assembled).

5. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)

GS safety certificate – pending.

Technical description

6. Conference frame chairs – colour concept (plastic/metal elements)



- 1 Backrest and seat frame
- 2 Linking element
- 3 4-leg frame with armrests



- 1 Backrest and seat frame
- 2 Linking element
- 3 Cantilever frame with armrests

6.1. Conference frame chairs (4-leg, cantilever) – upholstered and mesh backrest



- Black grey version (SG) – elements in black grey:
- frame with armrests,
 - seat and backrest frame,
 - linking element.



- Pearl white version (PW) – elements in pearl white:
- frame with armrests,
 - seat and backrest frame,
 - linking element.



- Options (according to matrix in point 8.2):
- frame with armrests and linking element powder-coated in white aluminium colour or chromium plated.

7. Colour concept applicability matrix

	Frame with armrests and linking element			
	Black grey (EA-GF) RAL 7021	Pure white (EA-WH) RAL 9010	White aluminium (EA-WA) RAL 9006	Chromium plated (EA-CR)
Colour concept black grey (SG)	●	—	●	●
Colour concept pearl white (PW)	—	●	●	●

8. Sample order

Product line	Product subgroup	Version		C03	C05
YOUTEAM	FRAME CHAIR	CF UPH	(EA-CR	CC-SG
C09	C10	C14	C19		
BA-XR009	SE-XR009	GBF	PACK-ASM)	

YOUTEAM FRAME CHAIR CF UPH (EA-CR CC-SG BA-XR009 SE-XR009 GBF PACK-ASM)

C03 – Frame
C05 – Colour concept

C09 – Backrest upholstery
C10 – Seat upholstery

C14 – Glides
C19 – Packaging

YOUTEAM FRAME CHAIR CF UPH (EA-CR CC-SG BA-XR009 SE-XR009 GBF PACK-ASM) identifies the chair as:

YOUTEAM conference frame chair (FRAME CHAIR), with upholstered backrest on cantilever base (CF UPH), frame with armrests, chromium plated (EA-CR), plastic elements in black grey colour (CC-SG), backrest upholstered in Xtreme XR009 fabric (BA-XR009), seat upholstered in Xtreme XR009 fabric (SE-XR009), with glides for hard floors (GBF), assembled (PACK-ASM).

9. Rules of upholsteries matching

Upholstered backrest and seat

Upholstery type is the same for each upholstered element, various colours of seat and backrest are possible.

Mesh backrest and seat

Available only in Runner 3D fabric, various colours of seat and backrest are possible.



4-leg frame chair with upholstered backrest and seat

4-leg frame chair with mesh backrest and seat (upholstered seat as an option)

YOUTEAM FRAME CHAIR 4L UPH

YOUTEAM FRAME CHAIR 4L MESH

Basic price (EUR) according to upholstery price group		
Mesh seat (Runner 3D)	–	492
1	571	–
2	591	–
3	610	–
4	635	–
6	690	–

	C03	Frame with fixed armrests*			
	EA-GF	Powder-coated in Black grey colour RAL 7021	Black polypropylene (PP) armrest pad	●	●
	EA-WH	Powder-coated in Pure white colour RAL 9010		○	○
	EA-WA	Powder-coated in White aluminium colour RAL 9006			
	EA-CR	Chromium plated		+ 121	+ 121
	C05	Colour concept			
	CC-SG	Black grey		●	●
	CC-PW	Pearl white		○	○
	C09	Backrest			
	BA-⑤	Upholstered		●	–
	BA-RN-⑤	Mesh (Runner 3D fabric)		–	●
	C10	Seat			
	SE-RN-⑤	Mesh (Runner 3D fabric)		–	●
	SE-⑤	Upholstered, surcharge according to upholstery price group on the seat	1	●	+ 38
			2		+ 48
			3		+ 57
			4		+ 67
			6		+ 87
	C14	Glides			
	GBP	Self-leveling glides for soft floors		●	●
	GBPF	Self-leveling glides for hard floors		○	○
	C19	Packaging			
	PACK-ASM	Fully assembled, 1 piece per box		●	●

* Colour of the armrests and base in accordance with matrix in technical description, [see here](#)

⑤ – Please specify upholstery colour code from selected price group – [see finishes](#)

- Available as standard (included in basic price)
- Available as an option (included in basic price)



4-leg frame with castors, with upholstered backrest and seat

4-leg frame with castors, with mesh backrest and seat (upholstered seat as an option)

YOUTEAM FRAME CHAIR 4L UPH CST

YOUTEAM FRAME CHAIR 4L MESH CST

Basic price (EUR) according to upholstery price group		
Mesh seat (Runner 3D)	–	547
1	628	–
2	650	–
3	670	–
4	694	–
6	750	–

	C03	Frame with fixed armrests*			
	EA-GF	Powder-coated in Black grey colour RAL 7021	Black polypropylene (PP) armrest pad	●	●
	EA-WH	Powder-coated in Pure white colour RAL 9010		○	○
	EA-WA	Powder-coated in White aluminium colour RAL 9006			
	EA-CR	Chromium plated		+ 121	+ 121
	C05	Colour concept			
	CC-SG	Black grey		●	●
	CC-PW	Pearl white		○	○
	C09	Backrest			
	BA-⑤	Upholstered		●	–
	BA-RN-⑤	Mesh (Runner 3D fabric)		–	●
	C10	Seat			
	SE-RN-⑤	Mesh (Runner 3D fabric)		–	●
	SE-⑤	Upholstered, surcharge according to upholstery price group on the seat	1		+ 38
			2		+ 48
			3	●	+ 57
			4		+ 67
			6		+ 87
	C14	Castors			
	ESSH	Ø 60 mm, black	For soft floors, not replaceable with glides	●	●
	ESSHH	Ø 60 mm, black/grey	For hard floors, not replaceable with glides	○	○
	C19	Packaging			
	PACK-ASM	Assembled, 1 piece per box		●	●

*Colour of the armrests and base in accordance with matrix in technical description, [see here](#)

⑤ – Please specify upholstery colour code from selected price group – [see finishes](#)

- Available as standard (included in basic price)
- Available as an option (included in basic price)



Cantilever frame chair with upholstered backrest and seat	Cantilever frame chair with mesh backrest and seat (upholstered seat as an option)
---	--

YOUTEAM FRAME CHAIR CF UPH	YOUTEAM FRAME CHAIR CF MESH
----------------------------	-----------------------------

Basic price (EUR) according to upholstery price group		
Mesh seat (Runner 3D)	–	547
1	628	–
2	650	–
3	670	–
4	694	–
6	750	–

	C03	Frame with fixed armrests*		
	EA-GF	Powder-coated in Black grey colour RAL 7021	Black polypropylene (PP) armrest pad	●
	EA-WH	Powder-coated in Pure white colour RAL 9010		○
	EA-WA	Powder-coated in White aluminium colour RAL 9006		○
	EA-CR	Chromium plated		+ 121
	C05	Colour concept		
	CC-SG	Black grey		●
	CC-PW	Pearl white		○
	C09	Backrest		
	BA-⑤	Upholstered		–
	BA-RN-⑤	Mesh (Runner 3D fabric)		●
	C10	Seat		
	SE-RN-⑤	Mesh (Runner 3D fabric)		●
	SE-⑤	Upholstered, surcharge according to upholstery price group on the seat	1	●
			2	●
			3	●
			4	●
			6	●
	C14	Glides		
	GB	Glides for soft floors		●
	GBF	Glides for hard floors		○
	C19	Packaging		
	PACK-ASM	Assembled, 1 piece per box		●

* Colour of the armrests and base in accordance with matrix in technical description, [see here](#)

⑤ – Please specify upholstery colour code from selected price group – [see finishes](#)

- Available as standard (included in basic price)
- Available as an option (included in basic price)



Cantilever frame chair with upholstered backrest and seat, stackable up to 4 pcs.

Cantilever frame chair with mesh backrest and seat (upholstered seat as an option), stackable up to 4 pcs.

YOUTEAM FRAME CHAIR CF UPH STB

YOUTEAM FRAME CHAIR CF MESH STB

Basic price (EUR) according to upholstery price group

Mesh seat (Runner 3D)	Price (EUR)	Price (EUR)
–	–	492
1	571	–
2	591	–
3	610	–
4	635	–
6	690	–

C03	Frame with fixed armrests*		
EA-GF	Powder-coated in Black grey colour RAL 7021	Black polypropylene (PP) armrest pad	●
EA-WH	Powder-coated in Pure white colour RAL 9010		○
EA-WA	Powder-coated in White aluminium colour RAL 9006		○
EA-CR	Chromium plated		+ 121
C05	Colour concept		
CC-SG	Black grey	●	●
CC-PW	Pearl white	○	○
C09	Backrest		
BA-⑤	Upholstered	●	–
BA-RN-⑤	Mesh (Runner 3D fabric)	–	●
C10	Seat		
SE-RN-⑤	Mesh (Runner 3D fabric)	–	●
SE-⑤	Upholstered, surcharge according to upholstery price group on the seat	1	+ 38
		2	+ 48
		3	+ 57
		4	+ 67
		6	+ 87
C14	Glides		
GB	Glides for soft floors	●	●
GBF	Glides for hard floors	○	○
C19	Packaging		
PACK-ASM	Assembled, 2 pieces per box	●	●

*Colour of the armrests and base in accordance with matrix in technical description, [see here](#)

⑤ – Please specify upholstery colour code from selected price group – [see finishes](#)

- Available as standard (included in basic price)
- Available as an option (included in basic price)

PRICE GROUP 1: Era
 PRICE GROUP 2: Felicity, Radio, Xtreme
 PRICE GROUP 3: Runner, Step, Step Melange


PRICE GROUP 4: Blazer, Fame, Synergy
 PRICE GROUP 6: Nappa leather

Xilium

Technical description

1. Dimensions / Weight


1.1. Conference swivel chairs



XILIMUM CONFERENCE
SWIVEL CHAIR UPH



XILIMUM CONFERENCE
SWIVEL CHAIR MESH



Model	Dimensions (mm)												Weight (kg)
	A	B	C	D	E	F	G	H	I	J	L	Q	
XILIMUM CONFERENCE SWIVEL CHAIR UPH (TILT2)	380-510	440	495	480	820-950	455	340	440	—	∅ 710	644	—	13.4
XILIMUM CONFERENCE SWIVEL CHAIR MESH (TILT2)	380-510	420	495	480	850-980	450	370	470	—	∅ 710	644	—	13

A – Seat height

B – Seat depth

C – Seat surface depth

D – Seat width

E – Overall height

F – Backrest width

G – Backrest length

H – Backrest height


I – Headrest height

J – Base diameter


L – Overall depth

Q – Footrest height


1.2. Conference frame chairs



XILIMUM FRAME CHAIR
4L UPH



XILIMUM FRAME CHAIR
CF UPH



	Dimensions (mm)											Weight (kg)
	A	A1	B	C	D	E	F	G	H	L	V	
XILIMUM FRAME CHAIR 4L UPH	464	420	440	495	480	860	455	340	655	550	532/600 ARF	7.9
XILIMUM FRAME CHAIR 4L MESH	464	420	420	495	480	890	450	370	655	550	532/600 ARF	7.5
XILIMUM FRAME CHAIR CF UPH	464	420	450	495	480	875	455	340	655	600	513/600 ARF	8.1
XILIMUM FRAME CHAIR CF MESH	464	420	430	495	480	905	450	370	655	600	513/600 ARF	7.9

A – Seat height

A1 – Seat height according to standard
EN 16139

B – Seat depth

C – Seat surface depth

D – Seat width

E – Overall height

F – Backrest width

G – Backrest length

H – Armrests height

L – Overall depth

V – Overall width

2. Materials / Versions

2.1. Base / Frame

2.1.1. Conference swivel chairs

Bases:

- Ø 710 mm five-star black polyamide (TS25),
- Ø 710 mm five-star white polyamide (TS25-W),
- Ø 700 mm five-star aluminum powder-coated in Jet black RAL 9005 colour (ST44-BL),
- Ø 700 mm five-star polished aluminium with chrome effect (ST44-POL).

2.1.2. Conference frame chairs

Cantilever frame – made of steel tube

Ø 22 × 2.5 mm, finish options:

- powder-coated in Jet black RAL 9005 colour (E-BL),
- powder-coated in Traffic white RAL 9016 colour (E-WT),
- powder-coated in White aluminium RAL 9006 colour (E-WA),
- or Fashion Collection colour: Grey blue RAL 5008 (GE), Black green RAL 6012 (BN),
- chromium plated (E-CR).

Version with or without armrests, stackable up to 4 pieces.

4-leg frame – made of steel tube Ø 22 × 2.5 mm, finish options:

- powder-coated in Jet black RAL 9005 colour (E-BL),
- powder-coated in Traffic white colour (E-WT),
- powder-coated in White aluminium RAL 9006 colour (E-WA),
- or Fashion Collection colour: Grey blue RAL 5008 (GE), Black green RAL 6012 (BN),
- chromium plated (E-CR).

Version with or without armrests / castors stackable up to 4 pieces.

2.2. Castors / Glides

2.2.1. Conference swivel chairs

Ø 65 mm black plastic self-braking castors for soft floors (ESH) as standard, or hard floors (ESHH) as an option.

2.2.2. Conference frame chairs

Cantilever frame:

- black mini-glides for soft floors (GBM) as standard, or hard floors (GBMF) as an option.

4-leg frame:

- self-leveling glides for soft floors (GBP) as standard, or hard floors (GBPF) as an option,
- Ø 37 mm mini-rolls for soft floors (RMH) or hard floors (RMHH) as an option.

2.3. Mechanisms

2.3.1. Conference swivel chairs

TILT2 tilt mechanism – functions:

- free-floating – synchronous backrest and seat tilt,
- backrest tilt angle 12.5°,
- seat tilt angle 1.5°,
- backrest lock in working position,
- smooth height adjustment of chair with pneumatic gas lift.

2.4. Seat, backrest and headrest

2.4.1 Conference swivel chairs and conference frame chairs

Seat

Seat frame made of glass fiber reinforced polyamide (PA + GF), structure made of polypropylene (PP) covered with injected foam, thickness 65 mm, density 40 kg/m³.

Seat bottom part protected with plastic cover (stacking protection for frame chairs).

Backrest

Fully upholstered backrest (UPH) – structure made of polypropylene (PP) covered with injected foam, thickness 17 mm, density 80 kg/m³.

Mesh backrest (MESH) – frame made of black or white glass fiber reinforced polyamide (PA + GF).

Two types of mesh available:

- WX – elastic with stripe design,
- AX – elastic, knitted mesh.

3. Armrests

3.1. Conference swivel chairs

Fixed armrest – made of glass fiber reinforced polyamide (PA + GF) in black or white colour.

3.2. Conference frame chairs

Fixed armrest – made of glass fiber reinforced polyamide (PA + GF) in black or white colour, available as an option.

4. Packaging

Conference swivel chairs – 1 piece per box (partially assembled, 3 elements packed in L-shape box) or fully assembled as an option.

Conference frame chairs – fully assembled, 3 pieces per box.

5. Technical regulations, approvals and quality marks for the chairs (pending)


Conference frame chair and swivel conference chair:

- GS-sign TÜV,
- EN16139,
- Quality Office,
- DIN 68878 for 4-leg (4L) version.


Technical description

NowyStyl


6. Conference chairs – colour concept (plastic/ metal elements)



- 1 Seat and backrest frame
- 2 Armrests
- 3 Seat cover
- 4 4-leg frame



- 1 Seat and backrest frame
- 2 Armrests
- 3 Seat cover
- 4 Cantilever frame



- 1 Seat and backrest frame
- 2 Armrests
- 3 Seat cover
- 4 Base

6.1. Conference frame chairs (4-leg, cantilever) – upholstered and mesh backrest



- Black version (BL)** – elements in black:
- armrests (if applicable),
 - seat and backrest frame,
 - seat cover,
 - frame.



- White version (W)** – elements in white:
- armrests (if applicable),
 - seat and backrest frame,
 - seat cover,
 - frame.



- Options:**
- frame powder-coated in aluminium or chromium plated.

6.2. Conference swivel chairs – upholstered and mesh backrest



Black version (BL) – elements in black:

- armrests,
- seat and backrest frame,
- seat cover,
- base.



White version (W) – elements in white:

- armrests,
- seat and backrest frame,
- seat cover,
- base.



Options:

- base powder-coated in black colour or polished aluminium with chrome effect.

7. Sample order

7.1. Conference swivel chairs

Product line	Product subgroup	Version		C01	C05	C09	C10	C11
XILIUM	CONFERENCE SWIVEL CHAIR	MESH	(TILT2	CC-B	BA-WX02	SE-YB009	ARF-BPA
C12	C13	C14	C19					
GL-STD	ST44-POL	ESHH	PACK-L)				

XILIUM CONFERENCE SWIVEL CHAIR MESH (TILT2 CC-B BA-WX02 SE-YB009 ARF-BPA GL-STD ST44-POL ESHH PACK-L)

- | | | |
|--|---|-----------------------------|
| C01 – Mechanism | C10 – Seat– upholstery colour code | C13 – Base |
| C05 – Colour concept | C11 – Armrests | C14 – Castors/Glides |
| C09 – Backrest – upholstery colour code | C12 – Gas lift | C19 – Packaging |

XILIUM CONFERENCE SWIVEL CHAIR MESH (TILT2 CC-B BA-WX02 SE-YB009 ARF-BPA GL-STD ST44-POL ESHH PACK-L)

identifies the chair as:

XILIUM CONFERENCE SWIVEL CHAIR, with mesh backrest (**MESH**), tilt mechanism (**TILT2**), plastic elements in black colour (**CC-B**), backrest upholstered in WX mesh (**BA-WX02**), seat upholstered in Lucia YB009 fabric (**SE-YB009**), fixed armrests in black polyamide (**ARF-BPA**), standard gas lift (**GL-STD**), Ø 700 five-star polished aluminium base with chrome effect (**ST44-POL**), black castors for hard floors (**ESHH**), partially assembled (**PACK-L**).

8. Xilium – rules of upholsteries matching

Upholstery type is the same for each upholstered element, except for headrest which can be upholstered in all leather available colours (dedicated to Xilium).

Upholstery colour is the same for each upholstered element, except for seat which can be upholstered also in black colour.

Side drops options:

- side drops of all upholstered elements are in the same upholstery type and colour (except

for headrest which can be upholstered in leather with leather or Runner 3D fabric side drops options),

- side drops are of the same type as particular upholstered element, colour to be selected according to seat or backrest front panel, or can be in black colour,
- side drops can be upholstered in each Runner 3D fabric color as an option (available as monocolour concept i.e. blue / blue, or contrasting i.e. blue / black),

- for upholsteries Sempre / Sempre Melange, Step / Step Melange and Radio side drops can be upholstered in corresponding colors i.e. Radio 1510 and 1008; Step 62057 and Step Melange 62057.



XILIMUM CONFERENCE SWIVEL CHAIR UPH

XILIMUM CONFERENCE SWIVEL CHAIR MESH

Basic price (Euro) according to upholstery price group		
1	312	312
2	316	316
3	328	328
4	342	342
5	388	388
6	454	454

C01	Mechanism			
TILT2	Tilt mechanism		•	•
C05	Colour concept			
CC-B	Black		•	•
CC-W	White		○	○
C09	Backrest			
BA-SD-⑤/⑥	Upholstered, with side drops		•	—
BA-⑤	Mesh		—	•
C10	Seat			
SE-⑤	Upholsterd, without side drops		•	•
C11	Armrest (colour according to selected colour concept)			
	No Armrest		•	•
	Type	Armrest bar		
ARF-BPA	Fixed armrest	Plastic black	+ 40	+ 40
ARF-WPA		Plastic white	+ 40	+ 40
C12	Gas lift			
GL-STD	Standard (405–525 mm)		•	•
C13	Base			
TS25	Ø 710 mm, five-star	Plastic black	•	•
TS25-W		Plastic white	○	○
ST44-BL	Ø 700 mm, five-star	Aluminium powder-coated in Jet black RAL 9005	+ 45	+ 45
ST44-POL		Polished aluminium with chrome effect	+ 53	+ 53
C14	Castors			
ESH	Ø 65 mm, black	Soft floors	•	•
ESHH		Hard floors	○	○
C19	Packaging			
PACK-L	Partially assembled (3 elements)		•	•
PACK-ASM	Fully assembled		○	○
Sample order	XILIMUM CONFERENCE SWIVEL CHAIR UPH (TILT2 CC-W BA-SD – LDS47/LDS47 SE-LDS47 ARF-WPA GL-STD TS25 ESH PACK-ASM)			

⑤ – Please specify upholstery colour code from selected price group – [see finishes](#)
 ⑥ – Please specify upholstery colour code from selected price group – [see finishes](#)

- Available as standard (included in basic price)
- Available as an option (included in basic price)

PRICE GROUP 1: Bondai, Era, Kaiman, Lucia, Oflum, Sempre, Sempre Melange
 PRICE GROUP 2: Felicity, Radio, Rivet, Valencia, Xtreme
 PRICE GROUP 3: Runner, Silvertex, Step, Step Melange

PRICE GROUP 4:Blazer, Synergy, Fame
 PRICE GROUP 5: Fine leather (LE), Remix 3
 PRICE GROUP 6: Nappa leather
 MESH: WX mesh, AX mesh



XILIUM FRAME CHAIR 4L UPH

XILIUM FRAME CHAIR 4L MESH

Basic price (EUR) according to upholstery price group		
1	239	239
2	243	243
3	254	254
4	269	269
5	316	316
6	381	381

C03	Frame			
E-③	Ø22 mm, powder-coated		•	•
E-CR	Ø22 mm, chromium plated		+51	+51
C05	Colour concept			
CC-B	Black		•	•
CC-W	White		○	○
C09	Backrest			
BA-SD-⑤/⑥	Upholstered, with side drops		•	–
BA-⑤	Mesh		–	•
C10	Seat			
SE-⑤	Upholstered, without side drops		•	•
C11	Armrest (*colour according to selected colour concept)			
	Without armrest		•	•
	Type	Armrest bar		
ARF-BPA	Fixed armrest	Plastic black	+40	+40
ARF-WPA		Plastic white		
C14	Castors / Glides			
GBP	Self-leveling glides	Soft floors	•	•
GBPF		Hard floors (felt)	○	○
RMH	Ø 37 mm Mini-rolls	Soft floors (not replaceable with glides)	+27	+27
RMHH		Hard floors (not replaceable with glides)		
C19	Packaging			
PACK-ASM	Fully assembled		•	•
Sample order	XILIUM FRAME CHAIR 4L UPH (E-BL CC-B BA-SD-LDS47/LDS47 SE-LDS47 GBP PACK-ASM)			

- ③ – Please specify metal elements finish – [see finishes](#)
- ⑤ – Please specify upholstery colour code from selected price group – [see finishes](#)
- ⑥ – Please specify upholstery colour code from selected price group – [see finishes](#)
- Available as standard (included in basic price)
- Available as an option (included in basic price)

PRICE GROUP 1: Bondai, Era, Kaiman, Lucia, Ofum, Sempre, Sempre Melange
 PRICE GROUP 2: Felicity, Radio, Rivet, Valencia, Xtreme
 PRICE GROUP 3: Runner, Silvertex, Step, Step Melange
 PRICE GROUP 4: Blazer, Synergy, Fame

PRICE GROUP 5: Fine leather (LE), Remix 3
 PRICE GROUP 6: Nappa leather
 MESH: WX mesh, AX mesh



	XILIUM FRAME CHAIR CF UPH	XILIUM FRAME CHAIR CF MESH
Basic price (EUR) according to upholstery price group		
1	239	239
2	243	243
3	254	254
4	269	269
5	316	316
6	381	381

C03	Frame			
E-③	Ø22 mm, powder-coated		•	•
E-CR	Ø22 mm, chromium plated		+51	+51
C05	Colour concept			
CC-B	Black		•	•
CC-W	White		○	○
C09	Backrest			
BA-SD-⑤/⑥	Upholstered, with side drops		•	–
BA-⑤	Mesh		–	•
C10	Seat			
SE-⑤	Upholstered, without side drops		•	•
C11	Armrest (*colour according to selected colour concept)			
	Without armrest		•	•
	Type	Armrest bar		
ARF-BPA	Fixed armrest	Plastic black	+40	+40
ARF-WPA		Plastic white		
C14	Castors / Glides			
GBM	Mini-glides	Soft floors	•	•
GBMF		Hard floors (felt)	○	○
C19	Packaging			
PACK-ASM	Fully assembled (3 pieces per box)		•	•
Sample order	XILIUM FRAME CHAIR CF UPH (E-WA CC-W BA-SD-LDS47/LDS47 SE-LDS47 ARF-WPA GBMF PACK-ASM)			

- ③ – Please specify metal elements finish – see finishes
- ⑤ – Please specify upholstery colour code from selected price group – see finishes
- ⑥ – Please specify upholstery colour code from selected price group – see finishes
- Available as standard (included in basic price)
- Available as an option (included in basic price)


PRICE GROUP 1: Bondai, Era, Kaiman, Lucia, Ofium, Sempre, Sempre Melange
 PRICE GROUP 2: Felicity, Radio, Rivet, Valencia, Xtreme
 PRICE GROUP 3: Runner, Silvertex, Step, Step Melange
 PRICE GROUP 4: Blazer, Synergy, Fame

PRICE GROUP 5: Fine leather (LE), Remix 3
 PRICE GROUP 6: Nappa leather
 MESH: WX mesh, AX mesh


Xenium

1. Dimensions / Weight


1.1. Conference frame chairs




XENIUM FRAME CHAIR
CF DUO-BACK



XENIUM FRAME CHAIR
CF MESH



XENIUM FRAME CHAIR
CF UPH/P



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
XENIUM FRAME CHAIR CF UPH/P	468	425	470	520	470	1005	445	545	650	545	565	650	11.5
XENIUM FRAME CHAIR CF MESH	468	425	450	520	470	985	440	545	650	545	565	675	11.5
XENIUM FRAME CHAIR CF DUO-BACK	468	425	465	520	470	930	470	470	650	545	565	660	11.5
XENIUM FRAME CHAIR CF DUO-BACK S	455	410	460	520	470	925	475	470	650	545	555	630	12.5

A – Seat height

A1 – Seat height according to standard EN 16139

B – Seat depth

C – Seat surface depth

D – Seat width

E – Overall height

F – Backrest width

G – Backrest length

H – Armrests height

K – Base width

L – Overall depth

V – Overall width

2. Materials / Versions

2.1. Base / Frame

2.1.1. Conference frame chairs

Cantilever frame – made of steel tube Ø 25 × 2.5 mm (stackable up to 2 pcs), finish options:

- powder-coated in Jet black RAL 9005 colour with fixed armrests, black polyurethane (PU) pads (CFPS-BL / B),
- powder-coated in Jet black RAL 9005 colour with fixed armrests, grey polyurethane (PU) pads (CFPS-BL / GR),
- powder-coated in Pure white RAL 9010 colour with fixed armrests, black polyurethane (PU) pads (CFPS-W / B),
- chromium plated with fixed armrests, black polyurethane (PU) pads (CFPS-CR / B),
- chromium plated with fixed armrests, grey polyurethane (PU) pads (CFPS-CR / GR).

2.2. Castors / Glides

2.2.1. Conference frame chairs

Cantilever frame:

- mini-glides for soft floors (GBM) as standard, or hard floors (GBMF) as an option.

2.3. Seat and backrest

Seat

Structure is made of 7-layer plywood, thickness 8 mm covered with injected foam, thickness 50 mm, density 50 kg / m³.

Backrest

Backrest supporting frame – upper part made of black, white or grey glass fiber reinforced polyamide (PA + GF), bottom part made of polished aluminium with chrome effect or powder-coated aluminium in black colour. As standard, each backrest is height adjustable in range of 90 mm.

Upholstered backrest (UPH) – structure is made of polypropylene (PP), covered with injected foam, thickness 26 mm, density 65–75 kg / m³. Backrest cover is made of black or white polypropylene (PP).

As an option:

- fully upholstered backrest (FU – ①),
- side drops upholstered in Runner 3D fabric (SD – ① / ②),
- backrest wave-shape stitching for upholstered backrest with plastic cover (V – ①) – applies to version upholstered in leather or leather imitation,
- backrest wave-shape stitching for upholstered backrest with plastic cover (V – ① / ②) – applies to all fabrics except for upholstered in leather or Imitation Leather.

Duo Back backrest (DUO BACK) – the structure is made of 8-layer plywood, thickness 12 mm, covered with injected foam, thickness 40 mm, density 65–75 kg / m³.

Side drops upholstered in Runner 3D fabric (SD – ① / ②) as an option.

Mesh backrest (MESH) – backrest frame is made of black, white or grey glass fiber reinforced polyamide (PA + GF). Mesh consists of polyester (75 %) and polyamide (25 %). Available in 3 colours: black, white and grey.

3. Armrests

Fixed armrests – integrated with frame, made of steel tube Ø 25 × 2.5 mm, with black or grey polyurethane (PU) pads.

4. Packaging

Conference frame chairs:

- cantilever frame version 2 pieces per box (assembled).

5. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)

Quality Office Certificate.

PRICE LIST – FRAME CHAIRS CANTILEVER



	Upholstered backrest	Mesh backrest	Duo-Back backrest, fully upholstered
	XENIUM FRAME CHAIR CF UPH/P	XENIUM FRAME CHAIR CF MESH	XENIUM FRAME CHAIR CF DUO-BACK
Basic price (EUR) according to upholstery price group			
1	300	344	335
2	316	354	350
3	336	371	370
4	371	397	406
5	442	435	476
6	648	541	681

C03	Frame and armrests			
CFPS-BL/B	Cantilever frame powder-coated in Jet black RAL 9005 colour, integrated armrests with black polyurethane (PU) pads	●	●	●
CFPS-BL/GR	Cantilever frame powder-coated in Jet black RAL 9005 colour, integrated armrests with grey polyurethane (PU) pads	○	○	○
CFPS-W/B	Cantilever frame powder-coated in Traffic white RAL 9016 colour, integrated armrests with black polyurethane (PU) pads	+26	+26	+26
CFPS-CR/B	Cantilever frame chromium plated, integrated armrests with black polyurethane (PU) pads	+37	+37	+37
CFPS-CR/GR	Cantilever frame chromium plated, integrated armrests with grey polyurethane (PU) pads	+37	+37	+37
C05	Colour concept			
CC-BL	Black*	●	●	●
CC-GR	Grey*	–	○	–
CC-W	White*	+24	+24	–
C09	Backrest finish			
BA-⑤	Upholstered with plastic cover	●	–	–
	Mesh	–	●	–
BA-SD-⑤/⑥	Upholstered with side drops	–	–	●
	Upholstered with side drops in Runner 3D fabric (does not apply to leather and leather imitation upholstered versions)	–	–	–
BA-V-⑤	Upholstered with plastic cover, backrest wave-shape stitching (applies to leather and leather imitation upholstered versions)	+25	–	–
	Upholstered with plastic cover, backrest wave-shape stitching, bottom part of backrest in Runner 3D fabric (does not apply to leather and leather imitation upholstered versions)	–	+25	–

⑤ – Please specify upholstery colour code from selected price group – [see finishes](#)

⑥ – Please specify upholstery colour code from selected price group – [see finishes](#)

- Available as standard (included in basic price)
- Available as an option (included in basic price)

To complete chair configuration select options on next pages →

PRICE GROUP 1: Bondai, Era**, Kaiman, Lucia, Ofium, Sempre, Sempre Melange

PRICE GROUP 2: Felicity, Mafra, Radio, Rivet, Valencia, Xtreme

PRICE GROUP 3: Runner, Silvertex, Step, Step Melange

PRICE GROUP 4: Hi-Tech, Blazer, Fame, Synergy

PRICE GROUP 5: Fine leather (LE), Fine leather (SD), Remix 3

PRICE GROUP 6: Nappa leather

MESH: MX mesh

** Fabric not applicable to Duo Back in version BA-SD – ⑤/⑥


		XENIUM FRAME CHAIR CF UPH/P		XENIUM FRAME CHAIR CF MESH		XENIUM FRAME CHAIR CF DUO-BACK	
C10	Seat						
SE-SD-⑤/⑥	Upholstered with side drops	•	-	•	•	-	
	Upholstered, with side drops in Runner 3D fabric (does not apply to chairs upholstered in leather or leather imitation)	-	+18	+18	-	+18	
C14	Glides						
GBM	Mini-glides for soft floors	•		•		•	
GBMF	Mini-glides with felt for hard floors	○		○		○	
C19	Packaging						
PACK-ASM	Fully assembled chair, 2 pieces per box	•		•		•	

Sample order	XENIUM FRAME CHAIR CF UPH/P (CFPS-BL/GR CC-BL BA-RN60025 SE-SD-RN60025/RN60025 GBM PACK-ASM)
	XENIUM FRAME CHAIR CF MESH (CFPS-BL/GR CC-BL BA-RN60025 SE-SD-RN60025/RN60025 GBM PACK-ASM)
	XENIUM FRAME CHAIR CF DUO-BACK (CFPS-BL/GR BA-SD-RN60025/RN60025 SE-SD-RN60025/RN60025 GBM PACK-ASM)


- ⑤ – Please specify upholstery colour code from selected price group – [see finishes](#)
- ⑥ – Please specify upholstery colour code from selected price group – [see finishes](#)
- Available as standard (included in basic price)
- Available as an option (included in basic price)

Sail

1. Dimensions / Weight




SAIL CONFERENCE SWIVEL CHAIR MESH 2



Model	Dimensions [mm]										Weight [kg]
	A	B	C	D	E	F	G	H	J	L	
SAIL CONFERENCE SWIVEL CHAIR MESH 2	420-540	430	460	505	895-1015	440	410	435	700	635	14


- A – Seat height
- B – Seat depth
- C – Seat surface depth
- D – Seat width
- E – Overall height
- F – Backrest width
- G – Backrest length
- H – Backrest height
- J – Base diameter
- L – Overall depth




Armrest	Dimensions [mm]					Weight [kg]
	Z	Y	X	W	V	
	220	305	50	495	593	—

- Z – Armrest height
- Y – Armrest length
- X – Armrest width
- W – Internal width between armrests
- V – External width between armrests


1.1 Frame chairs



SAIL FRAME CHAIR 4LA MESH



SAIL FRAME CHAIR CFA MESH



Model	Dimensions [mm]												Weight [kg]
	A	A1	B	C	D	E	F	G	H	K	V	L	
SAIL FRAME CHAIR 4LA MESH	480	470	435	470	505	875	440	415	645	565	590	610	12.7
SAIL FRAME CHAIR 4LA MESH BA-BC	480	470	430	460	505	875	440	415	645	565	590	610	13.1
SAIL FRAME CHAIR CFA MESH	470	460	435	470	505	885	440	415	645	560	590	615	13.3
SAIL FRAME CHAIR CFA MESH BA-BC	470	460	430	460	505	885	440	415	645	560	590	615	13.7

- A – Seat height
- A1 – Seat height according to standard EN 16139
- B – Seat depth
- C – Seat surface depth
- D – Seat width
- E – Overall height
- F – Backrest width
- G – Backrest length
- H – Armrests height
- K – Base width
- V – Overall width
- L – Overall depth

2. Materials / Versions

2.1. Base / Frame

2.1.1. Conference swivel chairs

Bases:

- Ø 700 mm five-star base made of glass fiber reinforced polyamide in black colour (TS),
- Ø 700 mm five-star aluminium powder-coated in Jet black colour (ST-BL),
- Ø 700 mm five-star aluminium powder-coated in White aluminium colour (ST-WA),
- Ø 700 mm five-star polished aluminium with chrome effect (ST-POL),

2.1.2. Conference frame chairs (cantilever and 4-leg frame)

Frame is made of steel tube Ø 25 × 2.5 mm.

Finish options:

- powder-coated in Jet black colour (E-BL),
- powder-coated in White aluminium colour (E-WA)
- chromium plated (E-CR)

Stackable:

Cantilever – stackable up to 3 pieces.

4-leg frame – stackable up to 3 pieces.

2.2. Castors / Glides

2.2.1. Conference swivel chairs

Double-link castors conform to standard EN12529.

Ø 65 mm self-braking black plastic castors for soft floors (ESH) as standard, or hard floors (ESHH) as an option.

Glides for soft floors (GB) or with felt for hard floors (GBF) as an option – both as an option.

2.2.2. Conference frame chairs

Cantilever:

Glides for soft floors (GB) or with felt for hard floors (GBF) as an option.

4-leg frame:

Glides for soft floors (GB) or with felt for hard floors (GBF) as an option.

2.3. Seat and backrest

2.3.1. Conference swivel chairs and conference frame chairs

Seat

Seat cushion is made of CFC-free polyurethane (PU) foam, thickness approx. 50 mm, density 60 kg / m³ ± 3.

Backrest

Flexible mesh backrest – frame is made of glass fiber reinforced polyamide (PA + GF) in black colour. Backrest tilt angle 7 °.

Backrest cushion (BC) – upholstered cut foam, thickness approx. 15 mm, density 46 kg / m³ ± 3.

3. Armrests

3.1. Conference swivel chairs and conference frame chairs

Fixed armrests are made of glass fiber reinforced polyamide (PA + GF) in black colour.

4. Packaging

Conference swivel chair – 1 piece per box (fully assembled).

Conference frame chair – 2 pieces per box (fully assembled).

5. Technical regulations, approvals and quality marks

- Office Excellence Quality Certificate
- GS-sign TÜV
- Blue Angel
- Ergonomics tested
- Harmful substances tested
- Quality Office



Sail conference swivel chair 2, mesh

SAIL CONFERENCE SWIVEL CHAIR MESH 2

Replaces current versions:

- SAIL-7-A

Basic price (EUR) according to upholstery price group

1	547
2	574
3	589
4	601
5	628
6	717

	C09	Backrest		
	BA-⑤	Mesh		•
	BA-BC-⑤/⑥	Mesh with upholstered pad	Price group:	
			1	+ 70
			2	+ 96
			3	+ 107
			4	+ 121
			5	+ 146
			6	+ 239
	C10	Seat		
	SE-⑤	Upholstered		•
	C11	Armrests		
		Type	Frame	Pads
	ARM-BL/B	Fixed	Powder-coated in black colour	Black polyamide (PA + GF)
	ARM-WA/B		Powder-coated in white aluminium colour	
	ARM-CR/B		Chromium plated	
	C12	Gas lift		
	GL-STD	Height adjustment in range of 420 – 540 mm		•
	GL-M	With seat and height position memory function		+ 57

⑤ – Please specify upholstery colour code from selected price group – [see finishes](#)⑥ – Please specify upholstery colour code from selected price group – [see finishes](#)

- Available as standard (included in basic price)
- Available as an option (included in basic price)

To complete configuration select options on next pages →

PRICE GROUP 1: Bondai, Era, Kaiman, Lucia, Ofium, Sempre, Sempre Melange

PRICE GROUP 2: Felicity, Radio, Rivet, Valencia, Xtreme

PRICE GROUP 3: Runner, Silvertex, Step, Step Melange

PRICE GROUP 4: Blazer, Fame, Synergy

PRICE GROUP 5: Fine leather (LE), Fine leather (SD), Remix 3

PRICE GROUP 6: Nappa leather

MESH: NTS mesh

SAIL CONFERENCE SWIVEL CHAIR MESH 2

C13	Base		
TS	Ø 700 mm five-star	Black polyamide	•
ST-BL		Powder-coated aluminium	Jet black RAL 9005
ST-WA			White aluminium RAL 9006
ST-POL		Polished aluminium with chrome effect	+ 83
C14	Castors/glides		
ESH	Ø 65 mm castors	For soft floors	•
ESHH		For hard floors	○
GB	Glides	For soft floors	+ 22
GBF		For hard floors	+ 36
C19	Packaging		
PACK-L	Partially assembled, cardboard packaging		•
PCK-ASM	Fully assembled, cardboard packaging		○

Sample order	SAIL CONFERENCE SWIVEL CHAIR MESH 2 (BA-MR01 SE-BN8010 ARM-BL/B GL-STD TS ESH PCK-ASM)
---------------------	--

- Available as standard (included in basic price)
- Available as an option (included in basic price)



Sail frame chair on four legs with armrests, mesh

Sail cantilever frame chair with armrests, mesh

SAIL FRAME CHAIR 4LA MESH

SAIL FRAME CHAIR CFA MESH

Replaces current versions:
• SAIL-3-AReplaces current versions:
• SAIL-5-A

Basic price (EUR) according to upholstery price group

1	394	433
2	421	460
3	433	473
4	448	487
5	473	513
6	565	603

	C03	Frame			
E-BL	Powder-coated	Jet black	RAL 9005	•	•
E-WA		White aluminium	RAL 9006	+ 29	+ 29
E-CR	Chromium plated			+ 53	+ 53
	C09	Backrest			
BA-⑤	Mesh			•	•
BA-BC-⑤/⑥	Mesh with upholstered pad	Price group:	1	+ 70	+ 70
			2	+ 96	+ 96
			3	+ 107	+ 107
			4	+ 121	+ 121
			5	+ 146	+ 146
			6	+ 239	+ 239
	C10	Seat			
SE-⑤	Upholstered			•	•
	C14	Glides			
GB	Glides	For soft floors		•	•
GBF		For hard floors		○	○
	C19	Packaging			
PCK-ASM	Fully assembled, cardboard packaging			•	•

Sample order SAIL FRAME CHAIR 4LA MESH (E-BL BA-MR01 SE-BN8010 GB PCK-ASM)

⑤ – Please specify upholstery colour code from selected price group – [see finishes](#)

⑥ – Please specify upholstery colour code from selected price group – [see finishes](#)


- Available as standard (included in basic price)
- Available as an option (included in basic price)

PRICE GROUP 1: Bondai, Era, Kaiman, Lucia, Oflum, Sempre, Sempre Melange
 PRICE GROUP 2: Felicity, Radio, Rivet, Valencia, Xtreme
 PRICE GROUP 3: Runner, Silvertex, Step, Step Melange
 PRICE GROUP 4: Blazer, Fame, Synergy


PRICE GROUP 5: Fine leather (LE), Fine leather (SD), Remix 3
 PRICE GROUP 6: Nappa leather
 MESH: NTS mesh

2ME


1. Dimensions / Weight




2ME-CFP
weight: 10.40 kg




2ME-4L
weight: 8.20 kg



2ME-BL TS25 ARM-BL




2ME-BL ST53-POL ARM-CR



SEAT – 2ME CFP / 2ME 4L



SEAT 2ME S 4L



Model	Dimensions [mm]											Weight [kg]
	A	B	C	D	E	F	G	H	J	K	L	
2ME-BL TS25 ARM-BL	405–530	420	475	480	840–975	470	340	425	710	—	645	12.8
2ME-BL ST53-POL ARM-CR	455	420	475	480	865	470	340	425	740	530	625	12.6

A – Seat height

B – Seat depth

C – Seat surface depth

D – Seat width

E – Overall height

F – Backrest width

G – Backrest length

H – Backrest height

J – Base diameter

K – Base width

L – Overall depth

2. Materials / Versions

2.1. Base / Frame

2.1.1. Conference swivel chairs

Bases:

- Ø 710 mm five-star black polyamide (TS25),
- Ø 710 mm five-star white polyamide (TS25-W),
- Ø 700 mm five-star aluminium powder-coated in White aluminium RAL 9006 colour (ST44-WA),
- Ø 700 mm five-star polished aluminium with chrome effect (ST44-POL),
- Ø 740 mm four-star polished aluminium with chrome effect (ST53-POL).

2.1.2. Conference frame chairs

Cantilever frame – made of steel tube

Ø 22 × 3 mm.

4-leg frame – made of steel tube Ø 22 × 2 mm.

Finish options:

- powder-coated in Traffic white RAL 9016 colour (W),
- powder-coated in Jet black RAL 9005 colour (BL),
- powder-coated in White aluminium RAL 9006 colour (WA),
- or Fashion Collection colour,
- chromium plated (CR).

Stacking:

Cantilever chair – stacking up to 3 pieces.

4-leg chair (ZME-S only) – stacking up to 2 pieces.

2.2. Castors / Glides

2.2.1. Conference swivel chairs

Five-star base

Ø 65 mm black plastic self-braking castors for soft

floors (ESH) as standard, or hard floors (ESHH) as an option.

Ø 65 mm ring castors for soft floors (ESHR) or hard floors (ESHHR) – both as an option.

Four-star base

Glides for soft floors (GB) as standard, or hard floors (GBF) as an option.

2.2.2. Conference frame chairs

Cantilever frame

Glides for soft floors (GB) as standard, or hard floors (GBF) as an option.

Mini-glides for soft floors (GBMF), or hard floors (GBM) – both as an option.

Frame without glides (NGB) – as an option.

4-leg frame

Self-leveling glides for soft floors (GBP) as

standard, or hard floors (GBPF) as an option.

Mini-rolls for soft floors (RMH), or hard

floors (RMHH) – both as an option.

2.3. Mechanisms

TILT/AR mechanism – functions:

- tilting of integrated seat and backrest in the range of 11° (free-floating),
- smooth height adjustment of chair with pneumatic gas lift.

2.4. Seat and backrest

Seat

Structure is made of 6-layer plywood, thickness approx. 9 mm covered with 2-layers of foam, thickness 15 mm, density 40 kg/m³, and thickness 16 mm, density 35 kg/m³.

Seat cover is made of black or white polypropylene (PP), according to selected colour concept.

Backrest

Upholstered backrest – structure is made of 6-layer plywood, thickness approx. 9 mm covered in front part with foam thickness 20 mm, density 25 kg/m³, and back part with foam thickness 6 mm, density 35 kg/m³.

3. Armrests

Fixed armrests – made of glass fiber reinforced polyamide (PA + GF) in black or white colour.

4. Packaging

Conference frame chairs

- conference swivel – 1 piece per box (fully assembled),
- conference cantilever frame – 2 pieces per box (fully assembled),
- conference 4-leg frame – 1 piece per box (fully assembled),
- 4-leg S (stackable) – 2 pieces per box (fully assembled).

5. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)

GS Safety Certificate.







REMODEX (durability certificate) – approvals compliant with EN 1335 and EN 1022.

OPTIONS – CONFERENCE CHAIRS

Options	Code	Surcharge
Cantilever frame powder-coated in Traffic white RAL 9016 colour	CFP-W	0
Cantilever frame powder-coated in White aluminium RAL 9006 colour	CFP-WA	0
Cantilever frame chromium plated	CFP-CR	33
Cantilever frame powder-coated in Fashion Collection: Grey blue RAL 5008/Black green RAL 6012/ Cashmere NCS S 2005-Y60R	CFP-GE/BN/NK	0
4-leg frame powder-coated in Traffic white RAL 9016 colour	4L-ARM-W	0
4-leg frame powder-coated in White aluminium RAL 9006 colour	4L-ARM-WA	0
4-leg frame chromium plated	4L-ARM-CR	33
4-leg frame powder-coated in Fashion Collection: Grey blue RAL 5008/Black green RAL 6012/ Cashmere NCS S 2005-Y60R	4L-ARM-GE/BN/NK	0
No glides (applicable to cantilever version)	NGB	0
Glides with felt for hard floors (applicable to cantilever version)	GBF	11
Self-leveling glides with felt for hard floors (applicable to 4-leg version)	GBPF	11
Mini-glides for soft floors (applicable to cantilever version)	GBM	0
Mini-glides with felt for hard floors (applicable to cantilever version)	GBMF	11
Mini-rolls – Ø 37 mm for soft floors (applicable to 4-leg version), not replaceable with glides	RMH	27
Mini-rolls – Ø 37 mm for hard floors (applicable to 4-leg version), not replaceable with glides	RMHH	27

Apart from the product number / code, please specify options, upholstery and other finishes to complete an order.

PRICE LIST – CONFERENCE CHAIRS

Model	Description	Basic price (EUR)				
		Upholstery price group				
		1	2	3	4	5
<p>2ME-BL CFP-BL GB</p> 	<p>Conference chair on cantilever frame powder-coated in Jet black RAL 9005 colour with integrated armrests (CFP-BL), upholstered seat and backrest, black plastic elements: backrest cover, armrest pads, stacking protection under seat (2ME-BL), glides for soft floors (GB), chair stackable up to 3 pieces.</p>	230	252	273	303	357
<p>2ME-W CFP-BL GB</p> 	<p>Conference chair on cantilever frame powder-coated in Jet black RAL 9005 colour with integrated armrests (CFP-BL), upholstered seat and backrest, white plastic elements: backrest cover, armrest pads, stacking protection under seat (2ME-W), glides for soft floors (GB), chair stackable up to 3 pieces.</p>	238	259	281	311	363
<p>2ME-BL 4L-ARM-BL GBP</p> 	<p>Conference chair on 4-leg frame powder-coated in Jet black RAL 9005 colour with integrated armrests (4L-ARM-BL), upholstered seat and backrest, black plastic elements: backrest cover, armrest pads (2ME-BL), self-leveling glides for soft floors (GBP), no stacking possibility.</p>	214	235	257	289	348
<p>2ME-W 4L-ARM-BL GBP</p> 	<p>Conference chair on 4-leg frame powder-coated in Jet black RAL 9005 colour with integrated armrests (4L-ARM-BL), upholstered seat and backrest, white plastic elements: backrest cover, armrest pads (2ME-W), self-leveling glides for soft floors (GBP), no stacking possibility.</p>	222	241	263	294	355
<p>2ME-S-BL 4L-ARM-BL GBP</p> 	<p>Conference chair on 4-leg frame powder-coated in Jet black RAL 9005 colour with integrated armrests (4L-ARM-BL), upholstered seat and backrest, black plastic elements: backrest cover, armrest pads, stacking protection under seat (2ME-S-BL), self-leveling glides for soft floors (GBP), chair stackable up to 2 pieces.</p>	214	235	257	289	348
<p>2ME-S-W 4L-ARM-BL GBP</p> 	<p>Conference chair on 4-leg frame powder-coated in Jet black RAL 9005 colour with integrated armrests (4L-ARM-BL), upholstered seat and backrest, white plastic elements: backrest cover, armrest pads, stacking protection under seat (2ME-S-W), self-leveling glides for soft floors (GBP), chair stackable up to 2 pieces.</p>	222	241	263	294	355

PRICE GROUP 1: Bondai, Era, Lucia, Oflum, Sempre, Sempre Melange
 PRICE GROUP 2: Felicity, Mafra, Radio, Rivet, Xtreme
 PRICE GROUP 3: Step, Step Melange





PRICE GROUP 4: Blazer, Fame, Synergy
 PRICE GROUP 5: Remix 3

OPTIONS – CONFERENCE SWIVEL CHAIRS

Options	Code	Surcharge
Base – Ø 710 mm five-star white polyamide	<u>TS25-W</u>	21
Base – Ø 700 mm five-star aluminium powder-coated in White aluminium RAL 9006 colour	<u>ST44-WA</u>	53
Base – Ø 700 mm five-star polished aluminium with chrome effect	<u>ST44-POL</u>	53
Armrest frame – powder-coated in Traffic white RAL 9016 colour (for TS25-W base)	ARM-W	0
Armrest frame – powder-coated in White aluminium RAL 9006 colour (for ST44-WA base)	ARM-WA	0
Armrest frame – chromium plated (for ST44-POL base)	ARM-CR	45
Castors – Ø 65 mm for hard floors (applicable to TS25 and TS25-W base)	<u>ESHH</u>	0
Ring castors – Ø 65 mm for soft floors (applicable to TS25 and TS25-W base)	<u>ESHR</u>	42
Ring castors – Ø 65 mm for hard floors (applicable to TS25 and TS25-W base)	<u>ESHHR</u>	42
Glides with felt for hard floors (applicable to ST53 base)	GBF	11

Apart from the product number / code, please specify options, upholstery and other finishes to complete an order.


PRICE LIST – CONFERENCE SWIVEL CHAIRS

Model	Description	Basic price (EUR)				
		Upholstery price group				
		1	2	3	4	5
2ME-BL TS25 ARM-BL 	Conference swivel chair with upholstered seat and backrest, fixed armrests, armrest frame powder-coated in Jet black RAL 9005 colour (ARM-BL), black plastic elements: backrest cover, armrest pads (2ME-BL), Tilt mechanism (TILT/AR), Ø 710 mm five-star black polyamide base (TS25), Ø 65 mm castors for soft floors (ESH).	332	355	378	408	446
2ME-W TS25 ARM-BL 	Conference swivel chair with upholstered seat and backrest, fixed armrests, armrest frame powder-coated in Jet black RAL 9005 colour (ARM-BL), white plastic elements: backrest cover, armrest pads (2ME-W), Tilt mechanism (TILT/AR), Ø 710 mm five-star black polyamide base (TS25), Ø 65 mm castors for soft floors (ESH).	344	360	384	415	453
2ME-BL ST53-POL ARM-CR 	Conference swivel chair with upholstered seat and backrest, fixed armrests, armrest frame chromium plated (ARM-CR), black plastic elements: backrest cover, armrest pads (2ME-BL), Tilt mechanism (TILT/AR/BD), Ø 740 mm four-star polished aluminium with chrome effect base (ST53-POL), glides for soft floors (GB).	387	409	429	459	500
2ME-W ST53-POL ARM-CR 	Conference swivel chair with upholstered seat and backrest, fixed armrests, armrest frame chromium plated (ARM-CR), white plastic elements: backrest cover, armrest pads (2ME-W), Tilt mechanism (TILT/AR/BD), Ø 740 mm four-star polished aluminium with chrome effect base (ST53-POL), glides for soft floors (GB).	393	415	437	469	507


Tiger UP

Technical description


1. Dimensions / Weight



TIGER UP FRAME CHAIR CFA MB UPH



TIGER UP FRAME CHAIR CFA HB UPH



MODEL	Dimensions [mm]												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
TIGER UP FRAME CFA MB UPH	453	468	435	435	504	895	506	570	671	590	645	625	14.2
TIGER UP FRAME CFA HB UPH	453	468	435	435	504	975	506	650	671	590	645	625	15.5

A – Seat height

A1 – Seat height according to standard
PN-EN 16139

B – Seat depth

C – Seat surface depth

D – Seat width

E – Overall height


F – Backrest width

G – Backrest length

K – Base width

V – Overall width

L – Overall depth



Armrest	Dimensions [mm]					Weight [kg]
	Z	Y	X	W	V	
GTP	210	375	78	505	661	2.4
R	185–255	375	78	505	661	3.2

Z – Armrest height

Y – Armrest length

X – Armrest width

W – Internal width between armrests

V – External width between armrests

2. Materials / Versions

2.1. Frame

2.1.1. Conference frame chairs (cantilever)

Cantilever frame – made of steel tube:
Ø 30 × 2 mm - front part of frame and
Ø 25 × 2 mm – back part of frame.
Finish option: chromium plated (E-CR).
No stacking possibility of chairs.

2.2. Glides

2.2.1. Conference frame chairs

Cantilever

Metal glides for soft floors (GB) as standard,
or with felt for hard floors (GBF) as an option.

2.3. Seat and backrest

One-piece shell made of CFC-free polyurethane (PU) foam: integrated seat and backrest made of viscoplastic polypropylene (separable according to type). Back upholstered on both sides.
Thickness of seat cushion approx. 40 mm, backrest cushion approx. 30 mm, density 58 kg / m³ ± 3. As standard, upholstery is underlain with a non-woven fabric (thickness approx. 5 mm). To increase the comfort of use, seat is equipped with additional foam insert (thickness approx. 10 mm).

Seat covers are made of

- heavy metal-free black polystyrol (PS).

2.4. Armrests

2.4.1. Conference frame chairs

Fixed armrests integrated with frame, chromium plated. Armrest pads made of black soft polypropylene (PU) or in case of chair version upholstered in leather, armrest pad in leather .

3. Packaging

Conference frame chair - 1 piece per box (fully assembled).



Tiger UP cantilever frame chair with medium backrest, fully upholstered

Tiger UP cantilever frame chair with high backrest, fully upholstered

TIGER UP FRAME CHAIR CFA MB UPH

TIGER UP FRAME CHAIR CFA HB UPH

Replaces current versions:
• TIGER-UP-5-A

Replaces current versions:
• TIGER-UP-9-A

Basic price (EUR) according to upholstery price group

	741	799
1	741	799
2	782	842
3	806	866
4	827	886
5	858	918
6	1122	1273


C03	Frame		
E-CR	Chromium plated	•	•
C09	Backrest		
BA-⑤	Upholstered	•	•
C10	Seat		
SE-⑤	Upholstered	•	•
C14	Glides		
GB	For soft floors	•	•
GBF	For hard floors	+ 22	+ 22
C19	Packaging		
PCK-ASM	Assembled, cardboard packaging	•	•
Sample order	TIGER UP FRAME CHAIR CFA MB UPH (E-CR BA-BN8010 SE-BN8010 GBF PCK-ASM)		

⑤ – Please specify upholstery colour code from selected price group – [see finishes](#)


- Available as standard (included in basic price)

SO-one

1. Dimensions / Weight



SO-ONE FRAME CHAIR CFA UPH



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
SO-ONE FRAME CHAIR CFA UPH GBM	480	455	465	475	500	1005	490	595	685	575	585	630	12.8
SO-ONE FRAME CHAIR CFA UPH GBMF	485	460	465	475	500	1010	490	595	690	575	585	630	12.8

- A – Seat height
- A1 – Seat height according to standard EN 16139
- B – Seat depth
- C – Seat surface depth

- D – Seat width
- E – Overall height
- F – Backrest width
- G – Backrest length
- H – Armrests height

- K – Base width
- V – Overall width
- L – Overall depth

2. Materials / Versions

2. Materials / Versions

2.1. Base / Frame

Cantilever frame made of steel tube
 Ø 22 x 2.5 mm.

Finish options:

- powder-coated in Jet black RAL 9005 colour, integrated armrests with black polypropylene (PP) pads (E-BL / BL),
- powder-coated in Jet black RAL 9005 colour, integrated armrests with plywood pads – stained or in natural beech colour (E-BL / ①) – see finishes,
- chromium plated, integrated armrests with black polypropylene (PP) pads (E-CR / BL),
- chromium plated, integrated armrests with plywood pads – stained or in natural beech colour (E-CR / ①) – see finishes.
- Stacking up to 3 pieces.

2.2. Castors / Glides

Frame without glides as standard. Mini-glides for soft floors (GBM), or hard floors (GBMF) – both as an option.

2.3. Seat, backrest and headrest

Seat

Structure is made of 7-layer plywood, thickness 10.5 mm, covered with cut foam, thickness 50 mm, density 40 kg / m³.

Backrest

Structure is made of 8-layer plywood, thickness 12 mm, covered with cut foam, front part – thickness 40 mm, density 35 kg / m³, back part – thickness 10 mm, density 35 kg / m³.

In case of chair upholstered in fabric or Imitation Leather, seat and backrest side drops available in Mafra fabric (MR).

In case of chair upholstered in leather, all upholstered elements available only in leather.

3. Armrests

Fixed armrests integrated with frame. Armrests pads are made of black polypropylene (PP) or 10-layer plywood, thickness 12 mm, stained or in natural beech colour – see finishes.

4. Packaging

2 pieces per box (fully assembled).

5. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)

GS Safety Certificate.
 Quality Office certified.

6. Sample order

6.1. Conference chairs

Product line	Product subgroup	Version		C03	C09	C10	C14	C19	
SO-ONE	FRAME CHAIR	CFA UPH	(E-BL/1.007	BA-SD-CSE20/MR01	SE-SD-CSE20/MR01	GBMF	PACK-ASM)

SO-ONE FRAME CHAIR CFA UPH (E-BL/1.007 BA-SD-CSE20/MR01 SE-SD-CSE20/MR01 GBMF PACK-ASM)

C03 – Frame and armrests pad – colour codes
C09 – Backrest – upholstery colour code (all mesh elements in the same colour)

C10 – Seat – upholstery colour code (all mesh elements in the same colour)

C14 – Glides
C19 – Packaging

SO-ONE FRAME CHAIR CFA UPH (E-BL / 1.007 BA-SD-CSE20 / MR01 SE-SD-CSE20 / MR01 GBMF PACK-ASM) identifies the chair as: **SO-ONE** conference frame chair (**FRAME CHAIR**), with upholstered, backrest on cantilever base (**CFA UPH**), stackable frame, powder-coated in Jet black RAL 9005 colour, with plywood armrest pads in natural beech colour (**E-BL / 1.007**), fully upholstered backrest in Era CSE20 fabric with side drops upholstered in Mafra fabric in black colour (**BA-SD-CSE20 / MR01**), fully upholstered seat in Era CSE20 fabric with side drops upholstered in Mafra fabric in black colour (**SE-SD-CSE20 / MR01**), mini-glides for hard floors (**GBMF**), fully assembled (**PACK – ASM**).

Apart from the product number / code, please specify options, upholstery and other finishes to complete an order.



SO-one cantilever frame chair with armrests, fully upholstered

SO-ONE FRAME CHAIR CFA UPH

Replaces current versions:

- SO-ONE FRAME CHAIR CF UPH LB

Basic price (EUR) according to upholstery price group

1	242
2	276
3	291
4	340
5	399

C03	Frame			
E-BL/BL	Powder-coated steel	Jet Black, RAL 9005	Black poly-propylene (PP) pads	•
E-BL/①			Plywood pads	+28
E-CR/BL	Chromium plated		Black poly-propylene (PP) pads	+55
E-CR/①			Plywood pads	
C09	Backrest			
BA-SD-⑤/⑥	Upholstered with sidedrops in Mafra		•	
C10	Seat			
SE-SD-⑤/⑥	Upholstered with sidedrops in Mafra		•	
C14	Glides			
	No glides		•	
GBM	Mini-glides	For soft floors	+19	
GBMF		For hard floors		
C19	Packaging			
PACK-ASM	Fully assembled, cardboard packaging		•	
Sample order	SO-ONE FRAME CHAIR CFA UPH (E-BL/BL BA-SD-FLG60107/MR04 SE-SD-FLG60107/MR04 GBMF PACK-ASM)			

- ① – Please specify MFC colour code – [see finishes](#)
- ⑤ – Please specify upholstery colour code from selected price group – [see finishes](#)
- ⑥ – Please specify upholstery colour code from selected price group – [see finishes](#)
- Available as standard (included in basic price)

PRICE GROUP 1: Bondai, Era, Kaiman, Lucia, Oflum, Sempre, Sempre Melange
 PRICE GROUP 2: Felicity, Mafra, Radio, Rivet, Valencia, Xtreme
 PRICE GROUP 3: Silvertex, Step, Step Melange


PRICE GROUP 4: Blazer, Fame, Synergy, Fine leather front (LE), Fine leather front (SD)
 PRICE GROUP 5: Fine leather (LE), Fine leather (SD), Remix 3

Side drops for seat and backrest, and back part of headrest in case of chair upholstered in fabric


PRICE GROUP 2: Mafra

Z-body

1. Dimensions / Weight



Z-BODY CFP



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
Z-BODY CFP G2B	470	455	450	—	465	890	435	465	670	535	535	630	9.6
Z-BODY CFP G2BF	470	455	450	—	465	890	435	465	670	535	535	630	9.6

- A – Seat height
- A1 – Seat height according to standard EN 16139
- B – Seat depth
- C – Seat surface depth

- D – Seat width
- E – Overall height
- F – Backrest width
- G – Backrest length
- H – Armrests height

- K – Base width
- V – Overall width
- L – Overall depth

2. Materials / Versions

2.1. Base

Cantilever frame (CFP) Ø 22 × 3 mm steel tube chromium plated. Stacking up to 2 pieces.

2.2. Glides

Black polyethylene glides with replaceable bottom cap made of white plastic (POM) for soft floors (G2B) as standard and for hard floors (G2BF) as an option.

2.3. Seat and backrest

Seat – made of 9-layer beech plywood, thickness 11 mm, covered with foam density 50 kg/m³, thickness 20 mm and density 40 kg/m³, thickness 25 mm. Black seat cover made from polypropylene.

Backrest – plastic (PP) frame upholstered with polyester mesh PX01.

2.4. Armrests

Integrated with chair frame, with PP pads.

3. Packaging

1 piece per box (assembled).


4. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)

GS Safety Certificate (applicable to CFP version).

OPTIONS – CONFERENCE CHAIRS

Options	Code	Surcharge
Glides with felt and replaceable bottom cap for hard floors	G2BF	28

PRICE LIST – CONFERENCE CHAIRS


Model	Description	Basic price (EUR)				
		Upholstery price group				
		1	2	3	4	5
<p>Z-BODY CFP</p> 	<p>Conference chair on cantilever frame chromium plated (CFP-CR), integrated armrests with plastic pads. Upholstered seat, and black mesh PX01 backrest. Glides with replaceable bottom cap for soft floors (G2B).</p>	304	314	320	323	342

PRICE GROUP 1: Bondai, Era, Kaiman, Lucia, Oflum, Sempre, Sempre Melange
 PRICE GROUP 2: Felicity, Mafra, Radio, Rivet, Valencia, Xtreme
 PRICE GROUP 3: Runner, Silvertex, Step, Step Melange
 PRICE GROUP 4: Blazer, Fame, Synergy


PRICE GROUP 5: Fine leather (LE), Fine leather (SD), Remix 3
 MESH: dedicated mesh

@-Motion

1. Dimensions / Weight



@-MOTION FRAME CHAIR CFA
MESH



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
@-MOTION CFA MESH	480	440	465	465	455	1010	450	640	690	535	565	585	10

A – Seat height

A1 – Seat height according to standard EN 16139

B – Seat depth

C – Seat surface depth

D – Seat width

E – Overall height

F – Backrest width

G – Backrest length

H – Armrests height

K – Base width

V – Overall width

L – Overall depth

2. Materials / Versions

2.1. Frame

Cantilever frame – made of $\varnothing 22 \times 2.5$ mm steel tube.

Available finish options:

- powder-coated in Jet black RAL 9005 colour (E-BL),
- chromium plated (E-CR).

2.2. Glides

Glides for soft floors (GB) as standard, or hard floors (GBF) as an option.

2.3. Seat and backrest

Seat

Structure is made of 7-layer plywood, thickness 10.5 mm, covered with foam, thickness 50 mm, density 35 kg / m³.

Backrest

Mesh backrest (MESH) – backrest frame made of $\varnothing 20 \times 1.5$ mm and $\varnothing 18 \times 1.5$ mm steel tubes, upholstered in black polyester mesh.

3. Armrests

Fixed armrests – integrated with chair frame, made of $\varnothing 22 \times 2.5$ mm steel tube, pad structure made of beech wood, covered with foam, thickness 9 mm, density 25 kg / m³, upholstered in black Imitation Leather.

4. Packaging

Assembled, cardboard packaging (PACK-ASM)

- 1 piece per box, 8 pieces on pallet.

5. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)

GS Certificate – re-certification pending.



Cantilever frame chair with mesh backrest

@-MOTION FRAME CHAIR CFA MESH

Replaces the version:

- @-MOTION-LUX CFP

Basic price (EUR) according to upholstery price group

0	238
1	251
2	260
3	265
4	271
5	296


C03	Frame			
E-BL	Powder-coated	Jet black	RAL 9005	•
E-CR	Chromium plated			+ 71
C04	Armrest pads			
AP-V14N	Upholstered	Imitation Leather in black colour		•
C09	Backrest finish			
BA-PX02	Black mesh			•
C10	Seat finish			
SE-⑤	Upholstery			•
C14	Glides			
GB	Plastic			•
GBF	Plastic with felt			+11
C19	Assembly			
PACK-ASM	Assembled, cardboard packaging			•
Sample order	@-MOTION FRAME CHAIR CFA MESH (E-BL AP-V14N BA-PX02 SE-BN1008 GBF PACK-ASM)			

⑤ – Please specify upholstery colour code from selected price group – see finishes


- Available as standard (included in basic price)

GLOBEline

1. Dimensions / Weight



GLOBEline FRAME CHAIR CFA MB UPH



Model	Dimensions [mm]												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	L	V	
GLOBEline FRAME CHAIR CFA MB UPH	450	458	450	480	475	910	440	440	659	555	555	600	12,0

- A – Seat height
- A1 – Seat height according to standard EN 16139
- B – Seat depth
- C – Seat surface depth

- D – Seat width
- E – Overall height
- F – Backrest width
- G – Backrest length
- H – Armrests height

- K – Base width
- L – Overall depth
- V – Overall width

2. Materials / Versions

2.1. Base / Frame

Cantilever: frame made of steel tube Ø 25 × 2.5 mm.

Finish options:

- powder coated in Jet Black colour (E-BL),
- powder coated in White aluminium colour (E-WA),
- chromium plated (CR).

Stacking:

Stackable up to 4 pieces.

2.2. Castors / Glides

No glides for soft floors or glides with felt for hard floors as an option (GBF).

2.3. Seat, backrest and headrest

Seat

Structure is made of polypropylene (PP). Seat cushion is made of CFC-free polyurethane (PU) foam, thickness approx. 40 mm, density 58 kg/m³. GLOBEline models are available with side drops upholstered in Runner 3D fabric (in case of seat upholstered in leather, side drops in leather).

Backrest

Structure is made of polypropylene (PP). Seat cushion is made of CFC-free polyurethane (PU) foam, thickness approx. 50 mm, density 58 kg/m³ ± 3. GLOBEline models are available with side drops upholstered in Runner 3D fabric

(in case of seat upholstered in leather, side drops in leather). Backrest cover made of glass fiber reinforced polyamide (PA + GF).

2.4. Armrests

Fixed armrests integrated with frame, powder-coated in black or white colour, or chromium plated. Armrest pads made of black polypropylene (PP).

3. Packaging

2 pieces per box (fully assembled)

4. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)

GS Certificate – re-certification pending.



GLOBEline cantilever frame chair, upholstered

GLOBELINE FRAME CHAIR CFA MB UPH

Replaces current versions:
 • GLOBELINE-5-A
 • GLOBELINE-COMFORT-5-A

Basic price (EUR) according to upholstery price group

1	354
2	387
3	403
4	421
5	456
6	659

C03	Frame			
E-BL	Powder-coated steel	Jet Black	RAL 9005	•
E-WA		White aluminium	RAL 9006	○
E-CR	Chromium plated			+32
C09	Backrest			
BA-⑤	Upholstered			• —
BA-SD-⑤/⑥	Upholstered with side drops in Runner 3D fabric (applicable only for seat upholstered with side drops, for leather upholstery side drops must be of leather)			— +34
C10	Seat			
SE-⑤	Upholstered			• —
SE-SD-⑤/⑥	Upholstered with side drops in Runner 3D fabric (applicable only for seat upholstered with side drops, for leather upholstery side drops must be of leather)			— +30
C14	Glides			
	No glides (for soft floors)			•
GBF	For hard floors			+22
C19	Packaging			
PCK-ASM	Fully assembled, cardboard packaging			•
Sample order	GLOBELINE FRAME CHAIR CFA MB UPH (E-CR BA-FLG60107 SE-FLG60107 GBF PCK-ASM)			


⑤ – Please specify upholstery colour code from selected price group – see finishes

⑤ / ⑥ – Please specify upholstery colour code from selected price group – see finishes


- Available as standard (included in basic price)
- Available as an option (included in basic price)

Intrata


1. Dimensions / Weight




INTRATA V-31 FL NA
weight: 6.60 kg




INTRATA V-31 FL ARM
weight: 7.70 kg




INTRATA V-32 FL NA
weight: 6.70 kg




INTRATA V-32 FL ARM
weight: 7.80 kg




INTRATA V-31 CF NA
weight: 7.60 kg




INTRATA V-31 CF ARM
weight: 8.70 kg




INTRATA V-32 CF NA
weight: 7.70 kg




INTRATA V-32 CF ARM
weight: 8.80 kg




INTRATA V-34 FL NA
weight: 6.80 kg



INTRATA V-34 FL ARM
weight: 7.90 kg



INTRATA V-34 CF NA
weight: 7.80 kg



INTRATA V-34 CF ARM
weight: 8.90 kg

2. Materials / Versions

2.1. Frame

4-leg frame made of steel tube $\varnothing 22 \times 2.5$ mm.

Cantilever frame made of steel tube $\varnothing 22 \times 2.5$ mm.

Finish options:

- powder-coated in White aluminium RAL 9006 colour (ALU),
- powder-coated in Traffic white RAL 9016 colour (W),
- powder-coated in Jet black RAL 9005 colour (BL),
- chromium plated (CR).

Stacking:

- 4-leg chair with mini-rolls and armrests – up to 4 pieces,
- 4-leg chair with mini-rolls without armrests – up to 5 pieces,
- cantilever and 4-leg chair – up to 5 pieces.

2.2. Castors / Glides

Glides for soft floors as standard, or for hard floors (SF) as an option.

Mini-rolls – $\varnothing 37$ mm black plastic self-braking castors for soft floors (RMH), or hard floors (RMHH) – both as an option.

2.4. Seat & backrest

Seat

Structure is made of 5-layer plywood, thickness 6 mm, covered with cut foam, thickness 35 mm, density 40 kg/m³. Seat cover is made of black polypropylene (PP) as standard.

Backrest

Upholstered backrest – structure is made of 5-layer plywood, thickness 7.5 mm, covered with cut foam, thickness 35 mm, density 35 kg/m³. Backrest cover is made of black polypropylene (PP) as standard.

Mesh backrest – frame is made of steel tube $\varnothing 22 \times 2.5$ mm powder-coated in Jet black RAL 9005 (BL) colour as standard, or in White aluminium RAL 9006 (ALU) colour, Traffic white RAL 9016 (W) colour, or chromium plated, according to selected chair colour concept, as an option. Upper part of backrest frame is made of metal plate, thickness 4 mm.

Finish options:

- OP mesh (black colour as standard) – for V-32 version,
- Runner 3D fabric – for V-34 version.

3. Armrests

Fixed armrests – integrated with chair frame, armrest pads made of black polypropylene (PP).

4. Packaging

Conference frame chair:

- 2 pieces per box (assembled) ,
- 8 boxes on pallet.

5. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)

GS Safety Certificate,
Remodex (durability certificate) – approvals compliant with:
EN 16139, EN 1728 and EN 1022,
Office Excellence Quality Certificate,
Quality Office.

OPTIONS – CONFERENCE CHAIRS

Options	Code	Surcharge
Mesh (other colours)	OP	7
4-leg frame powder-coated in White aluminium RAL 9006 colour	FLALU-NA	0
4-leg frame powder-coated in Traffic white RAL 9016 colour	FLW-NA	0
4-leg frame chromium plated	FLCR-NA	21
4-leg frame powder-coated in White aluminium RAL 9006 colour with integrated armrests	FLALU-ARM	0
4-leg frame powder-coated in Traffic white RAL 9016 colour with integrated armrests	FLW-ARM	0
4-leg frame chromium plated with integrated armrests	FLCR-ARM	27
Mini-rolls – Ø 37 mm for soft floors (applicable to 4-leg version), not replaceable with glides	<u>RMH</u>	27
Mini-rolls – Ø 37 mm for hard floors (applicable to 4-leg version), not replaceable with glides	<u>RMHH</u>	27
Glides with felt for hard floors	SF	10

Apart from the product number / code, please specify options, upholstery and other finishes to complete an order.

PRICE LIST – CONFERENCE CHAIRS

Model	Description	Basic price (EUR)					
		Upholstery price group					
		0	1	2	3	4	5
<p>INTRATA V-31 FLBL-NA</p>	<p>Conference chair on 4-leg frame powder-coated in Jet black RAL 9005 colour, no armrests (FLBL-NA), upholstered seat and backrest with black plastic covers, glides for soft floors.</p>	98	103	112	118	142	148
<p>INTRATA V-31 FLBL-ARM</p>	<p>Conference chair on 4-leg frame powder-coated in Jet black RAL 9005 colour, integrated armrests with plastic pads (FLBL-ARM), upholstered seat and backrest with black plastic covers, glides for soft floors.</p>	114	118	128	136	159	165
<p>INTRATA V-32 FLBL-NA</p>	<p>Conference chair on 4-leg frame powder-coated in Jet black RAL 9005 colour, no armrests (FLBL-NA), upholstered seat with black plastic cover and mesh backrest, glides for soft floors.</p>	116	121	128	135	154	161
<p>INTRATA V-32 FLBL-ARM</p>	<p>Conference chair on 4-leg frame powder-coated in Jet black RAL 9005 colour, integrated armrests with plastic pads (FLBL-ARM), upholstered seat with black plastic cover and mesh backrest, glides for soft floors.</p>	131	137	143	149	169	176
<p>INTRATA V-34 FLBL-NA</p>	<p>Conference chair on 4-leg frame powder-coated in Jet black RAL 9005 colour, no armrests (FLBL-NA), upholstered seat with black plastic cover and backrest upholstered in Runner 3D fabric, glides for soft floors.</p>	122	129	135	140	160	167
<p>INTRATA V-34 FLBL-ARM</p>	<p>Conference chair on 4-leg frame powder-coated in Jet black RAL 9005 colour, integrated armrests with plastic pads (FLBL-ARM), upholstered seat with black plastic cover and backrest upholstered in Runner 3D fabric, glides for soft floors.</p>	138	145	150	156	174	182

* Dimensions measured under load in accordance with the EN standard

PRICE GROUP 0: Basic, Micro, Oban, Imitation Leather

PRICE GROUP 1: Bondai, Era, Kaiman, Lucia, Oflum, Sempre, Sempre Melange

PRICE GROUP 2: Felicity, Mafra, Radio, Rivet, Valencia, Xtreme

PRICE GROUP 3: Runner, Silvertex, Step, Step Melange

PRICE GROUP 4: Blazer, Fame, Synergy

PRICE GROUP 5: Fine leather (LE), Fine leather (SD), Remix 3

MESH: OP mesh

OPTIONS – CONFERENCE CHAIRS

Options	Code	Surcharge
Mesh (other colours)	OP	7
Cantilever frame powder-coated in White aluminium RAL 9006 colour	CFALU-NA	0
Cantilever frame powder-coated in Traffic white RAL 9016 colour	CFW-NA	0
Cantilever frame chromium plated	CFCR-NA	21
Cantilever frame powder-coated in White aluminium RAL 9006 colour with integrated armrests	CFALU-ARM	0
Cantilever frame powder-coated in Traffic white RAL 9016 colour with integrated armrests	CFW-ARM	0
Cantilever frame chromium plated with integrated armrests	CFCR-ARM	27
Glides with felt for hard floors	SF	10

Apart from the product number / code, please specify options, upholstery and other finishes to complete an order.

PRICE LIST – CONFERENCE CHAIRS

Model	Description	Basic price (EUR)					
		Upholstery price group					
		0	1	2	3	4	5
<p>INTRATA V-31 CFBL-NA</p>	<p>Conference chair on cantilever frame powder-coated in Jet black RAL 9005 colour, no armrests (CFBL-NA), upholstered seat and backrest with black plastic covers, glides for soft floors.</p>	131	137	146	154	176	182
<p>INTRATA V-31 CFBL-ARM</p>	<p>Conference chair on cantilever frame powder-coated in Jet black RAL 9005 colour, integrated armrests with plastic pads (CFBL-ARM), upholstered seat and backrest with black plastic covers, glides for soft floors.</p>	146	152	161	169	191	199
<p>INTRATA V-32 CFBL-NA</p>	<p>Conference chair on cantilever frame powder-coated in Jet black RAL 9005 colour, no armrests (CFBL-NA), upholstered seat with black plastic cover and mesh backrest, glides for soft floors.</p>	146	152	159	165	185	191
<p>INTRATA V-32 CFBL-ARM</p>	<p>Conference chair on cantilever frame powder-coated in Jet black RAL 9005 colour, integrated armrests with plastic pads (CFBL-ARM), upholstered seat with black plastic cover and mesh backrest, glides for soft floors.</p>	160	167	174	180	200	207
<p>INTRATA V-34 CFBL-NA</p>	<p>Conference chair on cantilever frame powder-coated in Jet black RAL 9005 colour, no armrests (CFBL-NA), upholstered seat with black plastic cover and backrest upholstered in Runner 3D fabric, glides for soft floors.</p>	146	152	159	165	185	191
<p>INTRATA V-34 CFBL-ARM</p>	<p>Conference chair on cantilever frame powder-coated in Jet black RAL 9005 colour, integrated armrests with plastic pads (CFBL-ARM), upholstered seat with black plastic cover and backrest upholstered in Runner 3D fabric, glides for soft floors.</p>	160	167	174	180	200	207

*Dimensions measured under load in accordance with the EN standard

PRICE GROUP 0: Basic, Micro, Oban, Imitation Leather

PRICE GROUP 1: Bondai, Era, Kaiman, Lucia, Oflum, Sempre, Sempre Melange

PRICE GROUP 2: Felicity, Mafra, Radio, Rivet, Valencia, Xtreme

PRICE GROUP 3: Runner, Silvertex, Step, Step Melange


PRICE GROUP 4: Blazer, Fame, Synergy

PRICE GROUP 5: Fine leather (LE), Fine leather (SD), Remix 3


MESH: OP mesh

Passu


1. Dimensions / Weight




PASSU FRAME CHAIR CF P




PASSU FRAME CHAIR 4L P



PASSU FRAME CHAIR CF MESH



PASSU FRAME CHAIR 4L MESH



	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
PASSU FRAME CHAIR CF P	425	430	435	430	440	780	470	320	670	490	550	550	7.8
PASSU FRAME CHAIR 4L P	430	435	430	430	440	790	470	320	675	475	560	550	5.6
PASSU FRAME CHAIR CF MESH	425	430	460	430	440	800	480	360	670	490	550	585	7.9
PASSU FRAME 4L MESH	430	435	455	430	440	810	480	360	675	475	560	560	5.7

A – Seat height

A1 – Seat height according to standard
PN-EN 16139

B – Seat depth

C – Seat surface depth

D – Seat width

E – Overall height

F – Backrest width

G – Backrest length

K – Base width

V – Overall width

L – Overall depth

2. Materials / Versions

2.1. Frame

Cantilever frame – made of steel tube
 Ø 22 × 3 mm.

4-leg frame – made of steel tube Ø 22 × 2 mm.

Finish options:

- powder-coated in Jet Black colour (E-BL),
- powder-coated in White Aluminium colour (E-WA),
- chromium plated (E-CR).

Stacking:

All models – up to 4 pieces.

2.2. Glides (Cantilever and 4-leg frame)

Plastic glides for soft floors (GB) as standard or with felt for hard floors (GBF) as an option.

2.3. Seat and backrest

2.3.1. Seat

Seat is made of black polypropylene (PP), thickness 6 mm.

Options:

Seat upholstered pad – made of CFC-free polyurethane (PU) cut foam, thickness approx. 15 mm, density approx. 42 kg/m³ ±3.

Fully upholstered seat – made of CFC-free polyurethane (PU) cut foam, thickness approx. 25 mm, density approx. 50 kg/m³ ±3; plastic cover (plastic seat).

Stacking protection – stacking cushion for plastic

seat as standard; stacking protection for fully upholstered seat as an option.

2.3.2. Backrest

2.3.2.1. Passu P models

Backrest is made of black polypropylene (PP), thickness 6 mm.

Options:

Backrest upholstered pad – made of CFC-free polyurethane (PU) cut foam, thickness approx. 10 mm, density approx. 9 kg/m³ ±3.

Fully upholstered backrest – made of CFC-free polyurethane (PU) cut foam, thickness approx. 20 mm, density approx. 50 kg/m³ ±3, plastic cover (plastic seat).

2.3.2.2. Passu Mesh models

Mesh backrest – Backrest frame is made of glass fiber reinforced polyamide (PA + GF), upholstered in Runner 3D fabric, breathable and flexible.

2.4. Armrests

Armrests available as an option, armrests are made of black glass fiber reinforced polyamide (PA + GF).

3. Packaging

All PASSU models – up to 2 pieces per box (assembled).

4. Technical regulations, certificates and quality marks

- GS-sign TÜV
- Blue Angel
- Quality Office



Passu cantilever frame chair, plastic backrest	Passu frame chair on four feet, plastic backrest
PASSU FRAME CHAIR CF P	PASSU FRAME CHAIR 4L P
Replaces current versions: <ul style="list-style-type: none"> • Passu 30 • Passu 32 • Passu Plus 32 • Passu 34 • Passu Plus 34 	Replaces current versions: <ul style="list-style-type: none"> • Passu 40 • Passu 42 • Passu Plus 42 • Passu 44 • Passu Plus 44
Basic price (EUR)	
182	152

C03		Frame								
E-BL	Powder-coated	Jet black	RAL 9005							
E-WA		White aluminium	RAL 9006							
E-CR	Chromium plated									
C09		Backrest								
		No upholstered								
BA-PD-⑤	Upholstered pad	Price group:	1							
			2							
			3							
			4							
BA-⑤	Upholstered	Price group:	1							
			2							
			3							
			4							
C10		Seat								
		No upholstered								
SE-PD-⑤	Upholstered pad	Price group:	1							
			2							
			3							
			4							
SE-⑤	Upholstered	Price group:	1							
			2							
			3							
			4							

⑤ – Please specify upholstery colour code from selected price group – [see finishes](#)

• Available as standard (included in basic price)

To complete configuration select options on next pages →

			PASSU FRAME CHAIR CF P	PASSU FRAME CHAIR 4L P
C11	Armrests			
	No armrests		•	•
A	Plastic armrests	Black	+30	+30
C14	Castors / glides			
GB	Glides	For soft floors	•	•
GBF		For hard floors	+18	+18
C15	Stacking			
	No stacking protection (seat with upholstered pad or fully upholstered)		•	•
	Stacking protection (plastic seat)			
STP	Stacking protection (applicable only for upholstered pad or fully upholstered seat)		+18	+18
C19	Packaging			
PCK-ASM	Fully assembled, cardboard packaging		•	•
Sample order	PASSU FRAME CHAIR CF P (E-BL BA-PD-CSE14 SE-PD-CSE19 A GB STP PCK-ASM)			

- Available as standard (included in basic price)



Passu cantilever frame chair, mesh backrest	Passu frame chair on four feet, mesh backrest
PASSU FRAME CHAIR CF MESH	PASSU FRAME CHAIR 4L MESH
Replaces current versions: <ul style="list-style-type: none"> • Passu mesh 30 • Passu mesh 32 • Passu Plus mesh 32 	Replaces current versions: <ul style="list-style-type: none"> • Passu mesh 40 • Passu mesh 42 • Passu Plus mesh 42
Basic price (EUR)	
247	220

C03	Frame				
E-BL	Powder-coated	Jet black	RAL 9005	•	•
E-WA		White aluminium	RAL 9006	+8	+8
E-CR	Chromium plated			+32	+32
C09	Backrest				
BA-⑤	Upholstered in Runner 3D fabric			•	•
C10	Seat				
	No upholstered			•	•
SE-PD-⑤	Upholstered pad	Price group:	1	+34	+34
			2	+43	+43
			3	+49	+49
			4	+53	+53
SE-⑤	Upholstered	Price group:	1	+45	+45
			2	+53	+53
			3	+56	+56
			4	+61	+61
C11	Armrests				
	No armrests			•	•
A	Plastic armrests	Black		+30	+30

⑤ – Please specify upholstery colour code from selected price group – [see finishes](#)
 • Available as standard (included in basic price)


To complete configuration select options on next pages →

		Passu cantilever frame chair, mesh backrest		Passu frame chair on four feet, mesh backrest	
		PASSU FRAME CHAIR CF MESH		PASSU FRAME CHAIR 4L MESH	
	C14	Castors / glides			
GB	Glides	For soft floors	•	•	
GBF		For hard floors	+18	+18	
	C15	Stacking			
		No stacking protection (seat with upholstered pad or fully upholstered)	•	•	
		Stacking protection (plastic seat)			
STP		Stacking protection (applicable only for upholstered pad or fully upholstered seat)	+18	+18	
	C19	Packaging			
PCK-ASM		Fully assembled, cardboard packaging	•	•	
Sample order	PASSU FRAME CHAIR CF MESH (E-CR BA-MR04 SE-PD-CSE20 A GBF STP PCK-ASM)				


- Available as standard (included in basic price)

Orlando

1. Dimensions / Weight



ORLANDO CFP



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
ORLANDO CFP	490	460	460	475	500	1030	485	635	720	575	605	630	13.8

A – Seat height

A1 – Seat height according to standard EN 16139

B – Seat depth

C – Seat surface depth

D – Seat width

E – Overall height

F – Backrest width

G – Backrest length

H – Armrests height

K – Base width

V – Overall width

L – Overall depth

2. Materials / Versions

2.1. Frame

Cantilever frame made of chromium plated steel tube $\varnothing 22 \times 2.5$ mm.

2.2. Glides

Glides for soft floors (GB) as standard or hard floors (GBF) as an option.

2.3. Seat and backrest

Seat

Structure is made of 7-layer plywood, thickness

10.5 mm, covered with cut foam, thickness 50 mm, density 40 kg/m³.

Backrest

Structure is made of 8-layer plywood, thickness 12 mm, covered with two layers of cut foam, front part thickness 40 mm, density 35 kg/m³, back part thickness 10 mm, density 35 kg/m³.

3. Armrests

Fixed armrests – integrated with frame, made of chromium plated steel tube $\varnothing 22 \times 2.5$ mm, wooden armrest pads made of stained solid wood, thickness 32 mm.

4. Packaging

Conference frame chair – 1 piece per box (fully assembled), 4 pieces on pallet.


5. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)

Remodex (durability certificate) – approvals compliant with EN 1335, EN 1022 and EN 1728.

OPTIONS – CONFERENCE CHAIRS

Options	Code	Surcharge
Glides with felt for hard floors	GBF	11

PRICE LIST – CONFERENCE CHAIRS


Model	Description	Basic price (EUR)					
		Upholstery price group					
		0	1	2	3	4	5
ORLANDO CFP 	Conference chair on cantilever frame chromium plated, integrated armrests with solid wood armrest pads, upholstered seat and backrest, glides for soft floors (GB).	240	253	288	299	350	387

PRICE GROUP 0: Oban
 PRICE GROUP 1: Bondai, Era, Kaiman, Oflum, Sempre, Sempre Melange
 PRICE GROUP 2: Felicity, Radio, Rivet, Valencia, Xtreme
 PRICE GROUP 3: Silvertex, Step, Step Melange, Split leather (SP)


PRICE GROUP 4: Blazer, Fame, Synergy, Fine leather front (LE), Fine leather front (SD)
 PRICE GROUP 5: Fine leather (LE), Fine leather (SD), Remix 3

Sit.Net

1. Dimensions / Weight



SIT.NET CFP



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
SIT.NET CFP	465	430	455	450	490	1030	475	600	690	605	630	655	13.5

- A – Seat height
- A1 – Seat height according to standard EN 16139
- B – Seat depth
- C – Seat surface depth

- D – Seat width
- E – Overall height
- F – Backrest width
- G – Backrest length
- K – Base width

- H – Armrests height
- L – Overall depth
- V – Overall width

2. Materials / Versions

2.1. Frame

Cantilever frame – made of chromium plated steel tube $\varnothing 25 \times 2.5$ mm.

2.2. Glides

Glides for soft floors (GB) as standard, or hard floors (GBF) as an option.

2.3. Seat and backrest

Seat

Structure is made of 8-layer plywood, thickness 11.5 mm covered with cut foam, thickness 40 mm, density 40 kg/m³.

Backrest

Frame is made of glass fiber reinforced polyamide (PA + GF), upholstered in black OP mesh as standard.

3. Armrests

Fixed armrests – integrated with frame, made of steel tube $\varnothing 25 \times 2.5$ mm. Armrests pads are made of solid wood painted in black, thickness 22 mm.

4. Packaging

1 piece per box (fully assembled), 4 pieces on pallet.


5. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)

Remodex (durability certificate) – approvals compliant with: EN 1335, EN 1022, EN 16139 and EN 1728.

OPTIONS – CONFERENCE CHAIRS

Options	Code	Surcharge
Mesh (other colours)	OP	7
Glides with felt for hard floors	GBF	11

PRICE LIST – CONFERENCE CHAIRS

Model	Description	Basic price (EUR)					
		Upholstery price group					
		0	1	2	3	4	5
<p>SIT.NET CFP</p> 	<p>Conference chair on cantilever frame chromium plated, integrated armrests with black solid wood pads. Upholstered seat and black mesh backrest. Glides for soft floors (GB).</p>	361	377	391	403	532	576

PRICE GROUP 0: Oban

PRICE GROUP 1: Bondai, Era, Kaiman, Lucia, Oflum, Sempre, Sempre Melange

PRICE GROUP 2: Felicity, Mafra, Radio, Rivet, Valencia, Xtreme

PRICE GROUP 3: Silvertex, Step, Step Melange


PRICE GROUP 4: Blazer, Fame, Synergy

PRICE GROUP 5: Fine leather (LE), Fine leather (SD), Remix 3


MESH: OP mesh

Cadeira


1. Dimensions / Weight




CADEIRA 4L




CADEIRA 4L-ARM/FRONT




CADEIRA 4L-ARM




HANGER FOR
CADEIRA WRITING TABLETS
weight: 4.20 kg



CADEIRA WRITING TABLET



UNIVERSAL CHAIR ROW
CONNECTOR
weight: 0.95 kg



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
CADEIRA 4L WOOD & LAMINAT	455	—	405	405	435	830	385	420	—	515	515	570	8,3
CADEIRA 4L A-PLUS	465	425	405	405	440	830	400	420	—	515	515	570	6,6
CADEIRA 4L B-PLUS	465	425	405	405	440	830	400	420	—	515	515	570	5,2
CADEIRA 4L PLUS	465	425	410	410	440	835	390	420	—	515	515	570	7,4
CADEIRA 4L SEAT-PLUS	465	425	410	410	440	830	385	420	—	515	515	570	6,9
CADEIRA 4L-ARM WOOD & LAMINAT	455	—	405	405	435	830	385	420	660	515	530	570	8,0
CADEIRA 4L-ARM A-PLUS	465	425	405	405	440	830	400	420	660	515	530	570	8,3
CADEIRA 4L-ARM B-PLUS	465	425	405	405	440	830	400	420	660	515	530	570	6,9
CADEIRA 4L-ARM PLUS	465	425	410	410	440	835	390	420	660	515	530	570	7,4
CADEIRA 4L-ARM SEAT-PLUS	465	425	410	410	440	830	385	420	660	515	530	570	6,9
CADEIRA 4L-ARM/FRONT WOOD & LAMINAT	455	—	405	405	435	830	385	420	660	515	530	570	8,3
CADEIRA 4L-ARM/FRONT A-PLUS	465	425	405	405	440	830	400	420	660	515	530	570	8,3
CADEIRA 4L-ARM/FRONT B-PLUS	465	425	405	405	440	830	400	420	660	515	530	570	6,9
CADEIRA 4L-ARM/FRONT PLUS	465	425	410	410	440	835	390	420	660	515	530	570	7,4
CADEIRA 4L-ARM/FRONT SEAT-PLUS	465	425	410	410	440	830	385	420	660	515	530	570	6,9
CADEIRA 4L-ARM PLUS+TABLET	465	425	410	410	440	835	390	420	660/730	515	530	730	9,1

- A – Seat height
- A1 – Seat height according to standard EN 16139
- B – Seat depth
- C – Seat surface depth

- D – Seat width
- E – Overall height
- F – Backrest width
- G – Backrest length
- H – Armrests height

- K – Base width
- V – Overall width
- L – Overall depth

2. Materials/Versions

2.1. Frame

2.1.1. Frame

4-leg frame – made of $\varnothing 22 \times 2$ mm chromium plated steel tube. .

Front/back cross bars and armrest bracket made of $\varnothing 22 \times 2.5$ mm chromium plated steel tube.

Stacking:

All versions – up to 6 pcs Cadeira 4L-WOOD – stacking buffer as standard Cadeira 4L SEAT-PLUS, PLUS and B-PLUS, A-PLUS – stacking cushion as an option to be ordered and assembled separately.

2.1.2. Click/link

CLICK-J4 – link integrated with frame applicable to 4-leg frame chairs with or without armrests, made of $\varnothing 6$ mm chromium plated rod. Numbering is not available. Chairs with CLICK-J4 can be stacked.

CLICK-J3-NRM – link integrated with frame applicable to 4-leg chairs with or without armrests, made of $\varnothing 6$ mm chromium plated rod (slider) with black click bracket (PA + GF) with place for interchangeable magnetic numbering. The numbering to be ordered separately. Chairs with CLICK-J3-NRM can be stacked.

ROW LINK EN 14703

- dedicated to connect Cadeira chairs,
- the set made of steel sheet,
- powder-coated in Jet black RAL 9005 (BL) colour.

UNIVERSAL ROW CONNECTOR

- dedicated to connect rows of chairs,
- distance adjustment: 440–500 mm,
- possibility of mounting to the floor,
- powder-coated in Jet black RAL 9005 (BL) colour.

CADEIRA ROW CONNECTOR


- dedicated to connect rows of Cadeira chairs,
- possibility of mounting to the floor,
- made of steel flat bar with sleeves welded at the ends,
- powder-coated in White aluminium RAL 9006 (ALU) colour.

2.2. Glides

Glides for soft floors (GB) as standard or for hard floors (GBF) as an option.

Self-levelling glides for soft floors (GBP) or hard floors (GBPF) both as an option – chair with self-levelling glides is approx. 20 mm higher.

Acoustic glides (GBA) – special structure reduces the noise emitted by glides by over 50 % in comparison to standard glides. Glides do not scratch surfaces.



2.3. Seat and backrest

Options for Cadeira 4L, 4L-ARM / FRONT, 4L-ARM:

Wooden shell (WOOD) – made of 8-layer beech plywood, thickness 10.5 mm

Laminated wooden shell (LAMINATE) – made of 8-layer beech plywood, thickness 10.5 mm.

Visible plywood edges protected with wax.

Wooden shell with upholstered pad on seat (SEAT-PLUS) – the structure of seat pad is made of 3-layer beech plywood, thickness 4.5 mm, covered with foam thickness 15 mm, density 25 kg / m³.

Wooden shell with upholstered seat pad and backrest pad (PLUS) – seat and backrest pad structure made of 3-layer beech plywood, thickness 4.5 mm, covered with foam thickness 15 mm, density 25 kg / m³.

Wooden shell with fully upholstered front part of the shell (B-PLUS) – structure of pad made of 3-layer beech plywood, thickness 4.5 mm, covered with foam thickness 15 mm, density 25 kg / m³. Wooden back part of the shell.

Fully upholstered shell (A-PLUS) – structure made of 8-layer beech plywood, thickness 10.5 mm, covered with foam density 25 kg / m³,

thickness 20 mm (seat); 15 mm (backrest);

10 mm (back and bottom of seat shell).

WALL PROTECTION SYSTEM – frame construction enables 40 mm distance between backrest and the wall to prevent it from scratching.

2.4. Armrests

Fixed armrests – integrated with chair frame, armrest pads made of 10-layer beech plywood, thickness 12 mm.

Finish options:

- stained (NF-xx),
 - laminated (NF-xx),
 - plastic PP reinforced with glass fiber (NF-PP).
- 4L-ARM / FRONT model – chair can be hung on the table top.

2.5. Writing tablet

Writing tablet (right and left hand version) – made of 8-layer beech plywood, thickness 12 mm.

Frame made of $\varnothing 12$ chromium plated rod. Joints made of polyamide with fiberglass. Available for Cadeira 4L-ARM model only.

Finish options:

- stained plywood,
- laminated plywood, visible plywood edges protected with wax.

2.6. Hanger for Cadeira writing tablets

Hanger frame is made of steel tube $\varnothing 22 \times 1.5$ mm, powder-coated in White aluminium RAL 9006 colour, upper bar – chromium plated. Castors with brake. Hanger for Cadeira writing tablets can store up to 25 tablets. It can be disassembled into a pair of legs and two connecting bars.

3. Packaging

4L, 4L-ARM, 4L-ARM / FRONT – 2 pieces per box (assembled).

4. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)

GS Safety Certificate.

OPTIONS – CONFERENCE CHAIRS




Options	Code	Surcharge				
		Upholstery price group				
		1	2	3	4	5
Wooden shell with upholstered seat pad	SEAT-PLUS	19	24	29	33	48
Wooden shell with upholstered seat pad and backrest pad	PLUS	40	50	57	68	93
Wooden shell with upholstered front part of the shell	B-PLUS	45	58	68	80	106
Fully upholstered shell	A-PLUS	21	32	45	60	82
Laminated wood (shell, arm pads)	LAMINATE*	21				
Stacking cushion (applicable to CADEIRA 4-L SEAT-PLUS, PLUS, B-PLUS)	STP**	45				
Retrofittable wooden writing tablet***– right hand version (applicable to CADEIRA 4L-ARM)	TR-xx**	75				
Retrofittable wooden writing tablet***– left hand version (applicable to CADEIRA 4L-ARM)	TL-xx**	75				
Retrofittable laminated writing tablet***– right hand version (applicable to CADEIRA 4L-ARM)	TR-LAMINATE*	81				
Retrofittable laminated writing tablet***– left hand version (applicable to CADEIRA 4L-ARM)	TL-LAMINATE*	81				
Link integrated with frame for connecting chairs into rows	CLICK-J4	38				
Link integrated with frame for connecting chairs into rows with place for interchangeable magnetic numbering. Numbering to be ordered separately	CLICK-J3-NRM	56				
Magnetic numbering, set of row and seat number, each to be ordered separately (price per 1 set for 1 chair)	NRM	12				
Link for connecting chairs into rows to be ordered separately	ROW LINK EN 14703 BL	22				
Glides with felt for hard floors	GBF	11				
Self-leveling glides for soft floors	GBP	13				
Self-leveling glides with felt for hard floors	GBPF	16				
Acoustic glides	GBA	10				

* Please specify colour code of laminate – [see finishes](#)

** Please specify colour code of wood – [see finishes](#)

*** Retrofittable writing tablet to be ordered separately

PRICE LIST – ACCESSORIES

Model	Description	Basic price (EUR)
TABLET HANGER 	Hanger for writing tablets to store up to 25 tablets. A hanger can be disassembled for easy storage.	91
UNIVERSAL ROW CONNECTOR 	Row distance adjustment (440–500 mm) for all CADEIRA 4-leg versions. Possible mounting to the floor. The connector is powder-coated in Jet black RAL 9005 (BL) colour.	58
CADEIRA ROW CONNECTOR 	Row distance adjustment (530 mm) for all CADEIRA 4-leg versions. Possible mounting to the floor. The connector is powder-coated in White Aluminium RAL 9006 (ALU) colour.	31

PRICE GROUP 1: Bondai*, Era, Kaiman, Lucia**, Oflum, Sempre, Sempre Melange
 PRICE GROUP 2: Felicity, Radio, Rivet, Valencia, Xtreme

PRICE GROUP 3: Silvertex, Step, Step Melange, Split leather (SP)*
 PRICE GROUP 4: Blazer, Fame, Synergy
 PRICE GROUP 5: Fine leather (LE)***, Fine leather (SD)***, Remix 3






* Fabric not applicable to A-PLUS and B-PLUS versions

*** Fabric not applicable to B-PLUS version

** Fabric not applicable to A-PLUS version

Apart from the product number /code, please specify options, upholstery and other finishes to complete an order

PRICE LIST – CONFERENCE CHAIRS


Model	Description	Basic price (EUR)
		Wood
CADEIRA 4L 	Conference chair on 4-leg chromium plated* frame (CR), wooden shell, glides for soft floors (GB).	164
CADEIRA 4L-ARM /FRONT 	Conference chair on 4-leg chromium plated* frame (CR), open integrated armrests with wooden pads (NF-xx**), wooden shell, no stacking protection, glides for soft floors (GB).	247
CADEIRA 4L-ARM 	Conference chair on 4-leg chromium plated* frame (CR), closed integrated armrests with wooden pads (NF-xx**), wooden shell, no stacking protection, glides for soft floors (GB).	256
CADEIRA 4L-ARM /FRONT NF-PP 	Conference chair on 4-leg chromium plated* frame (CR), open integrated armrests with plastic pads (NF-PP), wooden shell, no stacking protection, glides for soft floors (GB).	219
CADEIRA 4L-ARM NF-PP 	Conference chair on 4-leg chromium plated* frame (CR), closed integrated armrests with plastic pads (NF-PP), wooden shell, no stacking protection, glides for soft floors (GB).	230

* Powder-coated frames available only on special request
 Cadeira chairs with powder-coated frames should not be stacked


**Please specify colour code of wood – [see finishes](#)

Fen


1. Dimensions / Weight




FEN 4L
weight: 5.40 kg




FEN 4L-ARM
weight: 6.50 kg




FEN-CLICK 4L_2




FEN-CLICK 4L_3




FEN 4L-ARM-TR
weight: 7.70 kg




FEN 4L-ARM-TRA
weight: 7.40 kg




FEN-CLICK 4L-ARM_2




FEN-CLICK 4L-ARM_3




TR TABLE TOP
weight: 0.80 kg



TRA TABLE TOP
weight: 0.45 kg



UNIVERSAL ROW CONNECTOR
weight: 0.95 kg



CART
weight: 5.65 kg

2. Materials/Versions

2.1. Frame

2.1.1. Frame

4-leg frame (4L) – steel tubes Ø 18 × 2.0 mm.

4-leg frame with armrests (4L-ARM) – steel tubes Ø 18 × 2.0 mm.

4-leg frame with writing tablet (4L-ARM-TR) – steel tubes Ø 18 × 2.0 mm, linkable chairs, not stackable.

4-leg frame with Anti-Panic writing tablet (4L-ARM-TRA) – steel tubes Ø 18 × 2.0 mm, linkable chair.

Finish options for all versions:

- powder-coated in White aluminium RAL 9006 (ALU),
- powder-coated in Jet black RAL 9005 (BL),
- or Fashion Collection colour,
- chromium plated (CR).

Stacking:

All versions up to 4 pieces, 10 pieces on cart (not applicable to TR version).

2.1.2. Click/link

CLICK – metal sliding link to connect chairs into rows available for FEN chair with or without armrests.

NRM – row numbering, 3D sticker available for wooden backrest (WOOD, LAMINATE, SEAT-PLUS) or embroidery available for upholstered backrest (PLUS, B-PLUS, A-PLUS).

UNIVERSAL ROW CONNECTOR

- dedicated to connect rows of chairs,
- distance adjustment: 470–530 mm,
- possibility of mounting to the floor,
- powder-coated in Jet black RAL 9005 (BL)

2.2. Glides

Glides for soft floors (GB) as standard or hard floors (GBF) as an option.

2.3. Seat and backrest

Wooden shell (WOOD) – made of 8-layer beech plywood, thickness 10.5 mm.

Laminated wooden shell (LAMINATE) – made of 8-layer beech plywood with two external layers of laminate, thickness 10.5 mm. Visible plywood edges protected with wax.

Wooden shell with upholstered pad on seat (SEAT-PLUS) – seat pad made of 3-layer beech plywood, thickness 4.5 mm, covered with foam thickness 20 mm, density 25 kg/m³.

Wooden shell with upholstered seat and backrest pads (PLUS) – seat pad made of 3-layer beech plywood, thickness 4.5 mm, covered with foam thickness 20 mm, density 25 kg/m³, backrest pad made of 3-layer beech plywood, thickness 4.5 mm, covered with foam, thickness 20 mm, density 25 kg/m³.

Wooden shell with front part fully upholstered (B-PLUS) – the pad is made of 3-layer beech plywood, thickness 4.5 mm, covered with foam thickness 20 mm, density 25 kg/m³.

Fully upholstered shell (A-PLUS) – front pad made of foam thickness 20 mm, density 25 kg/m³, back pad made of foam thickness 10 mm, density 25 kg/m³.

2.4. Armrest

Fixed armrests – integrated with chair frame, armrest pads made of 8-layer beech plywood, thickness 12 mm.

Finish options:

- stained wood (NF-xx) as standard,
- laminated wood (NF-LAMINATE-yy) as an option, visible plywood edges protected with wax.

2.5. Writing tablet

Standard version (TR) – made of 7-layer beech plywood, thickness 10.5 mm.

Finish options:

- stained wood (TR-xx) as standard,
- laminated wood (TR-LAMINATE-yy) as an option, visible plywood edges protected with wax.

Anti-Panic version (TRA) – made of 7-layer beech plywood, thickness 10.5 mm. The tablet folds automatically, available with amortisation function.

Finish options:

- stained wood (TRA-xx) as standard,
- laminated wood (TRA-LAMINATE-yy) as an option, visible plywood edges protected with wax.

3. Accessories

FEN CART

- made of steel tube diameter 22 × 1.5 mm,
 - 4 castors diameter 75 mm, 2 castors with manual brakes,
 - powder-coated in Jet black RAL 9005 colour.
- Cart dimensions:
590 mm × 600 mm × 255 mm (height)

4. Packaging

- FEN 4L and 4L-ARM – 4 pieces per box (assembled), 4 boxes per pallet
- FEN 4L-ARM TRA/TLA – 3 pieces per box (assembled), 4 boxes per pallet
- FEN 4L-ARM TR/TL – 3 pieces per box (chair assembled, writing tablet packed separately), 4 boxes per pallet.

5. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)

Durability certificate – compliant with EN 16139.

OPTIONS – CONFERENCE CHAIRS

Options	Code	Surcharge				
		Upholstery price group				
		1	2	3	4	5
Wooden shell with upholstered seat pad	SEAT-PLUS	19	24	29	33	48
Wooden shell with upholstered seat pad and backrest pad	PLUS	40	50	57	68	93
Wooden shell with front part upholstered	B-PLUS	45	58	68	80	106
Fully upholstered shell	A-PLUS	21	32	45	60	82
Laminated wood (shell, arm pads) applicable to 4L and 4L-ARM except A-PLUS version	LAMINATE**	21				
Laminated wood (shell, arm pads, writing tablet top) applicable to 4L-ARM-TR and 4L-ARM-TRA except A-PLUS version	LAMINATE**	28				
Writing tablet – left hand version (applicable to FEN 4L-ARM-TR)	TL-xx*	0				
Anti-Panic writing tablet – left hand version (applicable to FEN 4L-ARM-TRA)	TLA-xx*	0				
Laminated arm pads (surcharge for A-PLUS version only)	NF-LAMINATE**	11				
Laminated arm pads and writing tablet top, right or left hand version (applicable to FEN 4L-ARM-TR/TL, A-PLUS versions only)	NF-TR/TL-LAMINATE**	17				
Laminated arm pads and writing tablet top, right or left hand version (applicable to FEN 4L-ARM-TRA/TLA, A-PLUS versions only)	NF-TRA/TLA-LAMINATE**	17				
Frame chromium plated (4L)	CR	19				
Frame chromium plated (4L-ARM, 4L-ARM-TR, 4L-ARM-TRA)	CR	30				
Frame powder-coated in White aluminium RAL 9006	ALU	0				
Frame powder-coated in Fashion Collection: Grey blue RAL 5008/Black green RAL 6012/Cashmere NCS S 2005-Y60R	GE/BN/NK	0				
Metal link integrated with frame for connecting chairs into rows	CLICK	43				
Numbering, 3D sticker or embroidery (price per 1 piece)	NRM***	12				
Glides with felt for hard floors	GBF	11				

*Please specify colour code of wood – [see finishes](#)

**Please specify colour code of laminate – [see finishes](#)

***Qty and type to be specified per order

PRICE GROUP 1: Bondai*, Era, Kaiman, Lucia**, Oflum, Sempre, Sempre Melange
PRICE GROUP 2: Felicity, Mafra, Radio, Rivet, Valencia, Xtreme

PRICE GROUP 3: Runner, Silvertex, Step, Step Melange, Split leather (SP)*
PRICE GROUP 4: Blazer, Fame, Synergy
PRICE GROUP 5: Fine leather (LE)***, Fine leather (SD)***, Remix 3





*Fabric not applicable to A-PLUS and B-PLUS versions.

**Fabric not applicable to A-PLUS version.

***Fabric not applicable to B-PLUS version.

Apart from the product number /code, please specify options, upholstery and other finishes to complete an order.



PRICE LIST – CONFERENCE CHAIRS

Model	Description	Basic price (EUR)
		Wood
FEN 4L 	Conference chair on 4-leg frame powder-coated in Jet black RAL 9005 (BL) colour, wooden shell, glides for soft floors (GB).	113
FEN 4L-ARM 	Conference chair on 4-leg frame powder-coated in Jet black RAL 9005 (BL) colour, integrated armrests with wooden armrest pads (NF-xx*), wooden shell, glides for soft floors (GB).	148
FEN 4L-ARM-TR 	Conference chair on 4-leg frame powder-coated in Jet black RAL 9005 (BL) colour, integrated armrests with wooden armrest pads (NF-xx*) and right hand wooden writing tablet (TR-xx*), wooden shell, glides for soft floors (GB), not stackable version.	205
FEN 4L-ARM-TRA 	Conference chair on 4-leg frame powder-coated in Jet black RAL 9005 (BL) colour, integrated armrests with wooden armrest pads (NF-xx*) and wooden Anti-Panic writing tablet (TRA-xx*), wooden shell, glides for soft floors (GB), stackable up to 4 pieces.	247

*Please specify colour code of wood – see finishes


**Please specify colour code of laminate – see finishes

PRICE LIST – FEN ACCESSORIES


Model	Description	Basic price (EUR)
UNIVERSAL ROW CONNECTOR 	Row distance adjustment (470–530 mm) for all FEN 4-leg versions. Possible mounting to the floor. The connector is powder-coated in Jet black RAL 9005 (BL) colour.	58
FEN CART 	Cart for transportation of 10 pcs stacked chairs. Cart powder-coated in Jet black RAL 9005 (BL) colour.	175

AxO

1. Dimensions / Weight




AXO 10




AXO 11




AXO 20




AXO 21




AXO 40




AXO 41




AXO 50




AXO 51




AXO Table
weight: 9.30 kg




AXO Tablet



AXO Cart



UNIVERSAL ROW CONNECTOR
weight: 0.95 kg



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
AXO 100	450	430	420	420	410	850	410	400	—	490	—	563	6.85
AXO 101	470	445	420	420	410	850	410	400	—	490	—	563	6.85
AXO 102	470	445	420	420	410	850	410	400	—	490	—	563	6.85
AXO 110	450	430	420	420	410	850	410	400	660	490	610	563	9.7
AXO 200	450	430	420	420	410	850	410	400	—	490	550	715	9.3
AXO 210	450	430	420	420	410	850	410	400	660	490	610	715	9.8
AXO 400	450	430	420	420	410	850	410	400	—	1020	—	563	14.6
AXO 411	470	445	420	420	410	850	410	400	660	1020	1140	563	17.5
AXO 500	450	430	420	420	410	850	410	400	—	1550	—	563	21
AXO 511	470	445	420	420	410	850	410	400	660	1550	1670	563	23.8

- A – Seat height
- A1 – Seat height according to standard EN 16139
- B – Seat depth
- C – Seat surface depth

- D – Seat width
- E – Overall height
- F – Backrest width
- G – Backrest length
- H – Armrests height

- K – Base width
- V – Overall width
- L – Overall depth

2. Materials / Versions

2.1. Frame

2.1.1. Frame

4-leg frame – made of $\varnothing 22 \times 2$ mm steel tube.

Finish options:

- chromium plated (CR),
- powder-coated in White aluminium RAL 9006 (ALU) colour,
- powder-coated in Jet black RAL 9005 (BL).

Available versions: 4-leg, 4-leg with armrests, 4-leg with writing tablet, 4-leg with writing tablet and armrest, 4-leg bench for 2 or 3 persons, with or without armrests.

Stacking:

All versions except benches – up to 10 pcs.

2.1.2. Click / link

CLICK AXO J1 – fixed steel brackets with black plastic connectors for connecting chairs into rows, dedicated for Axo chairs without arms (AXO 10).

CLICK J1-NRM – fixed steel brackets with black plastic connectors for connecting chairs into rows with numbering application, dedicated for Axo chairs without arms (AXO 10). Numbering to be ordered separately.

CLICK AXO-J2 – steel brackets with black plastic connectors for connecting chairs into rows, dedicated for all Axo chair versions, width adjustment in three positions.

CLICK AXO-J2-NRM – steel brackets with black plastic connectors for connecting chairs into rows with numbering application, dedicated for all Axo chair versions, width adjustment in three positions. Numbering to be ordered separately.

AXO NUMBERING – sticker with numbering or interchangeable magnetic numbering to be ordered separately.

UNIVERSAL ROW CONNECTOR

- dedicated to connect rows of chairs,
- distance adjustment: 410–470 mm,
- possibility of mounting to the floor,
- powder-coated in Jet black RAL 9005 (BL) colour.

2.2. Glides

Glides for soft floors as standard, glides with felt for hard floors (G17F) as an option.

Self-levelling glides for soft floors (G3) or with felt for hard floors (G3F), both as an option. Chair height is increased by approx. 20 mm.

Glides G3 and G3F are not applicable to AXO benches.

2.3. Seat and backrest

Wooden shell (0) – made of 7-layer beech plywood, thickness 10.5 mm

Laminated wooden shell (LL) – made of 7-layer beech plywood, thickness 10.5 mm. Visible plywood edges protected with wax.

Veneered wooden shell (FT) – made of 7-layer beech plywood, thickness 10.5 mm.

Wooden shell with upholstered seat pad (1) – the structure of seat pad is made of beech plywood, thickness 4.5 mm, covered with CFC-free PU cut foam, density approx. 25 kg/m³, thickness 12 mm.

Wooden shell with upholstered seat pad and backrest pad (2) – seat and backrest pad structure made of beech plywood, thickness 4.5 mm, covered with CFC-free PU cut foam, density approx. 25 kg/m³, thickness 12 mm. Seat dimensions: width 410 mm, depth 420 mm.

2.4. Armrests

Fixed armrests – armrest frame made of $\varnothing 11$ mm steel rod always in the colour of chair frame or specified if ordered separately, armrest pad made of 10-layer beech plywood, thickness 14 mm.

Finish options / armrest pad: stained, laminated or veneered. Visible plywood edges protected with wax (laminated version).

2.5. Writing tablet

AXO WRITING TABLET – the structure of tablet top made of 7-layer plywood, thickness 10 mm. Writing tablet frame always in the colour of chair frame or specified if ordered separately.

Finish options / tablet top: stained, laminated or veneered. Visible plywood edges protected with wax (laminated version).

Right hand version as standard, left hand version as an option.

3. Table

AXO TABLE – 4-leg base is made of $\varnothing 22 \times 2.5$ mm steel tube, table top made of melamine faced chipboard with 2 mm ABS edge, thickness 18 mm. The table is equipped with clicks to link the tables into rows. Stacking up to 20 pieces.

4. Accessories

AXO CART – cart dedicated for transporting stacked AXO chairs and tables.

Cart structure made of melamine faced chipboard, thickness 18 mm (colour NH Maple). Frame made of solid beech wood strips in natural colour 1.007, 4 castors for hard floors (rubber tires) including two castors with brakes.

Overall dimension:

820 × 620 mm (width × depth), 150 mm (height).

Max. load capacity: 12 pcs of AXO tables or 6 pcs of AXO chairs.

5. Packaging

Axo 10 – up to 4 pieces per box (assembled).

Axo 11, 20, 21 – up to 3 pieces per box (assembled).

Other – 1 piece per box (assembled).

6. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)

GS Safety Certificate (applicable to AXO 10, 11, 40, 41, 50, 51).

Remodex (durability certificate) – approvals compliant with:

EN 14703, EN 16139, EN 1728, EN 1022 (applicable to Axo 10, 11, 20, 21), EN 16139, EN 1728, EN 1022 (applicable to AXO 40, 41, 50, 51).

OPTIONS – CONFERENCE CHAIRS

Options	Code	Surcharge				
		Upholstery price group				
		1	2	3	4	5
Wooden shell with upholstered seat pad	1	21	28	33	42	56
Wooden shell with upholstered seat pad and backrest pad	2	44	50	58	65	91
Laminated wood (shell, applicable to AXO 10)	LL*	28				
Laminated wood (shell, arm pads, applicable to AXO11)	LL*	32				
Laminated wood (shell, writing tablet top, applicable to AXO 20)	LL*	33				
Laminated wood (shell, arm pad, writing tablet top, applicable to AXO21)	LL*	40				
Veneered wood (shell, applicable to AXO 10)	FT**	45				
Veneered wood (shell, arm pads, applicable to AXO11)	FT**	57				
Veneered wood (shell, writing tablet top, applicable to AXO 20)	FT**	57				
Veneered wood (shell, arm pad, writing tablet top, applicable to AXO21)	FT**	62				
Writing tablet – left hand version (applicable to AXO 20 & AXO 21)	T/L	0				
4-leg frame chromium plated (AXO 10)	CR	18				
4-leg frame chromium plated (AXO 11 and AXO 20)	CR	27				
4-leg frame chromium plated (AXO 21)	CR	31				
4-leg frame powder-coated in White aluminium RAL 9006 colour (all AXO versions)	ALU	0				
Metal link integrated with frame for connecting chairs into rows (applicable to AXO 10)	J1	16				
Metal link integrated with frame for connecting chairs into rows with space for numbering, numbering to be ordered separately (applicable to AXO 10)	J1-NRM	19				
Metal link integrated with frame for connecting chairs into rows, width adjustment in three positions (applicable to AXO 10, AXO 11, AXO 20, AXO 21)	J2***	16				
Metal link integrated with frame for connecting chairs into rows, width adjustment in three positions with space for interchangeable numbering, numbering to be ordered separately (applicable to AXO 10 and AXO 11, AXO 20, AXO 21)	J2-NRM***	19				
Interchangeable self-adhesive or magnetic numbering applicable to J1-NRM or J2-NRM (price per 1 piece)	NRM****	12				
Glides with felt for hard floors	G17F	11				
Self-levelling glides for soft floors	G3	13				
Self-levelling glides with felt for hard floors	G3F	16				

* Please specify colour code of laminate – [see finishes](#)

** Please specify colour code of veneer – [see finishes](#)

*** See [more linking options](#)

**** Qty and type to be specified per order

PRICE GROUP 1: Bondai, Era, Kaiman, Lucia, Oflum, Sempre, Sempre Melange

PRICE GROUP 2: Felicity, Radio, Rivet, Valencia, Xtreme





PRICE GROUP 3: Silvertex, Step, Step Melange

PRICE GROUP 4: Blazer, Fame, Synergy

PRICE GROUP 5: Remix 3

Apart from the product number/code, please specify options, upholstery and other finishes to complete an order

PRICE LIST – CONFERENCE CHAIRS

Model	Description	Basic price (EUR)
<p>AXO 10</p> 	<p>Conference chair on 4-leg frame powder-coated in Jet black RAL 9005 colour (BL), no armrests (10) wooden shell (0), glides for soft floors.</p>	<p>Wood</p> <p>133</p>
<p>AXO 11</p> 	<p>Conference chair on 4-leg frame powder-coated in Jet black RAL 9005 colour (BL), with armrests (11), wooden shell (0), glides for soft floors.</p>	<p>180</p>
<p>AXO 20</p> 	<p>Conference chair on 4-leg frame powder-coated in Jet black RAL 9005 colour (BL), right hand wooden writing tablet (20), wooden shell (0), glides for soft floors.</p>	<p>196</p>
<p>AXO 21</p> 	<p>Conference chair on 4-leg frame powder-coated in Jet black RAL 9005 colour (BL), right hand wooden writing tablet and armrest (21), wooden shell (0), glides for soft floors.</p>	<p>243</p>

* Dimension measured in accordance with EN 16139 standard

OPTIONS – BENCHES

Options	Code	Surcharge				
		Upholstery price group				
		1	2	3	4	5
Wooden shell with upholstered seat pad (AXO 40, AXO 41)	1	43	55	64	78	108
Wooden shell with upholstered seat pad and backrest pad (AXO 40, AXO 41)	2	82	94	115	132	183
Wooden shell with upholstered seat pad (AXO 50, AXO 51)	1	59	81	95	113	157
Wooden shell with upholstered seat pad and backrest pad (AXO 50, AXO 51)	2	121	143	171	196	272
Laminated wood (shells, applicable to AXO 40)	LL*	53				
Laminated wood (shells, arm pads, applicable to AXO 41)	LL*	57				
Laminated wood (shells, applicable to AXO 50)	LL*	79				
Laminated wood (shells, arm pads, applicable to AXO 51)	LL*	83				
Veneered wood (shells, applicable to AXO 40)	FT**	53				
Veneered wood (shells, arm pads, applicable to AXO 41)	FT**	57				
Veneered wood (shells, applicable to AXO 50)	FT**	79				
Veneered wood (shells, arm pads, applicable to AXO 51)	FT**	83				
4-leg frame chromium plated (AXO 40)	CR	33				
4-leg frame chromium plated (AXO 41)	CR	44				
4-leg frame chromium plated (AXO 50)	CR	41				
4-leg frame chromium plated (AXO 51)	CR	47				
4-leg frame powder-coated in White aluminium RAL 9006 colour (all AXO bench models)	ALU	0				
Glides with felt for hard floors	G17F	11				

* Please specify colour code of laminate – [see finishes](#)

** Please specify colour code of veneer – [see finishes](#)

PRICE GROUP 1: Bondai, Era, Kaiman, Lucia, Oflum, Sempre, Sempre Melange

PRICE GROUP 2: Felicity, Radio, Rivet, Valencia, Xtreme





PRICE GROUP 3: Silvertex, Step, Step Melange

PRICE GROUP 4: Blazer, Fame, Synergy

PRICE GROUP 5: Remix 3

Apart from the product number/code, please specify options, upholstery and other finishes to complete an order

PRICE LIST – BENCHES

Model	Description	Basic price (EUR)
		Wood
<p>AXO 40</p> 	<p>Bench on 4-leg frame for 2 people (40), powder-coated frame in Jet black RAL 9005 colour (BL), wooden shells (0), glides for soft floors.</p>	<p>264</p>
<p>AXO 41</p> 	<p>Bench on 4-leg frame, for 2 people (41), powder-coated frame in Jet black RAL 9005 colour (BL), armrests with wooden pads, wooden shells (0), glides for soft floors.</p>	<p>309</p>
<p>AXO 50</p> 	<p>Bench on 4-leg frame for 3 people (50), powder-coated frame in Jet black RAL 9005 colour (BL), wooden shells (0), glides for soft floors.</p>	<p>393</p>
<p>AXO 51</p> 	<p>Bench on 4-leg frame, for 3 people (51), powder-coated frame in Jet black RAL 9005 colour (BL), armrests with wooden pads, wooden shells (0), glides for soft floors.</p>	<p>439</p>

OPTIONS – ADDITIONAL ELEMENTS






Options	Code	Surcharge
Wooden writing tablet, left hand version	T/L	0
Laminated writing tablet top	LL*	11
Laminated arm pad	LL*	8
Veneered writing tablet top	FT**	17
Veneered arm pad	FT**	11
Frame chromium plated (AXO table)	CR	16
Frame chromium plated (AXO writing tablet)	CR	13
Frame chromium plated (AXO armrest)	CR	9
Frame powder-coated in White aluminium RAL 9006 colour (table, writing tablet, armrest)	ALU	0

* Please specify colour code of laminate – [see finishes](#)

** Please specify colour code of veneer – [see finishes](#)


Apart from the product number / code, please specify options, upholstery and other finishes to complete an order

PRICE LIST – ADDITIONAL ELEMENTS


Model	Description	Basic price (EUR)
<p>AXO TABLE</p> 	<p>Table with 4-leg base, powder-coated in Jet black RAL 9005 (BL) colour, 18 mm thick melamine table top with 2 mm ABS edge. The table is equipped with clicks to link the tables into rows. Stacking up to 20 pcs.</p>	<p>125</p>
<p>AXO WRITING TABLET</p> 	<p>Wooden writing tablet, right hand version (T/R), powder-coated frame in Jet black RAL 9005 (BL) colour.</p>	<p>68</p>
<p>AXO ARMREST</p> 	<p>Symmetrical armrest (right or left), powder-coated frame in Jet black RAL 9005 (BL) colour, wooden pad, set of screws included.</p>	<p>30</p>
<p>AXO CART</p> 	<p>Cart dedicated for transporting stacked AXO chairs and tables. Cart structure made of melamine faced chipboard, thickness 18 mm (colour NH Maple). Frame made of solid beech wood strips in natural colour 1.007, 4 castors for hard floors (rubber tires) including two castors with brakes. Max. load capacity: 12 pcs of AXO tables or 6 pcs of AXO chairs.</p>	<p>181</p>
<p>UNIVERSAL ROW CONNECTOR</p> 	<p>Row distance adjustment (410–470 mm). Possible mounting to the floor. The connector is powder-coated in Jet black RAL 9005 (BL) colour.</p>	<p>58</p>

Espacio


1. Dimensions / Weight




ESPACIO 4L




ESPACIO 4L-ARM



ESPACIO CFP
weight: 8.70 kg



UNIVERSAL ROW CONNECTOR
weight: 0.95 kg



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
ESPACIO 4L WOOD GBP / GBPF	447	425	425	425	435	825	388	385	—	520	520	545	6.3
ESPACIO 4L WOOD GBF	442	420	425	425	435	815	388	385	—	520	520	545	6.3
ESPACIO 4L SEAT-PLUS GBP / GBPF	455	435	425	425	435	825	388	385	—	520	520	545	6.7
ESPACIO 4L SEAT-PLUS GBF	450	430	425	425	435	815	388	385	—	520	520	545	6.7
ESPACIO 4L-ARM WOOD GBP / GBPF	450	430	425	425	435	820	388	385	665	520	527	545	7.4
ESPACIO 4L-ARM WOOD GBF	445	425	425	425	435	815	388	385	665	520	527	545	7.4
ESPACIO 4L-ARM SEAT-PLUS GBP / GBPF	455	435	425	425	435	820	388	385	665	520	527	545	7.8
ESPACIO 4L-ARM SEAT-PLUS GBF	450	430	425	425	435	815	388	385	665	520	527	545	7.8
ESPACIO CFP WOOD GBF	440	420	425	425	435	820	388	382	652	520	532	570	8,0
ESPACIO CFP SEAT-PLUS GBF	447	425	425	425	435	820	388	385	652	520	532	570	8,4

- A – Seat height
- A1 – Seat height according to standard EN 16139
- B – Seat depth
- C – Seat surface depth

- D – Seat width
- E – Overall height
- F – Backrest width
- G – Backrest length
- H – Armrests height

- K – Base width
- V – Overall width
- L – Overall depth

2. Materials / Versions

2.1. Frame

2.1.1. Frame

4-leg frame (4L) – made of steel tube legs Ø 22 × 2.0 mm, supporting bars Ø 22 × 2.5 mm.

4-leg frame with armrests (4L-ARM) – made of steel tube Ø 22 × 2.0 mm, supporting bars Ø 22 × 2.5 mm.

Cantilever frame with armrests (CFP) – made of steel tube Ø 22 × 2.5 mm.

Finish options:

– chromium plated (CR).

Stacking – 4 pieces

2.1.2. Click/link

UNIVERSAL ROW CONNECTOR

- dedicated to connect opposite rows of chairs,
- distance adjustment: 470–530 mm,
- fixing to the floor as an option,
- powder-coated in Jet black RAL 9005 (BL) colour.

ESPACIO ROW CONNECTOR RIGHT

- dedicated to connect opposite rows of chairs,
- distance between rows: 490 mm,
- fixing to the floor as an option,
- chromium plated finish.

2.2. Glides

4-leg frame

Glides for soft floors (GB) as standard and for hard floors (GBF) as an option.

Self-levelling glides for soft floors (GBP) or hard floors (GBPF) both as an option – chair with self-levelling glides is approx. 20 mm higher.

Cantilever CFP frame

Glides for soft floors (GB) as standard or for hard floors (GBF) as an option.

2.3. Seat and backrest

Wooden shell (WOOD) – made of 6-layer beech plywood, thickness 9 mm.

Wooden shell with upholstered pad on seat (SEAT-PLUS) – the structure of seat pad is made of 3-layer beech plywood, thickness 3.5 mm, covered with foam thickness 9 mm, density 35 kg/m³.

All versions available with stacking cushion made of beech plywood, thickness 5 mm, covered with foam, thickness 9 mm, density 21 kg/m³ (as standard).

2.4. Armrests

Fixed armrests – integrated with the chair frame. Armrests caps made of solid beech wood, thickness 10 mm.

3. Packaging

4L/4L ARM: 4 pieces (assembled chair).

CFP: 3 pieces (assembled chair).

4. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)



REMODEX – durability certificate: EN 16139, EN 1728, EN 1022.

OPTIONS – CONFERENCE CHAIRS

Options	Code	Surcharge				
		Upholstery price group				
		1	2	3	4	5
Wooden shell with upholstered seat pad	SEAT-PLUS	19	24	29	33	48
Veneered wooden shell (applicable to ESPACIO 4L)	FT*	45				
Veneered wooden shell and arm pads (applicable to ESPACIO 4L-ARM, CFP)	FT*	52				
Glides with felt for hard floors	GBF	11				
Self-leveling glides for soft floors	GBP	13				
Self-leveling glides with felt for hard floors	GBPF	16				

* Please specify colour code of veneer – [see finishes](#)

PRICE LIST – ACCESSORIES

Model	Description	Price
UNIVERSAL ROW CONNECTOR 	Row distance adjustment (470–530 mm) for ESPACIO 4-leg versions. Possible mounting to the floor. The connector is powder-coated in Jet black RAL 9005 (BL) colour.	58
ESPACIO ROW CONNECTOR RIGHT 	Row distance adjustment (approx. 490 mm), chromium plated for ESPACIO 4-leg versions. Possible mounting to the floor. The connector is chromium plated.	31

PRICE GROUP 1: Bondai, Era, Kaiman Lucia, Ofium, Sempre, Sempre Melange

PRICE GROUP 2: Felicity, Radio , Rivet, Valencia, Xtreme




PRICE GROUP 3: Silvertex, Step, Step Melange

PRICE GROUP 4: Blazer, Fame, Synergy

PRICE GROUP 5: Fine leather (LE), Fine leather (SD), Remix 3

Apart from the product number / code, please specify options, upholstery and other finishes to complete an order


PRICE LIST – CONFERENCE CHAIRS

Model	Description	Basic price (EUR)
<p>ESPACIO 4L</p> 	<p>Conference chair on 4-leg chromium plated frame (4L-CR), wooden shell, stacking protection, glides for soft floors (GB).</p>	<p>Wood</p> <p>156</p>
<p>ESPACIO 4L-ARM</p> 	<p>Conference chair on 4-leg chromium plated frame integrated armrests (4L-ARM-CR) with wooden pads (NF-xx*), wooden shell, stacking protection, glides for soft floors (GB).</p>	<p>187</p>
<p>ESPACIO CFP</p> 	<p>Conference chair on cantilever frame chromium plated integrated armrests (CFP-CR) with wooden pads (NF-xx*), wooden shell, stacking protection, glides for soft floors (GB).</p>	<p>204</p>


*Please specify colour code of wood – [see finishes](#)

Zen


1.1. Dimensions / Weight




ZEN-LB 4L



ZEN-LB 4L-ARM



ZEN 4L-ARM



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
ZEN-LB 4L	470	440	425	370	450	815	450	320	—	535	490	530	7.5
ZEN-LB 4L-ARM	470	440	425	370	420	815	450	320	630	535	580	555	8
ZEN 4L-ARM	470	440	425	370	420	945	450	460	630	535	580	575	8.9

A – Seat height

A1 – Seat height according to standard EN 16139

B – Seat depth

C – Seat surface depth

D – Seat width

E – Overall height

F – Backrest width

G – Backrest length

H – Armrests height

K – Base width

V – Overall width

L – Overall depth

2. Materials / Versions

2.1. Frame

4-leg frame – made of $\varnothing 22 \times 2$ mm steel tube.

Finish options:

- powder-coated in Jet black RAL 9005 (BL),
- powder-coated in White aluminium RAL 9006 (ALU),
- chromium plated (CR).

Stacking:

4-leg and 4-leg Arm – up to 4 pcs.

2.2. Glides

Glides for soft floors (GB) as standard, or hard floors (GBF) as an option.

2.3. Seat and backrest

Seat

Structure made of 7-layer beech plywood, thickness 10.5 mm, covered with foam, thickness 40 mm, density 35 kg/m³.

Backrest

Structure made of 7-layer beech plywood, thickness 10.5 mm, covered with foam, thickness 20 mm and 9 mm, density 25 kg/m³.

2.4. Armrests

Fixed armrests – integrated with chair frame, armrest pads made of solid beech wood, dimensions: 425 × 40 × 18 mm.

3. Packaging

ZEN-LB 4L – up to 4 pieces per box (assembled).

ZEN-LB 4L-ARM – up to 3 pieces per box (assembled).

ZEN 4L-ARM – up to 3 pieces per box (assembled).




4. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)

Remodex (durability certificate) – approvals compliant with: EN 16139, EN 1728, EN 1022.

OPTIONS – CONFERENCE CHAIRS

Options	Code	Surcharge
4-leg frame powder-coated in White aluminium RAL 9006 colour	4L-ALU	0
4-leg frame chromium plated	4L-CR	17
4-leg frame chromium plated with integrated armrests	4L-ARM-CR	19
4-leg frame powder-coated in White aluminium RAL 9006 colour with integrated armrests	4L-ARM-ALU	0
Glides with felt for hard floors	G8F	11

PRICE LIST – CONFERENCE CHAIRS

Model	Description	Basic price (EUR)				
		Upholstery price group				
		1	2	3	4	5
ZEN-LB 4L 	Conference chair on 4-leg frame powder-coated in Jet black RAL 9005 (BL) colour, no armrests, fully upholstered seat and backrest, glides for soft floors (GB).	107	116	127	142	170
ZEN-LB 4L-ARM 	Conference chair on 4-leg frame powder-coated in Jet black RAL 9005 (BL) colour, integrated armrests with wooden pads (NF-xx*), fully upholstered seat and low backrest (LB), glides for soft floors (GB).	134	146	155	170	199
ZEN 4L-ARM 	Conference chair on 4-leg frame powder-coated in Jet black RAL 9005 (BL) colour, integrated armrests with wooden pads (NF-xx*), fully upholstered seat and backrest, glides for soft floors (GB).	136	150	164	185	220

*Please specify colour code of wood – [see finishes](#)

Wing II


1. Dimensions / Weight




WING II




WING II CLICK




WING II CFS




WING II CFL




WING II.20



WING II.20 CLICK




WING II W




WING II TR



WING II W CLICK-J4



UNIVERSAL ROW CONNECTOR
weight: 0.95 kg



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
WING II 4L	450	438	410	410	420	850	400	435	—	500	500	550	5.9
WING II PLUS 4L	460	445	410	410	420	850	400	435	—	500	500	550	6.3
WING II SEAT PLUS 4L	460	445	410	410	420	850	400	435	—	500	500	550	6.1
WING II CLICK 4L	450	438	410	410	420	850	400	435	—	500	520	550	6
WING II CLICK PLUS 4L	460	445	410	410	420	850	400	435	—	500	520	550	6.4
WING II CLICK SEAT PLUS 4L	460	445	410	410	420	850	400	435	—	500	520	550	6.2
WING II CFS	465	453	410	410	420	865	400	435	—	540	540	605	6.9
WING II CFS PLUS	475	460	410	410	420	865	400	435	—	540	540	605	7.3
WING II CFS SEAT PLUS	475	460	410	410	420	865	400	435	—	540	540	605	7.1
WING II W NF 4L	450	438	410	410	420	850	400	435	630	500	525	550	6.6
WING II W NF PLUS 4L	460	445	410	410	420	850	400	435	630	500	525	550	7
WING II W NF SEAT PLUS 4L	460	445	410	410	420	850	400	435	630	500	525	550	6.8
WING II W CLICK-J4 NF 4L	450	438	410	410	420	850	400	435	630	500	525	550	6.75
WING II W CLICK-J4 NF PLUS 4L	460	445	410	410	420	850	400	435	630	500	525	550	7.15
WING II W CLICK-J4 NF SEAT PLUS 4L	460	445	410	410	420	850	400	435	630	500	525	550	6.95
WING II TR/TL 4L	450	435	410	410	420	850	400	435	630	500	550	705	6.9
WING II TR/TL PLUS 4L	460	445	410	410	420	850	400	435	630	500	550	705	7.3
WING II TR/TL SEAT PLUS 4L	460	445	410	410	420	850	400	435	630	500	550	705	7.1

A – Seat height
 A1 – Seat height according to standard EN 16139
 B – Seat depth
 C – Seat surface depth

D – Seat width
 E – Overall height
 F – Backrest width
 G – Backrest length
 H – Armrests height

K – Base width
 V – Overall width
 L – Overall depth

2. Materials / Versions

2.1. Frame

2.1.1. Frame

4-leg frame – made of $\varnothing 20 \times 2.0$ mm steel tube and $\varnothing 6$ mm steel bar.

CFS sled frame – made of $\varnothing 16 \times 2.0$ mm steel tube and $\varnothing 18 \times 1.5$, $\varnothing 5$ mm steel bar.

CFL cantilever frame – made of $\varnothing 22 \times 2.5$ mm steel tube and 25×4.0 mm flat bar.

Finish options

- chromium plated (CR),
- powder-coated in White aluminium RAL 9006 (ALU),
- powder-coated in Traffic white RAL 9016 (WT),
- powder-coated in Jet black RAL 9005 (BL),
- or Fashion Collection colour.

Stacking:

4L – 8 pieces,

CFS, CFL – 10 pieces.

Wing cart and Universal chair cart available.

2.1.2. Click/link

CLICK – $\varnothing 6$ mm steel rod integrated with the frame to connect Wing II 4L into rows.

CLICK-J4 – $\varnothing 6$ mm steel rod integrated with the frame to connect Wing II 4L and WING II W 4L into rows.

UNIVERSAL ROW CONNECTOR

- dedicated to connect opposite rows of chairs,
- distance adjustment: 450–510 mm,
- possibility of mounting to the floor,
- powder-coated in Jet black RAL 9005 (BL).

2.2. Glides

Glides for soft floors (GB) as standard or hard floors (GBF) as an option.

2.3. Seat and backrest

Wooden shell (WOOD) – made of 8-layer beech plywood, thickness 10.5 mm.

Laminated wooden shell (LAMINATE) – made of 8-layer beech plywood, thickness 10.5 mm.

Visible plywood edges protected with wax.

Wooden shell with upholstered pad on seat (SEAT-PLUS) – the structure of seat pad is made of 3-layer beech plywood, thickness 4.5 mm, covered with foam thickness 15 mm, density 25 kg/m³.

Wooden shell with upholstered seat pad and backrest pad (PLUS) – seat and backrest pad structure made of 3-layer beech plywood, thickness 4.5 mm, covered with foam thickness 15 mm, density 25 kg/m³.

2.4. Armrests

Fixed armrest – integrated with chair frame (WING II W), armrest pads (50 × 180 mm) made of plywood, thickness 17 mm.

Finish options:

- stained (NF-xx),
- laminated.

2.5. Writing tablet

Writing tablet (right and left hand version) made of 8-layer beech plywood, thickness 10.5 mm. Tablet top dimensions: 355 × 283 mm.

Finish options:

- stained plywood,
- laminated plywood, visible plywood edges protected with wax.

3. Accessories

WING CART – made of steel tube diameter 25 × 2.0 mm with supports and diameter 20 × 2.0 mm for handles with rod bar diameter 8 mm, handles to be fixed to the cart after stacking the chairs, 4 castors diameter 75 mm, 2 castors with manual brakes, powder-coated in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL) colour. 24 pcs to be stacked back to back.

Cart dimensions:

650 mm x 1720 mm x 840 mm (height)

4. Packaging

4 pcs per box (assembled chair).

5. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)

REMODEX – durability certificate: EN 16139, EN 1728, EN 1022

Proven Safety Certificate GS.

FEMB Level Standard Certificate (LEVEL 3).

*Dimensions measured under load in accordance with the EN standard.




OPTIONS – CONFERENCE CHAIR

Options	Code	Surcharge					
		Upholstery price group					
		0	1	2	3	4	5
Wooden shell with upholstered seat pad	SEAT PLUS	15	17	19	22	27	37
Wooden shell with upholstered seat pad and backrest pad (not applicable to Wing II 20)	PLUS	24	28	33	42	47	64
Wooden writing tablet – left hand version (applicable to WING II TR)	TL-xx*	0					
Wooden shell or shell with armpads with slightly visible wood grains	2.xx*	15					
Laminated wooden shell (applicable to WING II, WING II CFS, WING II CFL, WING II 20, WING II W)	LAMINATE**	21					
Laminated wooden shell, armpads and writing tablet top (applicable to WING II TR/TL)	LAMINATE**	28					
4-leg frame chromium plated (WING II 4L)	4L-CR	10					
4-leg frame chromium plated with integrated armrest and writing tablet (WING II TR)	CR	11					
4-leg frame chromium plated with integrated armrests (WING II W)	CR	12					
Sled frame chromium plated (WING II CFS)	CFS-CR	16					
Frame powder-coated in White aluminium RAL 9006/Traffic white RAL 9016	ALU/WT	0					
Frame powder-coated in Fashion Collection: Grey blue RAL 5008/Black green RAL 6012/Cashmere NCS S 2005-Y60R	GE/BN/NK	0					
Cantilever frame chromium plated (WING II CFL)	CFL-CR	28					
Link integrated with frame for connecting chairs into rows (dedicated for WING II 4L and WING II W)	CLICK-J4	38					
Link integrated with frame for connecting chairs into rows (WING II 4L)	CLICK	10					
Glides with felt for hard floors	GBF	11					

* Please specify colour code of wood – [see finishes](#)

** Please specify colour code of laminate – [see finishes](#)

PRICE LIST – ACCESSORIES

Model	Description	Price
UNIVERSAL ROW CONNECTOR 	Row distance adjustment (450–510 mm) for Wing 4-leg versions. Possible mounting to the floor. The connector is powder-coated in Jet black RAL 9005 (BL) colour.	58
WING CART 	Cart dedicated to stack and transport 24 pcs of Wing 4-leg chairs (2 × 12 pcs back to back piles). Cart powder-coated in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL) colour.	444
UNIVERSAL CHAIR CART 	Cart dedicated to stack and transport Wing chairs. Cart powder-coated in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL) colour.	184

PRICE GROUP 0: Basic, Micro, Oban

PRICE GROUP 1: Bondai, Era, Kaiman, Lucia, Oflum, Sempre, Sempre Melange

PRICE GROUP 2: Felicity, Radio, Rivet, Valencia, Xtreme







PRICE GROUP 3: Silvertex, Split Letaher (SP), Step, Step Melange

PRICE GROUP 4: Blazer, Fame, Synergy

PRICE GROUP 5: Remix 3

Apart from the product number /code, please specify option code, fabric and other finishes codes to complete an order.


PRICE LIST – CONFERENCE CHAIRS

Model	Description	Basic price (EUR)
<p>WING II</p> 	<p>Conference chair on 4-leg frame powder-coated in Jet black RAL 9005 colour (BL), wooden shell, glides for soft floors (GB).</p>	<p>Wood</p> <p>109</p>
<p>WING II CFS</p> 	<p>Conference chair on sled frame powder-coated in Jet black RAL 9005 colour (BL), wooden shell, glides for soft floors (GB).</p>	<p>108</p>
<p>Wing II CFL</p> 	<p>Conference chair on cantilever frame powder-coated in Jet black RAL 9005 colour (BL), wooden shell, glides for soft floors (GB).</p>	<p>135</p>
<p>WING II.20</p> 	<p>Conference chair on 4-leg frame powder-coated in Jet black RAL 9005 colour (BL), wooden shell with pattern, glides for soft floors (GB).</p>	<p>115</p>
<p>WING II TR</p> 	<p>Conference chair on 4-leg frame powder-coated in Jet black RAL 9005 colour (BL), closed integrated armrest with wooden pad (NF-xx*), right hand wooden writing tablet (TR-xx*), wooden shell, glides for soft floors (GB).</p>	<p>155</p>
<p>WING II W</p> 	<p>Conference chair on 4-leg frame powder-coated in Jet black RAL 9005 colour (BL), closed integrated armrests with wooden pads (NF-xx*), wooden shell, glides for soft floors (GB).</p>	<p>150</p>


*Please specify colour code of wood – [see finishes](#)

Calado


1. Dimensions / Weight




CALADO 4L




CALADO CFS




CALADO 4L-ARM



CALADO 4L-ARM/FRONT




CALADO TABLET



CALADO CART



UNIVERSAL ROW CONNECTOR



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
CALADO 4L	460	400	456	456	438	845	440	360	—	500	500	535	5,2
CALADO 4L-ARM	460	400	456	456	438	845	440	360	670	490	580	535	6,8
CALADO 4L-ARM/FRONT	460	400	456	456	438	845	440	360	670	490	580	535	6,6
CALADO CFS	460	400	456	456	438	845	440	360	—	540	540	510	6

- A – Seat height
- A1 – Seat height according to standard EN 16139
- B – Seat depth
- C – Seat surface depth

- D – Seat width
- E – Overall height
- F – Backrest width
- G – Backrest length
- H – Armrests height

- K – Base width
- V – Overall width
- L – Overall depth

2. Materials / Versions

2.1. Frame

2.1.1. Frame

Sled frame – made of steel rod Ø 11 mm.

4-leg frame – made of steel tube Ø 18 mm and steel rod Ø 11 mm

Finish options:

– chromium plated (CR).

Stacking:

- 4-leg chair up to 8 pieces, 12 pieces on a stacking cart,
- 4-leg chair with open or closed armrests up to 6 pieces, 10 pieces on a stacking cart,
- Sled frame chair up to 10 pieces, 21 pieces on a stacking cart.

2.1.2. Click / Link

GTL – glides for connecting chairs into rows dedicated to sled frame (CFS).

LINK-PLASTIC 18 REG – dedicated to connect Calado 4-leg with or without arms into rows. The link is made of black polypropylene (PP). 2 pcs are needed to connect 2 chairs.

UNIVERSAL ROW CONNECTOR

- dedicated to connect rows of chairs,
- distance adjustment: 470–530 mm,
- possibility of mounting to the floor,
- powder-coated in Jet black RAL 9005 (BL) colour.

2.2. Glides

Glides for soft floors (GB), as standard. Black colour for 4-leg chair, transparent for sled frame. Row linking glides (GTL) as an option.

2.3. Seat and backrest

Seat

Plastic seat – seat shell and cover made of polypropylene (PP).

Plastic seat with upholstered seat pad (SEAT-PLUS) – structure made of polypropylene (PP) seat covered with foam thickness 20 mm, density 25 kg/m³.

Backrest

Structure made of glass fiber reinforced polypropylene with openwork structure.

2.4. Armrests

Fixed armrests – integrated with chair frame, armrest pads made of polypropylene (PP) in the same finish as seat and backrest.

4L-ARM / FRONT model – chair can be hung on the table top.

2.5. Writing tablet

Writing tablet (right and left hand version) made of black ABS plastic, dedicated to Calado 4L-ARM model only, as an option. Writing tablet cannot be retrofitted. Calado chairs with writing tablets cannot be stacked.

3. Accessories

CALADO CART – for transporting stacked chairs, cart metal frame chromium plated, 4 wheels with a brake.

4. Packaging

4 pieces per box (assembled).



5. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)

Remodex (durability certificate) – EN 16139, EN 1728, EN 1022.

OPTIONS – CONFERENCE CHAIRS

Options	Code	Surcharge			
		Upholstery price group			
		1	2	3	4
Plastic seat with upholstered seat pad	SEAT-PLUS	19	24	29	33
Writing tablet (black ABS plastic) – right-hand version (applicable to 4L-ARM, ring armrests only)	TR	62			
Writing tablet (black ABS plastic) – left-hand version (applicable to 4L-ARM, ring armrests only)	TL	62			
Plastic link for connecting chairs into rows (dedicated to 4L, 4L ARM / FRONT, 4L ARM models)	LINK-PLASTIC 18 REG	10			
Glides for connecting chairs into rows (dedicated to sled frame CFS) for soft or hard floors.	GTL	11			

PRICE LIST – ACCESSORIES





Model	Description	Price
CALADO CART 	Cart for transporting stacked chairs Calado 4L – 10 pcs, Calado CFS – 21 pcs, chromium plated (CR).	234
UNIVERSAL ROW CONNECTOR 	Row distance adjustment (470–530 mm) for all Calado 4-leg versions. Possible mounting to the floor. The connector is powder-coated in Jet black RAL 9005 (BL) colour.	58

PRICE GROUP 1: Bondai, Era, Kaiman, Lucia, Oflum, Sempre, Sempre Melange
 PRICE GROUP 2: Felicity, Radio, Rivet, Valencia, Xtreme

PRICE GROUP 3: Silvertex, Step, Step Melange
 PRICE GROUP 4: Blazer, Fame, Synergy

Apart from the product number /code, please specify options, upholstery and other finishes to complete an order.

PRICE LIST – CONFERENCE CHAIRS


Model	Description	Basic price (EUR)
<p>CALADO 4L</p> 	<p>Conference chair on 4-leg frame chromium plated (4L-CR), plastic seat and backrest.</p>	<p>Plastic</p> <p>107</p>
<p>CALADO 4L-ARM</p> 	<p>Conference chair on 4-leg frame chromium plated with ring armrests (4L-ARM-CR), plastic seat and backrest.</p>	<p>158</p>
<p>CALADO 4L-ARM / FRONT</p> 	<p>Conference chair on 4-leg frame chromium plated with open armrests (4L-ARM / FRONT-CR), plastic seat and backrest.</p>	<p>142</p>
<p>CALADO CFS</p> 	<p>Conference chair on sled frame chromium plated (CFS-CR), plastic seat and backrest.</p>	<p>112</p>

Vesta New


Technical description

NowyStyl


1. Dimensions / Weight




VESTA-NEW CFS
weight: 5.10 kg



VESTA-NEW CFP
weight: 5.80 kg



VESTA-NEW WOOD CFS
weight: 6.00 kg



VESTA-NEW WOOD CFP
weight: 6.70 kg



VESTA-NEW CART
weight: 11.80 kg

2. Materials / Versions

2.1. Frame

2.1.1. Frame

Sled frame – made of steel tube $\varnothing 16 \times 2.0$ mm.

Finish options:

- powder-coated in Jet black RAL 9005 (BL),
- powder-coated in White aluminium RAL 9006 (ALU),
- powder-coated in Traffic white RAL 9016 (W),
- or Fashion Collection colour,
- chromium plated (CR).

Stacking up to 10 pieces, 25 pieces on Vesta New cart.

2.1.2. Click/link

Options for connecting chairs into rows:

CLICK – metal link integrated with chair frame, available in the same finish as chair frame.

Version with armrests (CFP) to be connected alternately with armless version (CFS).

LINK-PLASTIC 16 – made of polypropylene (PP), available in black or alu colour. Version with armrests (CFP) to be connected alternately with armless version (CFS), 2 pcs recommended to connect two chairs.

2.2. Glides

Glides for soft floors (GB) as standard or for hard floors (GBF) as an option.

2.3. Seat and backrest

Upholstered seat and backrest – seat structure is made of 4-layer beech plywood, thickness 6 mm, covered with cut foam thickness 30 mm, density 25 kg/m³. Backrest structure is made of 6-layer beech plywood, thickness 9 mm, covered with cut foam thickness 25 mm, density 25 kg/m³ in front part, and cut foam thickness 10 mm, density 21 kg/m³ in back part.

Wooden seat and backrest (WOOD) – seat and backrest shells made of 6-layer beech plywood, thickness 9 mm.

Laminated seat and backrest (LAMINATE)

– seat and backrest shells made of 6-layer beech plywood, thickness 9 mm, covered with laminate.

2.4. Armrests

Fixed armrests – integrated with chair frame, armrest frame made of steel tube $\varnothing 18 \times 2.0$ mm.

Plastic armrest pads (NF-PP) – made of black polypropylene (PP), width 42 mm, thickness 8 mm, for upholstered version.

Wooden armrest pads (NF-xx) – made of solid wood, width 30 mm, thickness 10 mm, dedicated for wooden version.

Laminated armrest pads (NF-LAMINATE) – made of 6-layer beech plywood, width 30 mm, thickness 10 mm, covered with laminate, dedicated for laminated version.

VESTA NEW CFP – open armrests enable the chair to be hung on the table top.

3. Accessories

VESTA CART – frame made of steel tube $\varnothing 25 \times 1.5$ mm, powder-coated in alu (ALU) or black (BL) colour, possible to be stacked, stock and transported up to 25 pcs of chairs.

4. Packaging

All versions – 50 pcs on the pallet dedicated only for Vesta New chairs (2 piles with stacked chairs, 25 pcs each).

5. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)

REMDEX (durability certificate) – approvals compliant with EN 16139, EN 1728 and EN 1022.


OPTIONS – CONFERENCE CHAIRS

Options	Code	Surcharge
Laminated wood (seat and backrest, arm pads)	LAMINATE**	21
Frame chromium plated (CFP)	CR	12
Frame powder-coated in White aluminium RAL 9006/Traffic white RAL 9016	ALU/W	0
Frame powder-coated in Fashion Collection: Grey blue RAL 5008/Black green RAL 6012/Cashmere NCS S 2005-Y60R	GE/BN/NK	0
Frame chromium plated (CFS)	CR	10
Metal link integrated with frame for connecting chairs into rows	CLICK	10
Plastic link for connecting chairs into rows, black colour	LINK-PLASTIC 16 BLACK	10
Plastic link for connecting chairs into rows, alu colour	LINK-PLASTIC 16 ALU	10
Glides for hard floors	GBF	11

* please specify colour code of wood – [see finishes](#)





** please specify colour code of laminate – [see finishes](#)

PRICE LIST – ACCESSORIES

Model	Description	Code	Price
VESTA-NEW CART 	Cart for storing and transporting stacked chairs (up to 25 pcs).	ALU	347
		BL	

Apart from the product number / code, please specify options, upholstery and other finishes to complete an order.

PRICE LIST – CONFERENCE CHAIRS

Model	Description	Basic price (EUR)			
		Upholstery price group			
		Wood	0	1	2
<p>VESTA-NEW CFS</p> 	<p>Conference chair on sled frame powder-coated in Jet black RAL 9005 colour (CFS-BL), upholstered seat and backrest, plastic glides for soft floors (GB).</p>	—	74	77	86
<p>VESTA-NEW CFP</p> 	<p>Conference chair on sled frame with armrests, powder-coated in Jet black RAL 9005 colour (CFP-BL), plastic armrests pads in black colour (NF-PP), upholstered seat and backrest, plastic glides for soft floors (GB).</p>	—	105	107	117
<p>VESTA-NEW WOOD CFS</p> 	<p>Conference chair on sled frame powder-coated in Jet black RAL 9005 colour (CFS-BL), wooden seat and backrest, plastic glides for soft floors (GB).</p>	102	—	—	—
<p>VESTA-NEW WOOD CFP</p> 	<p>Conference chair on sled frame, powder-coated with armrests in Jet black RAL 9005 colour (CFP-BL), wooden armrest pads (NF-xx*), wooden seat and backrest, plastic glides for soft floors (GB).</p>	143	—	—	—

* Please specify colour code of wood – [see finishes](#)


PRICE GROUP 0: Basic, Micro, Oban, Imitation Leather
 PRICE GROUP 1: Bondai, Era, Kaiman, Lucia, Oflum, Sempre, Sempre Melange
 PRICE GROUP 2: Felicity, Mafra, Radio, Rivet, Valencia, Xtreme

Tauko


1. Dimensions / Weight




TAUKO 4L-LWM




TAUKO HOCKER-4L-LWM



TAUKO CFS-ROD




TAUKO HOCKER CFS-ROD




TAUKO 4L-METAL




TAUKO A-PLUS CFS-ROD




TAUKO HOCKER A-PLUS CFS-ROD




TAUKO LB HOCKER CFS-ROD




TAUKO A-PLUS 4L-LWM




TAUKO HOCKER A-PLUS-4L-LWM




TAUKO 7/8-HOCKER A-PLUS-CFS-ROD




TAUKO A-PLUS 4L-METAL




TAUKO TABLE-LWM Ø 800
weight: 16.10 kg




TAUKO TABLE-LWM 800 x 800
weight: 18.50 kg




TAUKO COFFEE TABLE-LWM RO Ø 600
weight: 11.50 kg




TAUKO COFFEE TABLE-LWM RO Ø 800
weight: 15.20 kg




TAUKO COFFEE TABLE-LWM SQ
800 x 800
weight: 17.60 kg



TAUKO CONFERENCE TABLE-LWM RO
waga: Ø 1200–31.30 kg
weight: Ø 1800–55.40 kg



TAUKO MODULAR TABLE-LWM TR
weight: 9.60 kg



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
TAUKO 4L-LWM	445	430	470	370	455	810	455	260	—	460	455	575	5.6
TAUKO A-PLUS 4L-LWM	465	450	470	390	465	815	465	270	—	460	465	580	6.2
TAUKO HOCKER-4L-LWM	745	730	470	370	455	1115	455	260	—	495	455	575	7.4
TAUKO HOCKER A-PLUS-4L-LWM	765	750	470	390	465	1120	465	270	—	495	465	575	8
TAUKO CFS-ROD	445	430	470	370	455	810	455	260	—	595	455	560	6.5
TAUKO A-PLUS CFS-ROD	465	450	470	390	465	815	465	270	—	595	465	560	7
TAUKO HOCKER CFS-ROD	745	730	470	370	455	1115	455	260	—	575	455	560	8.3
TAUKO HOCKER A-PLUS CFS-ROD	765	750	470	390	465	1120	465	270	—	575	465	575	8.8
TAUKO LB HOCKER CFS-ROD	745	730	470	370	455	930	455	85	—	575	455	525	7.9
TAUKO 7/8-HOCKER A-PLUS-CFS-ROD	675	660	470	390	465	1020	465	270	—	575	465	575	8.6
TAUKO 4L-METAL	440	425	470	370	455	810	455	260	—	595	455	560	5.6
TAUKO A-PLUS 4L-METAL	460	445	470	390	465	815	465	270	—	595	465	580	6.1

- A – Seat height
- A1 – Seat height according to standard EN 16139
- B – Seat depth
- C – Seat surface depth

- D – Seat width
- E – Overall height
- F – Backrest width
- G – Backrest length
- H – Armrests height

- K – Base width
- V – Overall width
- L – Overall depth

2. Materials / Versions

2.1 Chair and Bar Stool

2.1.1. Frame

LWM version – 4-leg chair and Hockers (Hocker and 7/8) with wooden legs.

The legs are made of solid wood.

Finish options:

- natural beech (1.007),
- stained beech (2.***),
- natural oak (2.D07).

Anti-skidding and matt top coat used to finish the surface.

The fixing part under the seat is made of metal sheet, thickness 5 mm and four steel tubes, diameter Ø 32 mm, thickness 2 mm. Metal surface is powder-coated in Traffic white RAL 9016 (WT), Jet black RAL 9005 (BL), Anthracite grey RAL 7016 (AH) or Fashion Collection colour.

Hocker ring-base is made of steel tube, diameter Ø 16 mm, thickness 2 mm, available as chromium plated version only.

Black plastic cover for metal fixing part – as standard for plywood, SEAT-PLUS and PLUS version. For aesthetic purposes – felt pad placed under the plastic cover, thickness 4 mm. A-PLUS (fully upholstered) version – fixing part visible.

Stacking:

Tauko chair and Hocker with wooden legs do not stack.

CFS-ROD – sled frame chair and Hockers

(Hocker and 7/8).

The frame is made of Ø 11 mm rod and metal sheet, thickness 4 mm. Finish options for CFS-ROD sled frame chairs:

- powder-coated in Jet black RAL 9005 (E-BL) colour,
- powder-coated in Traffic white RAL 9016 (E-WT) colour,
- powder-coated in Anthracite grey RAL 7016 (E-AH) colour,
- or Fashion Collection colour,
- chromium plated (E-CR).

Finish options for CFS-ROD Hocker chairs:

- powder-coated in Jet black RAL 9005 (E-BL) colour,
- powder-coated in Traffic white RAL 9016 (E-WT) colour,
- powder-coated in Anthracite grey RAL 7016 (E-AH) colour,
- or Fashion Collection colour,
- chromium plated (E-CR).

Black plastic cover for metal fixing part – as standard for WOOD, SEAT-PLUS, PLUS, and A-PLUS version. For stacking and aesthetic purposes – felt pad placed under the plastic cover, thickness 4 mm.

Stacking:

CFS-ROD plywood Shell – up to 8 pieces, CFS-ROD SEAT-PLUS, PLUS and A-PLUS – up to 6 pieces.

CFS-ROD Hocker version – does not stack

4L METAL – chair with metal legs. The frame is made of Ø 18 mm steel tubes,

thickness 2.5 mm and metal sheet, thickness 4 mm.

Finish options:

- powder-coated in Jet black RAL 9005 (E-BL) colour,
- powder-coated in Traffic white RAL 9016 (E-WT) colour, powder-coated in Anthracite grey RAL 7016 (E-AH) colour,
- or Fashion Collection colour,
- chromium plated (E-CR).

Black plastic cover for the metal fixing part – as standard for WOOD, SEAT-PLUS, PLUS and A-PLUS version. For stacking and aesthetic purposes – felt pad placed under the plastic cover, thickness 4 mm.

Stacking

All versions up to 6 pieces.

2.1.2. Glides

LWM version – 4-leg chair and Hockers with wooden legs:

Glides for soft floors (GB) as standard, or with felt for hard floors as an option (GBF). CFS-ROD – sled frame chair and Hockers: Glides for soft floors, transparent (GT), as standard or with felt for hard floors, transparent (GTF) as an option.

4L METAL – chair with metal legs:

Glides for soft floors (GB) as standard or with felt for hard floors (GBF) as an option.

Technical description

2.1.3. Seat and backrest

Wooden shell (WOOD) – made of 7-layer beech plywood, thickness 8 mm. A black felt strip is placed along the gap in the seat.

Finish options:

- natural beech (1.007),
- stained beech, (2.***)
- veneered beech (2*07) – beech plywood shell covered on both sides with veneer.

Wooden shell with upholstered pad on seat (SEAT-PLUS) – pad structure is made of 3-layer beech plywood, thickness 4.5 mm, covered with polyurethane foam of 40 kg/m³ density, thickness 10 mm.

Wooden shell with upholstered seat pad and backrest pad (PLUS) – seat pad structure is made of 3-layer beech plywood, thickness 4.5 mm covered with polyurethane foam of 40 kg/m³ density, thickness 10 mm, back pad structure is made of 3-layer beech plywood, thickness 3.5 mm, covered with polyurethane foam of 25 kg/m³ density, thickness 10 mm.

Fully upholstered shell (A-PLUS) – the shell is made of 7-layer beech plywood, thickness 8 mm, covered with cut polyurethane foam of 30 kg/m² density, 20 mm thickness. Decorative stitching in all available range from Xtreme (XR), Blazer (CUZ) and Synergy (LDS) with the same thread colour as upholstery.

2.1.4. Packaging

LWM version – 4-leg chair and Hockers (Hocker and 7/8) with wooden legs.

1 piece per box (assembled), 8 pieces/pallet 1200 × 1000 mm

CFS-ROD – sled frame chair and Hockers (Hocker and 7/8).

Tauko CFS-ROD: 4 pieces per box (assembled) 16 pieces (4 boxes)/pallet 1200 × 800 mm.

Tauko Hocker CFS-ROD: 1 piece per box (assembled), 8 pieces/pallet 1200 × 1000 mm.

Tauko Hocker 7/8 CFS-ROD: 1 piece per box (assembled), 8 pieces/pallet 1200 × 1200 mm.

4L METAL – chair with metal legs.

4 pieces per box (assembled), 16 pieces (4 boxes)/pallet 1200 × 800 mm.

2.2. Tables

2.2.1. Base

LWM table, LWM coffee table, LWM modular table.

The legs are made of solid wood.

Finish options:

- natural beech (1.007),
- stained beech (2.***)
- natural oak (2.D07).

The fixing part is made of metal sheet, thickness 5 mm and steel tubes Ø 32 mm, thickness 2 mm, powder-coated in Traffic white RAL 9016 (WT), Jet black RAL 9005 (BL), Anthracite grey RAL 7016 (AH) or Fashion Collection colour.

Stacking:

- LWM table, LWM coffee table – no stacking possibility,
- LWM modular tables – up to 3 pieces.

LWM conference table.

Double legs are made of solid wood.

Finish options:

- natural beech (1.007),
- natural oak (2.D07).

The fixing part is made of metal sheet, thickness 5 mm and steel tubes Ø 32 mm, thickness 2 mm, powder-coated in Traffic white RAL 9016, Jet black RAL 9005 with structure or Anthracite grey colour RAL 7016.

Stacking:

No stacking possibility.

2.2.2. Glides

LWM table, LWM coffee table, LWM modular table:

Glides for soft floors (GB) as standard or with felt for hard floors (GBF) as an option.

LWM conference table:

Height adjustable glides (9 mm) for soft floors (GBR) as standard or with felt for hard floors (GBRF) as an option.

2.2.3. Top

Tauko table top is made of melamine faced chipboard (MFC), thickness 25 mm with 2 mm edge in glue technology for Maple (NC), Slate (MS) finish or laser edge for other dedicated finishes.

Available melamine colours: White (BI), Slate (MS), Champagne Hard Maple (NC), Black (CC) and Cashmere (NK).

Tauko table top is made of melamine faced chipboard (MFC), thickness 25 mm, top part of table top covered with Fenix NTM and bottom part covered with anti-resilient laminate in white colour.

1 mm laser edge, is in the same colour as table top.

Available finishes: Fenix NTM laminate available in six colours: grigio antrim (KM), grigio bromo (KN), blu fes (KO), rosso jaipur (KP), verde comodoro (KR) and nero ingo (KJ).

Plastic connectors (Light grey, RAL 7035) for modular tables available as an option (TC). Set of 3 connectors to be fixed on each side of the table top.

2.2.4. Packaging

LWM table:

- 1 table per 2 boxes (a set of legs and table top are packed separately),
- 15 pieces (30 boxes)/pallet 1200 × 800 mm.

LWM coffee table:

- 1 table per 2 boxes (a set of legs and table top are packed separately),
- 18 pieces (36 boxes)/pallet 1200 × 800 mm.

LWM modular table:

- 1 table per 2 boxes (a set of legs and table top are packed separately),
- 15 pieces (30 boxes)/pallet 1200 × 800 mm.

LWM conference table:

- 1 table per 2 boxes (a set of legs and table top are packed separately),
- 12 pieces (24 cartons)/pallet (dimensions adjusted to the size of table tops).

3. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)

GS Safety certificate for selected configurations of chairs, bar stools and tables from LWM range.

4. Sample order

4.1. Tauko frame chairs

Product line	Product Subgroup	Version		C03	C05	C09/C10	C14	
TAUKO	FRAME CHAIR	CFS-ROD WOOD	(E-BL	CC-1.007	SEAT-PLUS-XR009	GBF)

TAUKO FRAME CHAIR CFS-ROD WOOD (E-BL CC-1.007 SEAT-PLUS-XR009 GBF)

C03 – Frame
C05 – Shell

C09 / C10 – Backrest and seat pad
C14 – Glides

TAUKO FRAME CHAIR CFS-ROD WOOD (E-BL CC-1.007 SEAT-PLUS-XR009 GBF)

identifies the chair as:

TAUKO FRAME CHAIR on sled frame (CFS-ROD) powder-coated in Jet black RAL 9005 (E-BL) colour, with shell made of wood (WOOD) in natural beech colour (CC-1.007), upholstered pad on the seat (SEAT-PLUS) in Xtreme XR009 fabric (XR009), glides with felt for hard floors (GBF).

4.2. Tauko tables

Product line	Product Subgroup	Version		D03	D04	D14	D17	D23	
TAUKO	COFFEE TABLE	LWM RO	(DI800	BI	BC-AH/1.007	GB)

TAUKO COFFEE TABLE LWM RO (DI800 BI BC-AH/1.007 GB)

D04 – Table top finish
D14 – Base

D17 – Glides
D23 – Table top connectors

TAUKO COFFEE TABLE LWM RO (DI800 BI BC-AH/1.007 GB)

identifies the table as:

TAUKO COFFEE TABLE with wooden legs (LWM), round top (RO) diameter (DI800) in white colour (BI), metal fixing part of the leg powder-coated in Anthracite grey RAL 7016 (BC-AH) colour, wooden part of the leg in natural beech colour (1.007), glides for soft floors (GB).

PRICE LIST – FRAME CHAIRS



Tauko chair on 4 wooden legs, wooden shell

TAUKO FRAME CHAIR 4L LWM WOOD

Basic price (EUR)

306

C03		Frame		
	Metal fixing part	Wooden legs		
E-③/1.007	Powder-coated	Natural beech		•
E-③/2.***		Stained beech		+16
E-③/2.D07		Natural oak		+21
C05		Shell		
CC-1.007	Natural beech			•
CC-2.***	Stained beech			+16
CC-2.*07	Veneered beech			+41
C09/C10		Backrest and seat pad		
	No upholstered pads			•
SEAT-PLUS-⑤	Upholstered seat pad (surcharge according to upholstery price group)	1		+52
		2		+58
		3		+66
		4		+74
		5		+82
PLUS-⑤	Upholstered backrest and seat pad (surcharge according to upholstery price group)	1		+96
		2		+108
		3		+118
		4		+133
		5		+147
C14		Glides		
GB	Glides for soft floors			•
GBF	Glides with felt for hard floors			+11

* Please specify colour code of veneer – see finishes

*** Please specify colour code of wood – see finishes

③ – please specify metal elements finish: Traffic white RAL 9016 (WT), Jet black RAL 9005 (BL), Anthracite grey RAL 7016 (AH) or Fashion collection color, see finishes

⑤ – please specify colour code and type of upholstery from selected price group – see finishes

As standard, the upholstery type and colour are the same for each upholstered element

- Available as standard (included in basic price)

Wood

Legs:

Natural beech: 1.007

Stained beech: 2.09S, 2.09R, 2.09U, 2.09W, 2.06S, 2.06Y, 2.07Y

Natural oak: 2.D07

Shell:

Natural beech: 1.007

Stained beech: 2.09S, 2.09R, 2.09U, 2.09W, 2.06S, 2.06Y, 2.07Y

Natural veneer: 2.D07, 2.N07, 2.J07

PRICE GROUP 1: Era, Lucia, Kaiman, Sempre, Sempre Melange

PRICE GROUP 2: Felicity, Mafra, Radio, Rivet, Valencia, Xtreme

PRICE GROUP 3: Runner, Silvertex, Step, Step Melange

PRICE GROUP 4: Blazer, Fame, Synergy

PRICE GROUP 5: Remix 3

PRICE LIST – FRAME CHAIRS



Tauko chair on 4 wooden legs,
fully upholstered shell (A-PLUS)

TAUKO FRAME CHAIR 4L LWM UPH

Basic price (EUR) according to upholstery price group

2	445
4	470

C03	Frame		
	Metal fixing part	Wooden legs	
E-③/1.007	Powder-coated	Natural beech	•
E-③/2.***		Stained beech	+16
E-③/2.D07		Natural oak	+21
C05	Shell		
A-PLUS-⑤	Fully upholstered with stitching		•
C14	Glides		
GB	Glides for soft floors		•
GBF	Glides with felt for hard floors		+10

*** Please specify colour code of wood – [see finishes](#)

③ – please specify metal elements finish: Traffic white RAL 9016 (WT), Jet black RAL 9005 (BL), Anthracite grey RAL 7016 (AH) or Fashion collection color, [see finishes](#)

⑤ – please specify colour code and type of upholstery from selected price group – [see finishes](#)

• Available as standard (included in basic price)

Wood

Legs:

Natural beech: 1.007



Stained beech: 2.09S, 2.09R, 2.09U, 2.09W, 2.06S, 2.06Y, 2.07Y

Natural oak: 2.D07

PRICE GROUP 2: Xtreme

PRICE GROUP 4: Blazer, Synergy

PRICE LIST – FRAME CHAIRS



Tauko chair on sled metal frame, wooden shell	Tauko chair on 4 metal legs, wooden shell
TAUKO FRAME CHAIR CFS-ROD WOOD	TAUKO FRAME CHAIR 4L WOOD
Basic price (EUR)	
191	165

C03		Frame			
E-③	Steel powder-coated			●	●
E-CR	Steel chromium plated			+12	+10
C05		Shell			
CC-1.007	Natural beech			●	●
CC-2.***	Stained beech			+16	+16
CC-2.*07	Veneered beech			+41	+41
C09/C10		Backrest and seat pad			
	No upholstered pads			●	●
SEAT-PLUS-⑤	Upholstered seat pad (surcharge according to upholstery price group)	1		+52	+52
		2		+58	+58
		3		+66	+66
		4		+74	+74
		5		+82	+82
PLUS-⑤	Upholstered backrest and seat pad (surcharge according to upholstery price group)	1		+96	+96
		2		+108	+108
		3		+118	+118
		4		+133	+133
		5		+147	+147
C14		Glides			
GT	Glides for soft floors, transparent			●	
GTF	Glides with felt for hard floors, transparent			+11	-
GB	Glides for soft floors			-	●
GBF	Glides with felt for hard floors				+11

* Please specify colour code of veneer – [see finishes](#)

*** Please specify colour code of wood – [see finishes](#)

③ – please specify metal elements finish: Traffic white RAL 9016 (WT), Jet black RAL 9005 (BL), Anthracite grey RAL 7016 (AH) or Fashion collection color, [see finishes](#)

⑤ – please specify colour code and type of upholstery from selected price group – [see finishes](#)

As standard, the upholstery type and colour are the same for each upholstered element

- Available as standard (included in basic price)

Wood

Shell:

Natural beech: 1.007

Stained beech: 2.09S, 2.09R, 2.09U, 2.09W, 2.06S, 2.06Y, 2.07Y

Natural veneer: 2.D07, 2.N07, 2.J07

PRICE GROUP 1: Era, Lucia, Kaiman, Sempre, Sempre Melange



PRICE GROUP 2: Felicity, Mafra, Radio, Rivet, Valencia, Xtreme

PRICE GROUP 3: Runner, Silvertex, Step, Step Melange

PRICE GROUP 4: Blazer, Fame, Synergy

PRICE GROUP 5: Remix 3

PRICE LIST – FRAME CHAIRS



Tauko chair on sled metal frame, fully upholstered shell (A-PLUS)

Tauko chair on 4 metal legs, fully upholstered shell (A-PLUS)

TAUKO FRAME CHAIR CFS-ROD UPH

TAUKO FRAME CHAIR 4L UPH

Basic price (EUR) according to upholstery price group

2	330	307
4	356	330

C03	Frame		
E-③	Steel powder-coated	•	•
E-CR	Steel chromium plated	+12	+10
C05	Shell		
A-PLUS-⑤	Fully upholstered with stitching	•	•
C14	Glides		
GT	Glides for soft floors, transparent	•	-
GTF	Glides with felt for hard floors, transparent	+11	
GB	Glides for soft floors	-	•
GBF	Glides with felt for hard floors		+11

③ – please specify metal elements finish: Traffic white RAL 9016 (WT), Jet black RAL 9005 (BL), Anthracite grey RAL 7016 (AH) or Fashion collection color, [see finishes](#)

⑤ – please specify colour code and type of upholstery from selected price group – [see finishes](#)
As standard, the upholstery type and colour are the same for each upholstered element

- Available as standard (included in basic price)

PRICE LIST – HOCKER



Tauko hocker chair on 4 wooden legs, chromium plated ring-base, wooden shell	Tauko hocker chair with low backrest on 4 wooden legs, chromium plated ring-base, wooden shell
TAUKO HOCKER 4L LWM WOOD	TAUKO HOCKER 4L LWM LB WOOD
Basic price (EUR)	
348	348

C03	Frame			
	Height	Metal fixing part	Wooden legs	
E-③/1.007	Standard	Powder-coated	Natural beech	●
EL-③/1.007	7/8			○
E-③/2.***	Standard		Stained beech	+18
EL-③/2.***	7/8			+18
E-③/2.D07	Standard		Natural oak	+27
EL-③/2.D07	7/8			+27
C05	Shell			
CC-1.007	Natural beech			●
CC-2.***	Stained beech			+16
CC-2.*07	Veneered beech			+41
C09/C10	Backrest and seat pad			
	No upholstered pads			●
SEAT-PLUS-⑤	Upholstered seat pad (surcharge according to upholstery price group)	1		+52
		2		+58
		3		+66
		4		+74
		5		+82
PLUS-⑤	Upholstered backrest and seat pad (surcharge according to upholstery price group)	1		+96
		2		+108
		3		+118
		4		+133
		5		+147
C14	Glides			
GB	Glides for soft floors			●
GBF	Glides with felt for hard floors			+11

- ③ – please specify metal elements finish: Traffic white RAL 9016 (WT), Jet black RAL 9005 (BL), Anthracite grey RAL 7016 (AH) or Fashion collection color, [see finishes](#)
- ⑤ – please specify colour code and type of upholstery from selected price group – [see finishes](#)
As standard, the upholstery type and colour are the same for each upholstered element

- Available as standard (included in basic price)
○ Available as an option (included in basic price)
* Please specify colour code of veneer – [see finishes](#)
*** Please specify colour code of wood – [see finishes](#)

Wood

Legs:

Natural beech: 1.007
Stained beech: 2.09S, 2.09R, 2.09U, 2.09W, 2.06S, 2.06Y, 2.07Y
Natural oak: 2.D07

Shell:

Natural beech: 1.007
Stained beech: 2.09S, 2.09R, 2.09U, 2.09W, 2.06S, 2.06Y, 2.07Y
Natural veneer: 2.D07, 2.N07, 2.J07

PRICE GROUP 1: Era, Lucia, Kaiman, Sempre, Sempre Melange
PRICE GROUP 2: Felicity, Mafra, Radio, Rivet, Valencia, Xtreme
PRICE GROUP 3: Runner, Silvertex, Step, Step Melange

PRICE GROUP 4: Blazer, Fame, Synergy
PRICE GROUP 5: Remix 3

PRICE LIST – HOCKER



Tauko hocker chair on 4 wooden legs,chromium plated ring-base, fully upholstered shell (A-PLUS)

TAUKO HOCKER 4L LWM UPH

Basic price (EUR) according to upholstery price group

2	487
4	512

C03		Frame		
	Height	Metal fixing part	Wooden legs	
E-③/1.007	Standard	Powder-coated	Natural beech	●
EL-③/1.007	7/8		○	
E-③/2.***	Standard		Stained beech	+18
EL-③/2.***	7/8			
E-③/2.D07	Standard		Natural oak	+27
EL-③/2.D07	7/8			
C05		Shell		
A-PLUS-⑤	Fully upholstered with stitching			●
C14		Glides		
GB	Glides for soft floors			●
GBF	Glides with felt for hard floors			+11

*** Please specify colour code of wood – see finishes

③ – please specify metal elements finish: Traffic white RAL 9016 (WT), Jet black RAL 9005 (BL), Anthracite grey RAL 7016 (AH) or Fashion collection color, see finishes

⑤ – please specify colour code and type of upholstery from selected price group – see finishes

As standard, the upholstery type and colour are the same for each upholstered element

- Available as standard (included in basic price)
- Available as an option (included in basic price)

Wood

Legs:

Natural beech: 1.007



Stained beech: 2.09S, 2.09R, 2.09U, 2.09W, 2.06S, 2.06Y, 2.07Y

Natural oak: 2.D07

PRICE GROUP 2: Xtreme

PRICE GROUP 4: Blazer, Synergy

PRICE LIST – HOCKER



Tauko hocker chair on sled metal frame, wooden shell	Tauko hocker chair with low backrest on sled metal frame, wooden shell
TAUKO HOCKER CFS-ROD WOOD	TAUKO HOCKER CFS-ROD LB WOOD
Basic price (EUR)	
227	227

C03		Frame			
	Height	Metal fixing part			
E-③	Regular height	Powder-coated	•	•	
EL-③	Height 7/8		○	○	
E-CR	Regular height	Steel chromium plated	+16	+16	
EL-CR	Height 7/8				
C05		Shell			
CC-1.007	Natural beech	•	•		
CC-2.***	Stained beech	+16	+16		
CC-2.*07	Veneered beech	+41	+41		
C09/C10		Backrest and seat pad			
	No upholstered pads	•	•		
SEAT-PLUS-⑤	Upholstered seat pad (surcharge according to upholstery price group)	1	+52	+52	
		2	+58	+58	
		3	+66	+66	
		4	+74	+74	
			+82	+82	
PLUS-⑤	Upholstered backrest and seat pad (surcharge according to upholstery price group)	1	+96		
		2	+108		
		3	+118		
		4	+133		
		5	+147		
C14		Glides			
GT	Glides for soft floors, transparent	•	•		
GTF	Glides with felt for hard floors, transparent	+11	+11		

* Please specify colour code of veneer – [see finishes](#)

*** Please specify colour code of wood – [see finishes](#)

③ – please specify metal elements finish: Traffic white RAL 9016 (WT), Jet black RAL 9005 (BL), Anthracite grey RAL 7016 (AH) or Fashion collection color, [see finishes](#)

⑤ – please specify colour code and type of upholstery from selected price group – [see finishes](#)
As standard, the upholstery type and colour are the same for each upholstered element

- Available as standard (included in basic price)
- Available as an option (included in basic price)

Wood

Shell:

Natural beech: 1.007

Stained beech: 2.09S, 2.09R, 2.09U, 2.09W, 2.06S, 2.06Y, 2.07Y

Natural veneer: 2.D07, 2.N07, 2.J07

PRICE GROUP 1: Era, Lucia, Kaiman, Sempre, Sempre Melange


PRICE GROUP 2: Felicity, Mafra, Radio, Rivet, Valencia, Xtreme

PRICE GROUP 3: Runner, Silvertex, Step, Step Melange

PRICE GROUP 4: Blazer, Fame, Synergy

PRICE GROUP 5: Remix 3

PRICE LIST – HOCKER



Tauko hocker chair on sled metal frame, fully upholstered shell (A-PLUS)

TAUKO HOCKER CFS-ROD UPH

Basic price (EUR) according to upholstery price group

2	366
4	390


C03	Frame		
	Height	Metal fixing part	
E-③	Regular height	Powder-coated	•
EL-③	Height 7/8		○
E-CR	Regular height	Steel chromium plated	+16
EL-CR	Height 7/8		
C05	Shell		
A-PLUS-⑤	Fully upholstered with stitching		•
C14	Glides		
GT	Glides for soft floors, transparent		•
GTF	Glides with felt for hard floors, transparent		+11

③ – please specify metal elements finish: Traffic white RAL 9016 (WT), Jet black RAL 9005 (BL), Anthracite grey RAL 7016 (AH) or Fashion collection color, [see finishes](#)

⑤ – please specify colour code and type of upholstery from selected price group – [see finishes](#)
As standard, the upholstery type and colour are the same for each upholstered element

- Available as standard (included in basic price)
- Available as an option (included in basic price)

PRICE LIST – MEETING TABLE



Tauko meeting table on 4 wooden legs, square table top

TAUKO TABLE LWM SQ

W800	Width (mm)			800
D800	Depth (mm)			800
D04	Table top finish			Basic price (EUR)
①	Melamine faced chipboard (MFC)			355
	Fenix NTM			612
D14	Base			
	Metal fixing part	Wooden legs		
BC-③/1.007	Powder-coated	Natural beech	•	
BC-③/2.***		Stained beech	+16	
BC-③/2.D07		Natural oak	+21	
D17	Glides			
GB	Glides for soft floors			•
GBF	Glides with felt for hard floors			+11

*** Please specify colour code of wood – see finishes

① – please specify colour code for MFC or Fenix NTM – see finishes

③ – please specify metal elements finish: Traffic white RAL 9016 (WT), Jet black RAL 9005 (BL), Anthracite grey RAL 7016 (AH) or Fashion collection color, see finishes

• Available as standard (included in basic price)


Legs

Natural beech: 1.007

Stained beech: 2.09S, 2.09R, 2.09U, 2.09W, 2.06S, 2.06Y, 2.07Y

Natural oak: 2.D07

PRICE LIST – MEETING TABLE



Tauko meeting table on 4 wooden legs, round table top

TAUKO TABLE LWM RO

DI800	Diameter (mm)	800	
D04	Table top finish	Basic price (EUR)	
①	Melamine faced chipboard (MFC)	355	
	Fenix NTM	555	
D14	Base		
	Metal fixing part	Wooden legs	
BC-③/1.007	Powder-coated	Natural beech	•
BC-③/2.***		Stained beech	+16
BC-③/2.D07		Natural oak	+21
D17	Glides		
GB	Glides for soft floors	•	
GBF	Glides with felt for hard floors	+11	

***Please specify colour code of wood – see finishes

① – please specify colour code for MFC or Fenix NTM – see finishes

③ – please specify metal elements finish: Traffic white RAL 9016 (WT), Jet black RAL 9005 (BL), Anthracite grey RAL 7016 (AH) or Fashion collection color, see finishes

• Available as standard (included in basic price)


Legs

Natural beech: 1.007

Stained beech: 2.09S, 2.09R, 2.09T, 2.09Y, 2.09U, 2.09W, 2.06S, 2.06Y, 2.06R, 2.07Y

Natural oak: 2.D07

PRICE LIST – COFFEE TABLE



Tauko coffee table on 4 wooden legs, square table top

TAUKO COFFEE TABLE LWM SQ

W800	Width (mm)	800	
D800	Depth (mm)	800	
D04	Table top finish	Basic price (EUR)	
①	Melamine faced chipboard (MFC)	329	
	Fenix NTM	587	
D14	Base		
	Metal fixing part	Wooden legs	
BC-③/1.007	Powder-coated	Natural beech	•
BC-③/2.***		Stained beech	+12
BC-③/2.D07		Natural oak	+16
D17	Glides		
GB	Glides for soft floors	•	
GBF	Glides with felt for hard floors	+11	

*** Please specify colour code of wood – see finishes

① – please specify colour code for MFC or Fenix NTM – see finishes

③ – please specify metal elements finish: Traffic white RAL 9016 (WT), Jet black RAL 9005 (BL), Anthracite grey RAL 7016 (AH) or Fashion collection color, see finishes

• Available as standard (included in basic price)


Legs

Natural beech: 1.007

Stained beech: 2.09S, 2.09R, 2.09U, 2.09W, 2.06S, 2.06Y, 2.07Y

Natural oak: 2.D07

PRICE LIST – COFFEE TABLE



Tauko coffee table on 4 wooden legs, round table top

TAUKO COFFEE TABLE LWM RO

D1000	Diameter (mm)	600	800
D04	Table top finish	Basic price (EUR)	
①	Melamine faced chipboard (MFC)	317	329
	Fenix NTM	430	531
D14	Base		
	Metal fixing part	Wooden legs	
BC-③/1.007	Powder-coated	Natural beech	•
BC-③/2.***		Stained beech	+12
BC-③/2.D07		Natural oak	+16
D17	Glides		
GB	Glides for soft floors	•	
GBF	Glides with felt for hard floors	+11	

*** Please specify colour code of wood – [see finishes](#)

① – please specify colour code for MFC or Fenix NTM – [see finishes](#)

③ – please specify metal elements finish: Traffic white RAL 9016 (WT), Jet black RAL 9005 (BL), Anthracite grey RAL 7016 (AH) or Fashion collection color, [see finishes](#)

• Available as standard (included in basic price)


Legs

Natural beech: 1.007

Stained beech: 2.09S, 2.09R, 2.09U, 2.09W, 2.06S, 2.06Y, 2.07Y

Natural oak: 2.D07

PRICE LIST – MODULAR TABLE



Tauko modular table on 3 wooden legs, triangular table top

TAUKO MODULAR TABLE LWM TR

W680	Width (mm)	680	
D565	Depth (mm)	565	
D04	Table top finish	Basic price (EUR)	
①	Melamine faced chipboard (MFC)	263	
	Fenix NTM	340	
D14	Base		
	Metal fixing part	Wooden legs	
BC-③/1.007	Powder-coated	Natural beech	•
BC-③/2.***		Stained beech	+16
BC-③/2.D07		Natural oak	+21
D17	Glides		
GB	Glides for soft floors	•	
GBF	Glides with felt for hard floors	+11	
D17	Table top connectors		
	None	•	
TC	Connectors (set of 3 pcs)for modular tables	+31	

*** Please specify colour code of wood – [see finishes](#)

① – please specify colour code for MFC or Fenix NTM – [see finishes](#)

③ – please specify metal elements finish: Traffic white RAL 9016 (WT), Jet black RAL 9005 (BL), Anthracite grey RAL 7016 (AH) or Fashion collection color, [see finishes](#)

• Available as standard (included in basic price)


Legs

Natural beech: 1.007

Stained beech: 2.09S, 2.09R, 2.09U, 2.09W, 2.06S, 2.06Y, 2.07Y

Natural oak: 2.D07

PRICE LIST – CONFERENCE TABLE



Tauko conference table on 4 double-wooden legs, round table top

TAUKO CONFERENCE TABLE LWM RO

DI****	Diameter (mm)	1200	1800
D04	Table top finish	Basic price (EUR)	
①	Melamine faced chipboard (MFC)	876	948
	Fenix NTM	1 327	–
D14	Base		
	Metal fixing part	Wooden legs	
BC-③/1.007	Powder-coated	Natural beech	•
BC-③/2.D07		Natural oak	+41
D17	Glides		
GBR	Glides for soft floors, adjustable	•	
GBRF	Glides with felt for hard floors, adjustable	+11	

① – please specify colour code for MFC or Fenix NTM – [see finishes](#)

③ – please specify metal elements finish: Traffic white RAL 9016 (WT), Jet black RAL 9005 (BL), Anthracite grey RAL 7016 (AH) or Fashion collection color, [see finishes](#)

• Available as standard (included in basic price)

Legs

Natural beech: 1.007


Natural oak: 2.D07

Cafe VII


1. Dimensions / Weight




CAFE VII




CAFE VII HOCKER




CAFE VII UP&DOWN
weight: 14,90 kg




CAFE VII ARM




CAFE VII CFS ROD



CAFE VII GTS



CAFE VII GTP



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
CAFE VII 4L	450	430	415	415	395	840	320	—	—	500	500	540	4.9
CAFE VII 4L PLUS	465	445	415	415	395	840	320	—	—	500	500	540	5.9
CAFE VII 4L B-PLUS	470	445	405	405	395	840	320	—	—	500	500	540	6.2
CAFE VII 4L A-PLUS	465	440	410	410	405	850	330	—	—	500	500	545	5.2
CAFE VII 4L ARM FRONT	450	430	415	415	395	840	320	—	465	500	555	540	6.3
CAFE VII HOCKER	745	735	405	405	370	870	345	—	—	530	530	524	5.5
CAFE VII CFS ROD	455	435	415	415	395	845	320	—	—	470	470	525	6.0

- A – Seat height
- A1 – Seat height according to standard EN 16139
- B – Seat depth
- C – Seat surface depth

- D – Seat width
- E – Overall height
- F – Backrest width
- G – Backrest length
- H – Armrests height

- K – Base width
- V – Overall width
- L – Overall depth

* Dimensions measured acc. to PN-EN 16139

2. Materials / Versions

2.1. Frame

2.1.1. Frame

4-leg frame – made of \varnothing 16 × 2.0 mm steel tube, seat-fixing made of metal sheet, thickness 3 mm.

Sled frame (CFS ROD) – made of \varnothing 11 mm steel rod, support bar made of flat metal sheet 5 × 25 mm.

HOCKER sled frame – made of \varnothing 18 × 1.5 mm steel tube.

UP&DOWN base – a column made of \varnothing 60 mm steel tube, base made of \varnothing 470 mm metal plate with upper metal sheet, thickness 8 mm.

Finish options:

4L, 4L ARM:

- chromium plated (CR),
- powder-coated in White aluminium RAL 9006 colour (ALU),
- powder-coated in Jet black RAL 9005 colour (BL),
- powder-coated in Traffic white RAL 9016 (WT)/ Anthracite grey RAL 7016 (AH)
- or Fashion Collection colour, – [see finishes](#).

HOCKER:

- chromium plated (CR),
- powder-coated in White aluminium RAL 9006 colour (ALU),
- powder-coated in Jet black RAL 9005 colour (BL),
- powder-coated in Traffic white RAL 9016 (WT)/ Anthracite grey RAL 7016 (AH)

CFS-ROD:

- chromium plated (CR),
- powder-coated in White aluminium RAL 9006 colour (ALU),
- powder-coated in Jet black RAL 9005 colour (BL),
- or Fashion Collection colour.

UP&DOWN:

- chromium plated (CR).

Swivel chair base:

Swivel chair base:

- \varnothing 680 five-star base black glass fiber reinforced polyamide (TS18),
- \varnothing 680 mm five-star aluminium powder-coated in White aluminium RAL 9006 colour (ST32-ALU),
- \varnothing 680 mm five-star polished aluminium with chrome effect (ST32-CR).

Stacking:

4L, 4L ARM WOOD – 4 pieces,
 4L, 4L ARM A-PLUS; B-PLUS, SEAT PLUS, PLUS – 4 pieces (only with stacking cushion),
 CFS ROD A-PLUS; B-PLUS; PLUS;
 SEAT PLUS – 4 pieces (only with stacking cushion),
 CFS ROD WOOD – 10 pieces.
 Universal chair cart available.

2.1.2. Click/link

CLICK – \varnothing 5 mm steel rod integrated with the frame to connect CAFE VII chairs (without armrest only) into rows.

UNIVERSAL ROW CONNECTOR

- dedicated to connect rows of chairs,
- distance adjustment: 460–520 mm,
- possibility of mounting to the floor,
- powder-coated in Jet black RAL 9005 (BL) colour.

2.2. Castors / Glides

CAFE VII 4L, 4L ARM, CFS-ROD, HOCKER

Glides for soft floors (GB) as standard or with felt for hard floors (GBF) as an option.

CAFE VII UP&DOWN

Glides with felt for hard floors (GBF) as standard.

CAFE VII 4L, 4L ARM

Glides with replaceable caps for soft floors (GBP) or with felt for hard floors (GBPF), both as an option.

Glides for soft floors, white (GW) as an option

CAFE VII CFS-ROD

Glides for soft floors, transparent (GT) or with felt for hard floors, transparent (GTF), both as an option.

Glides with replaceable caps for connecting chairs into rows for soft floors (GBL), or with felt for hard floors (GBLF), both as an option

CAFE VII GTS / GTP

\varnothing 50 castors for soft floors (SH) as standard, or hard floors (SHH) as an option.

\varnothing 65 mm castors for soft floors (ESH), or hard floors (ESHH), both as an option.

2.3. Mechanisms

UP&DOWN version – smooth height adjustment of chair with pneumatic gas lift,

GTS, GTP version – smooth height adjustment of chair with pneumatic gas lift (PST45).

2.4. Seat and backrest

Options for CAFE VII, CAFE VII ARM, CAFE VII GTS / GTP, CAFE VII CFS ROD:

Wooden shell (WOOD) – made of 8-layer beech plywood, thickness 10.5 mm

Laminated wooden shell (LAMINATE) – made of 8-layer beech plywood, thickness 10.5 mm.

Visible plywood edges protected with wax.

Wooden shell with upholstered pad on seat (SEAT-PLUS) – the structure of seat pad is made of 4-layer beech plywood, thickness 4.5 mm, covered with foam thickness 10 mm, density 25 kg / m³.

Wooden shell with upholstered seat pad and backrest pad (PLUS) – seat and backrest pad structure made of 4-layer beech plywood, thickness 4.5 mm, covered with foam thickness 10 mm, density 25 kg / m³.

Wooden shell with front part fully upholstered (B-PLUS) – structure of pad made of 4-layer beech plywood, thickness 4.5 mm, covered with foam thickness 25 mm, density 25 kg / m³.
 Wooden back part of the shell.

Fully upholstered shell (A-PLUS) – structure made of 8-layer beech plywood, thickness 10.5 mm, covered with foam density 25 kg / m³, thickness 20 mm (front shell); 10 mm (back part of shell).

Options for CAFE VII HOCKER, CAFE VII

UP&DOWN:

Wooden shell (WOOD) – made of 7-layer beech plywood, thickness 9 mm

Laminated wooden shell (LAMINATE) – made of 7-layer beech plywood, thickness 9 mm. Visible plywood edges protected with wax.

Fully upholstered shell (A-PLUS) – structure made of 7-layer beech plywood, thickness 9 mm, covered with foam density 25 kg / m³, thickness 20 mm (front shell); 10 mm (back part of shell).

2.5. Armrests

Options for CAFE VII ARM:

Fixed armrests – integrated with chair frame, armrests frame made of \varnothing 18 × 2.5 mm steel tube in the same finish as the chair frame, armrest pads made of 8-layer plywood, thickness 12 mm.

Finish options for armrest pads:

- stained (NF-xx),
- laminated (NF-xx).

CAFE VII ARM – chair can be hung on the table top due to protective distances under the arm to prevent the table top from being scratched.

Options for CAFE VII GTP:

Fixed armrests – integrated with chair frame, armrests frame made of \varnothing 18 × 2.5 mm steel tube, armrest pads made of 8-layer plywood, thickness 12 mm.

Finish options for armrest frame:

- chromium plated (CR),
- powder-coated in White aluminium RAL 9006 colour (ALU),
- powder-coated in Jet black RAL 9005 colour (BL),

Finish options for armrest pads:

- stained (NF-xx),
- laminated (NF-xx).

3. Packaging

4L/4LARM – 4 pieces per box (assembled),
 4L/4L ARM A PLUS, B PLUS – 2 pieces per box (assembled),

CFS ROD – 4 pieces per box (assembled),

Hocker – 1 piece per box (disassembled),

UP&DOWN – 1 piece per box (assembled),

GTS, GTP – 1 piece per box (disassembled).

4. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)

Durability certificate REMODEX: EN 16139, EN 1728, EN 1022, EN 1335.

OPTIONS – MEETING CHAIRS

Options	Code	Surcharge					
		Upholstery price group					
		0	1	2	3	4	5
Wooden shell with upholstered seat pad (applicable to CAFE VII, CAFE VII ARM, CAFE VII GTS/GTP)	SEAT PLUS *	15	17	19	22	27	37
Wooden shell with upholstered seat pad and backrest pad (applicable to Cafe VII, CAFE VII ARM, CAFE VII GTS/GTP)	PLUS *	24	28	33	42	47	64
Wooden shell with front part fully upholstered (applicable to Cafe VII, CAFE VII ARM, CAFE VII GTS/GTP)	B-PLUS *	38	42	46	52	56	79
Fully upholstered shell (applicable to Cafe VII, CAFE VII ARM, CAFE VII GTS/GTP)	A-PLUS *	28	31	38	43	47	64
Fully upholstered shell (applicable to Cafe VII HOCKER, CAFE VII UP&DOWN)	A-PLUS HOCKER	12	15	17	19	22	31
Stacking cushion (applicable to upholstered seat versions of CAFE VII, CAFE VII ARM)	—	23					
Wooden shell or shell with armpads with slightly visible wood grains (applicable to CAFE VII, CAFE VII ARM, CAFE VII HOCKER, CAFE VII UP&DOWN, CAFE VII GTS/GTP)	2.xx**	15					
Wooden armpads with slightly visible wood grains (applicable to CAFE VII ARM, CAFE VII GTP A-PLUS version)	2.xx**	8					
Laminated wooden shell or shell with armpads (applicable to Cafe VII, CAFE VII ARM, CAFE VII GTS/GTP)	LAMINATE***	21					
Laminated wooden shell (applicable to Cafe VII HOCKER, CAFE VII UP&DOWN)	LAMINATE***	13					
Laminated wooden armrest pads (applicable to CAFE VII ARM, CAFE VII GTP A-PLUS version)	NF-LAMINATE***	11					
Frame 4L chromium plated	CR	10					
Frame 4L powder-coated in White aluminium RAL 9006/Traffic white RAL 9016/Anthracite grey RAL 7016	ALU/WT/AH	0					
Frame 4L powder-coated in Fashion Collection: Grey blue RAL 5008/Black green RAL 6012/Cashmere NCS S 2005-Y60R	GE/BN/NK	0					
Frame 4L-ARM/FRONT chromium plated	CR	12					
Frame 4L-ARM/FRONT powder-coated in White aluminium RAL 9006/Traffic white RAL 9016/Anthracite grey RAL 7016	ALU/WT/AH	0					
Frame 4L-ARM/FRONT powder-coated in Fashion Collection: Grey blue RAL 5008/Black green RAL 6012/Cashmere NCS S 2005-Y60R	GE/BN/NK	0					
Frame CAFE VII HOCKER chromium plated	CR	12					
Frame CAFE VII HOCKER powder-coated in White aluminium RAL 9006/Traffic white RAL 9016/Anthracite grey RAL 7016	ALU/WT/AH	0					
Metal link integrated with frame for connecting chairs into rows (dedicated to Cafe VII without arms)	CLICK	31					
Armrest frame powder-coated in White aluminium RAL 9006 colour, wooden armpads (applicable to CAFE VII GTP)	GTP59-ALU-xx	0					
Armrest frame chromium plated, wooden armpads (applicable to CAFE VII GTP)	GTP59-CR-xx	15					
Base – Ø 630 mm five-star aluminium powder-coated in White aluminium RAL 9006 colour (dedicated to CAFE VII GTS and GTP version)	ST32-ALU	43					
Base – Ø 630 mm five-star polished aluminium with chrome effect (dedicated to CAFE VII GTS and GTPspacja version)	ST32-CR	54					
Glides with felt for hard floors (applicable to CAFE VII, CAFE VII ARM, CAFE VII HOCKER)	GBF	11					
Glides with replaceable caps for soft floors (applicable to CAFE VII, CAFE VII ARM)	GBP	13					
Glides for soft floors, white (applicable to CAFE VII, CAFE VII ARM)	GW	7					
Castors – Ø 50 mm for hard floors (dedicate to CAFE VII GTS/GTP)	SHH	0					
Castors – Ø 65 mm for soft floors (dedicate to CAFE VII GTS/GTP)	ESH	25					
Castors – Ø 65 mm for hard floors (dedicate to CAFE VII GTS/GTP)	ESHH	25					

* For stacking purposes stacking cushion strongly recommended, to be ordered separately, see options

**Please specify colour code of wood – see finishes

***Please specify colour code of laminate – see finishes

PRICE GROUP 0: Basic*, Micro, Oban, Imitation Leather

PRICE GROUP 1: Bondai, Era, Kaiman, Lucia**, Oflum,

Sempre, Sempre Melange

PRICE GROUP 2: Felicity, Radio, Rivet, Valencia, Xtreme

PRICE GROUP 3: Silvertex, Split leather (SP)*, Step, Step Melange

PRICE GROUP 4: Blazer, Fame, Synergy







PRICE GROUP 5: Remix 3

*Fabric not applicable to A-PLUS and B-PLUS versions

**Fabric not applicable to A-PLUS version

Apart from the product number/code, please specify options, upholstery and other finishes to complete an order.


PRICE LIST – MEETING CHAIRS

Model	Description	Basic price (EUR)
		Wood
CAFE VII 	Meeting chair on 4-leg frame powder-coated in Jet black RAL 9005 colour (BL), wooden shell, no stacking protection, glides for soft floors (GB)	88
CAFE VII ARM 	Meeting chair on 4-leg frame powder-coated in Jet black RAL 9005 colour (BL), open integrated armrests with wooden pads (NF-xx*), wooden shell, no stacking protection, glides for soft floors (GB).	116
CAFE VII HOCKER 	Hocker chair on sled frame powder-coated in Jet black RAL 9005 colour (BL), wooden shell, glides for soft floors (GB).	129
CAFE VII UP&DOWN 	Hocker chair on column chromium plated height adjustable base (CR), wooden shell, glides with felt for hard floors (GBF).	349
CAFE VII GTS 	Swivel chair with wooden shell, no armrests (GTS), height adjustment with pneumatic gas lift (PST45), Ø 680 mm five-star black polyamide base (TS18), Ø 50 mm castors for soft floors (SH).	150
CAFE VII GTP 	Swivel chair with wooden shell, integrated armrests powder-coated in Jet black RAL 9005 colour with wooden armrest pads (GTP59-BL-xx**), height adjustment with pneumatic gas lift (PST45), Ø 680 mm five-star black polyamide base (TS18), Ø 50 mm castors for soft floors (SH).	179
	CAFE VII BENCHES	see benches

* Dimensions measured acc. to PN-EN 16139

** Please specify colour code of wood – [see finishes](#)

PRICE LIST – ACCESSORIES

Model	Description	Price
UNIVERSAL ROW CONNECTOR 	Row distance adjustment (460–520 mm) for CAFE VII 4-leg without armrest versions. Fixing to the floor as an option. The connector is powder-coated in Jet black RAL 9005 (BL) colour.	58
	UNIVERSAL CHAIR CART – see CART TABLE	184

OPTIONS – CAFE VII CFS ROD

Options	Code	Surcharge					
		Upholstery price group					
		0	1	2	3	4	5
Wooden shell with upholstered seat pad	SEAT PLUS *	15	17	19	22	27	37
Wooden shell with upholstered seat pad and backrest pad	PLUS *	24	28	33	42	47	64
Wooden shell with front part fully upholstered	B-PLUS *	38	42	46	52	56	79
Fully upholstered shell	A-PLUS *	28	31	38	43	47	64
Wooden shell with slightly visible wood grains	2.xx**	15					
Laminated wooden shell	LAMINATE***	21					
Frame CFS-ROD chromium plated	CR	13					
Frame CFS-ROD powder-coated in White aluminium RAL 9006 colour	ALU	0					
Frame CFS-ROD powder-coated in Fashion Collection: Grey blue RAL 5008/ Black green RAL 6012/Cashmere NCS S 2005-Y60R	GE/BN/NK	0					
Glides with felt for hard floors	GBF	11					
Transparent glides for soft floors	GT	0					
Transparent glides with felt for hard floors	GTF	11					
Glides with replaceable pads for connecting chairs into rows for soft floors	GBL	9					
Glides with replaceable pads with felt for connecting chairs into rows for hard floors	GBLF	13					

*Stacking cushion as standard

**Please specify colour code of wood – [see finishes](#)


***Please specify colour code of laminate – [see finishes](#)

PRICE GROUP 0: Basic, Micro, Oban, Imitation Leather
 PRICE GROUP 1: Bondai, Era, Kaiman, Lucia, Oflum,
 Sempre, Sempre Melange
 PRICE GROUP 2: Felicity, Radio, Rivet, Valencia, Xtreme

PRICE GROUP 3: Silvertex, Split leather (SP), Step, Step Melange
 PRICE GROUP 4: Blazer, Fame, Synergy
 PRICE GROUP 5: Remix 3


Apart from the product number /code, please specify options, upholstery and other finishes to complete an order.

PRICE LIST – CAFE VII CFS ROD


Model	Description	Basic price (EUR)
<p>CAFE VII CFS ROD</p> 	<p>Meeting chair on sled frame powder-coated in Jet black RAL 9005 colour (BL), wooden shell, no stacking protection, glides for soft floors (GB).</p>	<p>Wood</p> <p>120</p>




CAFE VII-2




CAFE VII-3



CAFE VII-4



CAFE VII-4/T



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
CAFE VII-2	440	420	415	415	395	840	320	—	—	600	1040	600	19
CAFE VII-3	440	420	415	415	395	840	320	—	—	600	1540	600	24
CAFE VII-4	440	420	415	415	395	840	320	—	—	600	2040	600	27

A – Seat height

A1 – Seat height according to standard EN 16139

B – Seat depth

C – Seat surface depth

D – Seat width

E – Overall height

F – Backrest width

G – Backrest length

H – Armrests height

K – Base width

V – Overall width

L – Overall depth

OPTIONS – BENCHES

Options	Code	Surcharge / 1 seat*					
		Upholstery price group					
		0	1	2	3	4	5
Table top, melamine faced chipboard (T-xx), applicable alternately with seat	T-xx**	– 39					
Wooden shell with upholstered seat pad	SEAT PLUS	15	17	19	22	27	37
Wooden shell with upholstered seat pad and backrest pad	PLUS	24	28	33	42	47	64
Wooden shell with slightly visible wood grains	2.xx***	15					
Laminated wooden shell	LAMINATE****	21					

* Please multiply by number of seats





** Replacing the seat for the table top is the first step when configuring the bench, while choosing other options connected with the seat

Please specify colour of melamine, [see finishes](#)

*** Please specify colour code of wood – [see finishes](#)

**** Please specify colour code of laminate – [see finishes](#)

PRICE LIST – CAFE VII BENCHES

Model	Description	Basic price (EUR)
Wood		
<p>CAFE VII-2</p> 	<p>Bench for 2 people, wooden shells, chromium plated legs, powder-coated in White aluminium RAL 9006 colour beam. CAFE VII-2 C-CR-xx xx GB</p>	391
<p>CAFE VII-3</p> 	<p>Bench for 3 people, wooden shells, chromium plated legs, powder-coated in White aluminium RAL 9006 colour beam. CAFE VII-3 C-CR-xx xx GB</p>	496
<p>CAFE VII-4</p> 	<p>Bench for 4 people, wooden shells, chromium plated legs, powder-coated in White aluminium RAL 9006 colour beam. CAFE VII-4 C-CR-xx xx GB</p>	570
Sample configuration with table top		
<p>CAFE VII-4/T</p> 	<p>Bench for 3 people and table top, wooden shells, melamine faced chipboard table top (T-xx) chromium plated legs, powder-coated in White aluminium RAL 9006 colour beam. CAFE VII-4/T C-CR-xx xx GB</p>	529

Cafe II


Cafe IV

Cafe VI


1. Dimensions/Weight




CAFE II



CAFE IV



CAFE VI



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
CAFE II 4L	450	430	415	415	430	830	390	—	—	500	500	540	4.8
CAFE IV 4L	450	430	415	415	470	800	410	—	—	500	500	520	4.9
CAFE VI 4L	450	430	415	415	470	820	455	—	—	500	500	540	4.9

- A – Seat height
- A1 – Seat height according to standard EN 16139
- B – Seat depth
- C – Seat surface depth

- D – Seat width
- E – Overall height
- F – Backrest width
- G – Backrest length
- H – Armrests height

- K – Base width
- V – Overall width
- L – Overall depth

OPTIONS – MEETING CHAIRS

Options	Code	Surcharge					
		Upholstery price group					
		0	1	2	3	4	5
Wooden shell with upholstered seat pad	SEAT PLUS*	15	17	19	22	27	37
Wooden shell with upholstered seat pad and backrest pad (applicable to CAFE VI, CAFE VI GTS)	PLUS*	24	28	33	42	47	64
Stacking cushion (applicable to upholstered seat versions of CAFE II, CAFE IV and CAFE VI)	—	23					
Wooden shell with slightly visible wood grains	2.xx**	15					
Laminated wooden shell	LAMINATE***	21					
Frame 4-leg powder-coated in White aluminium RAL 9006 colour (not applicable to CAFE VI GTS)	ALU	0					
Frame 4L chromium plated	CR	10					
Frame 4L powder-coated in White aluminium RAL 9006/Traffic white RAL 9016/Anthracite grey RAL 7016	ALU/WT/AH	0					
Frame 4L powder-coated in Fashion Collection: Grey blue RAL 5008/Black green RAL 6012/Cashmere NCS S 2005-Y60R	GE/BN/NK	0					
Glides with felt for hard floors (applicable to CAFE II, CAFE IV, CAFE VI)	GBF	11					
Glides with replaceable caps for soft floors	GBP	13					
Glides for soft floors, white (applicable to CAFE II, CAFE IV, CAFE VI)	GW	7					
Castors – Ø 50 mm for hard floors (dedicated to CAFE VI GTS)	SHH	0					
Castors – Ø 65 mm for soft floors (dedicated to CAFE VI GTS)	ESH	25					
Castors – Ø 65 mm for hard floors (dedicated to CAFE VI GTS)	ESHH	25					

* For stacking purposes stacking cushion strongly recommended, to be ordered separately, see options

** Please specify colour code of wood – [see finishes](#)

*** Please specify colour code of laminate – [see finishes](#)





**** Please [see finishes](#) for RAL code

PRICE GROUP 0: Basic, Micro, Oban, Imitation Leather
 PRICE GROUP 1: Bondai, Era, Kaiman, Lucia, Oflum, Sempre, Sempre Melange
 PRICE GROUP 2: Felicity, Radio, Rivet, Valencia, Xtreme


PRICE GROUP 3: Silvertex, Split leather (SP), Step, Step Melange
 PRICE GROUP 4: Blazer, Fame, Synergy
 PRICE GROUP 5: Remix 3

Apart from the product number/code, please specify options, upholstery and other finishes to complete an order.

PRICE LIST – MEETING CHAIRS

Model	Description	Basic price (EUR)
Wood		
<p>CAFE II</p> 	<p>Meeting chair on 4-leg frame powder-coated in Jet black RAL 9005 (BL), wooden shell, no stacking protection, glides for soft floors (GB).</p>	88
<p>CAFE IV</p> 	<p>Meeting chair on 4-leg frame powder-coated in Jet black RAL 9005 (BL), wooden shell, no stacking protection, glides for soft floors (GB).</p>	88
<p>CAFE VI</p> 	<p>Meeting chair on 4-leg frame powder-coated in Jet black RAL 9005 (BL), wooden shell, no stacking protection, glides for soft floors (GB).</p>	88
<p>CAFE VI GTS</p> 	<p>Swivel chair with wooden shell, no armrests (GTS), height adjustment with pneumatic gas lift (PST45), Ø 600 mm five-star chromium plated (ST20-CR), Ø 50 mm castors for soft floors (SH).</p>	125
Cart		
UNIVERSAL CHAIR CART	See CART TABLE .	184

Cafe LGW



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
CAFE II LGW	455	445	415	415	430	835	390	—	—	450	450	540	5.0
CAFE IV LGW	455	445	415	415	470	805	410	—	—	450	470	520	4.9
CAFE VI LGW	455	445	415	415	470	825	455	—	—	450	470	540	5.0
CAFE VII LGW	455	445	415	415	395	845	320	—	—	450	450	540	4.8
CAFE VII B-PLUS LGW	455	445	405	405	395	845	320	—	—	450	450	540	6.1
CAFE VII A-PLUS LGW	455	445	410	410	395	855	320	—	—	450	450	540	5.1
LANTANA LGW	455	445	415	415	395	845	320	—	—	450	450	540	4.65
VERBENA LGW	455	445	415	415	395	845	320	—	—	450	450	540	4.65

A – Seat height

A1 – Seat height according to standard EN 16139

B – Seat depth

C – Seat surface depth

D – Seat width

E – Overall height

F – Backrest width

G – Backrest length

H – Armrests height

K – Base width

V – Overall width

L – Overall depth

OPTIONS – MEETING CHAIRS

Options	Code	Surcharge					
		Upholstery price group					
		0	1	2	3	4	5
Wooden shell with upholstered seat pad	SEAT PLUS	15	17	19	22	27	37
Wooden shell with upholstered seat pad and backrest pad (applicable to Cafe VI and CAFE VII)	PLUS	24	28	33	42	47	64
Wooden shell with front part fully upholstered (applicable to Cafe VII only)	B PLUS	38	42	46	52	56	79
Fully upholstered shell (applicable to CAFE VII only)	A PLUS	28	31	38	43	47	64
Wooden shell with slightly visible wood grains	2. xx*	15					
Laminated wooden shell	LAMINATE**	21					
Frame 4-leg wooden with slightly visible wood grains	2.xx*	13					
Glides for hard floors	GBF	11					

*Please specify colour code of wood – [see finishes](#)

**Please specify colour code of laminate – [see finishes](#)

PRICE GROUP 0: Basic*, Micro, Oban, Imitation Leather

PRICE GROUP 1: Bondai, Era, Kaiman, Lucia**, Oflum, Sempre, Sempre Melange

PRICE GROUP 2: Felicity, Radio, Rivet, Valencia, Xtreme

PRICE GROUP 3: Split Leather (SP)*, Silvertex, Step, Step Melange

PRICE GROUP 4: Blazer, Fame, Synergy

PRICE GROUP 5: Remix 3***







*Fabric not applicable to A-PLUS and B-PLUS versions

**Fabric not applicable to A-PLUS version




***Fabric not applicable to LANTANA and VERBENA versions

Apart from the product number/code, please specify options, upholstery and other finishes to complete an order.





PRICE LIST – MEETING CHAIRS




Model	Description	Basic price (EUR)
Wood		
<p>CAFE-II LGW</p> 	<p>Meeting chair on 4-leg wooden beech frame (1.007), wooden shell, glides for soft floors (GB).</p>	245
<p>CAFE-IV LGW</p> 	<p>Meeting chair on 4-leg wooden beech frame (1.007), wooden shell, glides for soft floors (GB).</p>	245
<p>CAFE-VI LGW</p> 	<p>Meeting chair on 4-leg wooden beech frame (1.007), wooden shell, glides for soft floors (GB).</p>	245
<p>CAFE-VII LGW</p> 	<p>Meeting chair on 4-leg wooden beech frame (1.007), wooden shell, glides for soft floors (GB).</p>	245
<p>LANTANA LGW</p> 	<p>Meeting chair on 4-leg wooden beech frame (1.007), wooden shell, glides for soft floors (GB).</p>	260
<p>VERBENA LGW</p> 	<p>Meeting chair on 4-leg wooden beech frame (1.007), wooden shell, glides for soft floors (GB).</p>	260

Shell type matrix


SHELL SHAPE		CAFE VII	LANTANA	VERBENA
Model				
Seat	WOOD	●	●	●
	LAMINATE	●	●	●
Upholstered version	PLUS	●		
	SEAT PLUS	●	●	●
	A PLUS	●		
	B PLUS	●		

● available versions

Upholstered versions			
PLUS	SEAT PLUS	A PLUS	B PLUS
			

CAFE IV	CAFE VI	CAFE II
		
•	•	•
•	•	•
	•	
•	•	•

Lantana Verbena



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
LANTANA	450	430	415	415	395	840	320	—	—	500	500	540	4.75
LANTANA ARM	450	430	415	415	395	840	320	—	465	500	555	540	6.15
VERBENA	450	430	415	415	395	840	320	—	—	500	500	540	4.75
VERBENA ARM	450	430	415	415	395	840	320	—	465	500	555	540	6.15

A – Seat height

A1 – Seat height according to standard EN 16139

B – Seat depth

C – Seat surface depth

D – Seat width

E – Overall height

F – Backrest width

G – Backrest length

H – Armrests height

K – Base width

V – Overall width

L – Overall depth

OPTIONS – MEETING CHAIRS

Options	Code	Surcharge				
		Upholstery price group				
		0	1	2	3	4
Wooden shell with upholstered seat pad	SEAT PLUS *	15	17	19	22	27
Stacking cushion (applicable to upholstered seat versions)	—	23				
Wooden shell or shell with armpads with slightly visible wood grains	2.xx**	15				
Laminated wooden shell or shell with armpads	LAMINATE***	21				
Frame 4L chromium plated	CR	10				
Frame 4L powder-coated in White aluminium RAL 9006/Traffic white RAL 9016/ Anthracite grey RAL 7016	ALU/WT/AH	0				
Frame 4L powder-coated in Fashion Collection: Grey blue RAL 5008/Black green RAL 6012/ Cashmere NCS S 2005-Y60R	GE/BN/NK	0				
Frame 4L-ARM / FRONT chromium plated	CR	12				
Frame 4L-ARM / FRONT powder-coated in White aluminium RAL 9006/Traffic white RAL 9016/ Anthracite grey RAL 7016	ALU/WT/AH	0				
Frame 4L-ARM / FRONT powder-coated in Fashion Collection: Grey blue RAL 5008/ Black green RAL 6012/Cashmere NCS S 2005-Y60R	GE/BN/NK	0				
Glides with felt for hard floors	GBF	11				
Glides with replaceable caps for soft floors	GBP	13				
Glides for soft floors, white	GW	7				

* For stacking purposes stacking cushion strongly recommended, to be ordered separately, see options

** Please specify colour code of wood – [see finishes](#)

*** Please specify colour code of laminate – [see finishes](#)

PRICE GROUP 0: Basic, Micro, Oban, Imitation Leather

PRICE GROUP 1: Bondai, Era, Kaiman, Lucia, Oflum,

Sempre, Sempre Melange





PRICE GROUP 2: Felicity, Radio, Rivet, Valencia, Xtreme

PRICE GROUP 3: Silververtex, Split Leather (SP), Step, Step Melange

PRICE GROUP 4: Blazer, Fame, Synergy

Apart from the product number / code, please specify options, upholstery and other finishes to complete an order.


PRICE LIST – MEETING CHAIRS

Model	Description	Basic price (EUR)
<p>LANTANA</p> 	<p>Meeting chair on 4-leg frame powder-coated in Jet black RAL 9005 (BL), wooden shell, no stacking protection, glides for soft floors (GB).</p>	<p>Wood</p> <p>110</p>
<p>LANTANA ARM</p> 	<p>Meeting chair on 4-leg frame powder-coated in Jet black RAL 9005 (BL), open integrated armrests with wooden pads (NF-xx*), wooden shell, no stacking protection, glides for soft floors (GB).</p>	<p>141</p>
<p>VERBENA</p> 	<p>Meeting chair on 4-leg frame powder-coated in Jet black RAL 9005 (BL), wooden shell, no stacking protection, glides for soft floors (GB).</p>	<p>110</p>
<p>VERBENA ARM</p> 	<p>Meeting chair on 4-leg frame powder-coated in Jet black RAL 9005 (BL), open integrated armrests with wooden pads (NF-xx*), wooden shell, no stacking protection, glides for soft floors (GB).</p>	<p>141</p>


*Please specify colour code of wood – [see finishes](#)

Evora

1. Dimensions/Waga



EVORA 100



EVORA 101



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	K	V	L	P	
EVORA 100	760	745	370	365	420	1040	370	275	540	540	555	280	6,8
EVORA 101	780	765	365	360	425	1045	375	280	540	540	555	280	7,5

- A – Seat height
- A1 – Seat height according to standard EN 16139
- B – Seat depth
- C – Seat surface depth

- D – Seat width
- E – Overall height
- F – Backrest width
- G – Backrest length
- H – Armrests height

- K – Base width
- V – Overall width
- L – Overall depth
- P – Footrest height

2. Materials / Version

2.1. Frame

Hocker 4-leg frame – made of $\varnothing 22 \times 1,5$ mm steel tube. Protective plastic footrest cap fixed to the crossbar.

Finish options:

- powder-coated in White aluminium RAL 9006 (ALU),
 - powder-coated in Jet black RAL 9005 (BL),
 - powder-coated in Traffic white RAL 9016 (W),
 - or Fashion Collection colour,
 - chromium plated (Z).
- Chair does not stack.

2.2. Glides

Black plastic glides for soft floors (G20) as standard or hard floors (G20F) as an option.

2.3. Seat and backrest

Wooden shell (0) – made of 6-layer beech plywood, thickness 9.5 mm.

Fully upholstered shell (1) – structure made of 6-layer beech plywood, thickness 9.5 mm, covered with flame retardant foam density 55 kg/m^3 , thickness 15 mm (front) and 9 mm (back part of backrest) as option.

WALL PROTECTION SYSTEM – frame construction enables 60 mm distance between backrest and the wall to prevent it from scratching.

3. Packaging

1 piece per box (assembled).

4. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)

Selected configurations have:

Durability certificate:


EN 1022, EN 16139, EN 1728.

OPTIONS – HOCKER

Options	Code	Surcharge				
		Upholstery price group				
		1	2	3	4	5
Fully upholstered shell	1	44	56	71	93	143
Veneered wooden shell (applicable to EVORA 100)	FT*	45				
Frame chromium plated	CR	33				
Frame powder-coated in White aluminium RAL 9006/Traffic white RAL 9016	ALU/W	0				
Frame powder-coated in Fashion Collection: Grey blue RAL 5008/ Black green RAL 6012/Cashmere NCS S 2005-Y60R	GE/BN/NK	0				
Glides for hard floors	G20F	17				

*Please specify colour code of veneer – see finishes

PRICE LIST – HOCKER


Model	Description	Basic price (EUR)
		Wood
<p>EVORA 10</p> 	Hocker chair on 4-leg frame powder-coated in Jet black RAL 9005 (BL), wooden shell (0), glides for soft floors (G20).	146

PRICE GROUP 1: Era, Lucia, Sempre/Sempre Melange
 PRICE GROUP 2: Felicity, Radio, Rivet, Valencia, Xtreme
 PRICE GROUP 3: Silvertex, Step/Step Melange
 PRICE GROUP 4: Blazer, Synergy
 PRICE GROUP 5: Fine Leather (LE), Fine Leather (SD), Remix 3

Fano

Technical description

1. Dimensions / Weight



FANO 4L
weight: 5.40 kg

FANO 4L SEAT-PLUS
weight: 5.80 kg

2. Materials / Version

2.1. Frame

4-leg frame – made of $\varnothing 18 \times 2.0$ mm steel tube.

Finish options:

- powder-coated in Jet black RAL 9005 colour (BL),
- powder-coated in White aluminium RAL 9006 colour (ALU),
- powder-coated in Traffic white RAL 9016 (WT)/ Anthracite grey RAL 7016 (AH)
- or Fashion Collection colour,
- chromium plated (CR).

Stacking – up to 4 pcs (not applicable to SEAT-PLUS version).

2.2. Glides

Glides for soft floors (GB) as standard or hard floors (GBF) as an option.

2.3. Seat and backrest

Plastic shell – shell with integrated armrests made of polypropylene (PP).

Plastic shell with upholstered seat pad (SEAT-PLUS) – seat pad structure made of beech plywood, thickness 4.5 mm, covered with foam, density 25 kg/m³, thickness 15 mm.

3. Packaging

3 pieces per box (assembled)

4. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)


Durability certificate REMODEX – EN 16139, PN-EN 1728, PN-EN 1022.

OPTIONS – MEETING CHAIRS

Options	Code	Surcharge				
		Upholstery price group				
		0	1	2	3	4
Plastic shell with upholstered seat pad	SEAT-PLUS	22	30	38	44	52
Frame chromium plated	CR	10				
Frame powder-coated in White aluminium RAL 9006/Traffic white RAL 9016/Anthracite grey RAL 7016	ALU/WT/AH	0				
Frame powder-coated in Fashion Collection: Grey blue RAL 5008/Black green RAL 6012/ Cashmere NCS S 2005-Y60R	GE/BN/NK	0				
Glides with felt for hard floors	GBF	11				

* Please see finishes for RAL code

PRICE LIST – MEETING CHAIRS

Model	Description	Basic price (EUR)
<p>FANO 4L</p> 	<p>Meeting chair on 4-leg frame powder-coated in Jet black colour RAL 9005 (BL), plastic shell, glides for soft floors (GB).</p>	<p>Plastic</p> <p>102</p>

SEAT PLUS

PRICE GROUP 0: Basic, Micro, Oban, Imitation Leather

PRICE GROUP 1: Bondaj, Era, Kaiman, Lucia, Oflum, Sempre, Sempre Melange

PRICE GROUP 2: Felicity, Radio, Rivet, Valencia, Xtreme


PRICE GROUP 3: Step, Step Melange

PRICE GROUP 4: Blazer, Fame, Synergy


Fondo

Technical description


1. Dimensions / Weight




FONDO PP 4L




FONDO PP 4L ARM



FONDO PP CFS-ROD



FONDO PP HOCKER



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
FONDO PP 4L	465	460	390	370	445	830	410	360	—	510	510	480	4.6
FONDO PP 4L ARM	465	460	390	370	445	830	410	360	675	590	590	490	5.4
FONDO PP CFS-ROD	465	460	390	370	445	830	410	360	—	520	520	510	5.6
FONDO PP HOCKER	740	735	390	370	445	1110	410	360	—	520	540	495	5.7

A – Seat height

A1 – Seat height according to standard EN 16139

B – Seat depth

C – Seat surface depth

D – Seat width

E – Overall height

F – Backrest width

G – Backrest length

H – Armrests height

K – Base width

V – Overall width

L – Overall depth

2. Materials / Version

2.1. Frame

4-leg frame (4L) – made of $\varnothing 18 \times 2.0$ mm steel tube,

4-leg frame with integrated armrests (4L-ARM) – made of $\varnothing 18 \times 2.0$ mm steel tube

Sled frame (CFS ROD) – made of $\varnothing 11$ mm steel rod,

HOCKER 4-leg frame – made of $\varnothing 18 \times 2.0$ mm steel tube and $\varnothing 10$ mm steel rod for footrest.

Finish options:

- powder-coated in Jet black RAL 9005 colour (BL),
- powder-coated in White aluminium RAL 9006 colour (ALU),
- chromium plated (CR).

Stacking:

4L – up to 6 pieces,

4L ARM – up to 3 pieces,

CFS ROD – up to 8 pieces,

CFS ROD SEAT PLUS – up to 4 pieces,

HOCKER – up to 6 pieces

Stacking of FONDO SEAT PLUS versions recommended with stacking cushion.

Universal chair cart available.

2.2. Glides

4L / 4L ARM version:

Glides for soft floors (GB) as standard or with felt for hard floors (GBF) as an option.

CFS-ROD version:

Transparent glides for soft floors (GT) as standard or with felt for hard floors (GTF) as an option.

HOCKER 4-leg version:

Glides for soft floors (GB) as standard or with felt for hard floors (GBPF) as an option.

2.3. Seat and backrest

Plastic shell – made of polypropylene (PP),

Plastic shell with upholstered seat pad

(SEAT-PLUS) – seat pad made of 3-layer beech plywood, thickness 4.5 mm covered with foam, density 25 kg/m³, thickness 15 mm.

3. Packaging

4 pieces per box (assembled).

4. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)

Durability certificate





REMODEX: EN 16139, EN 1728, EN 1022.

*Dimensions measured under load in accordance with the EN standard.

OPTIONS – MEETING CHAIRS

Options	Code	Surcharge				
		Upholstery price group				
		0	1	2	3	4
Plastic shell with upholstered seat pad	SEAT PLUS	17	19	24	29	33
Frame chromium plated (4L version)	CR	10				
Frame chromium plated (4L-ARM, CFS-ROD, HOCKER versions)	CR	13				
Frame powder-coated in White aluminium RAL 9006 colour (all versions)	ALU	0				
Glides with felt for hard floors (applicable to 4-leg and 4-leg ARM versions)	GBF	11				
Self-leveling glides with felt for hard floors (applicable to HOCKER version)	GBPF	16				
Glides with felt for hard floors, transparent (applicable to CFS-ROD version)	GTF	11				
Fondo stacking cushion (dedicated for SEAT PLUS version only)	—	30				

PRICE LIST – MEETING CHAIRS

Model	Description	Basic price (EUR)
Plastic		
FONDO PP 	Meeting chair on 4-leg frame powder-coated in Jet black RAL 9005 colour (BL), plastic shell, glides for soft floors (GB).	83
FONDO PP ARM 	Meeting chair on 4-leg frame with integrated armrests powder-coated in Jet black RAL 9005 colour (BL), plastic shell, glides for soft floors (GB).	88
FONDO PP CFS-ROD 	Meeting chair on sled frame powder-coated in Jet black RAL 9005 colour (BL), plastic shell, glides for soft floors (GT).	116
FONDO PP HOCKER 	Hocker chair on 4-leg frame powder-coated in Jet black RAL 9005 colour (BL), plastic shell, glides for soft floors (GB).	96
Cart		
UNIVERSAL CHAIR CART	See CART TABLE	184

FONDO SEAT PLUS

PRICE GROUP 0: Basic, Micro, Oban, Imitation Leather

PRICE GROUP 1: Bondai, Era, Kaiman, Lucia, Oflum, Sempre, Sempre Melange

PRICE GROUP 2: Felicity, Radio, Rivet, Valencia, Xtreme

PRICE GROUP 3: Silvertex, Step, Step Melange


PRICE GROUP 4: Blazer, Fame, Synergy

Apart from the product number / code, please specify options, upholstery and other finishes to complete an order.


Belise

Technical description


1. Dimensions / Weight



BELISE 110



BELISE UPH



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
BELISE 110/BELISE UPH	580-865	535-825	—	—	∅ 285	580-865	—	—	—	∅ 435	∅ 435	∅ 435	8.3

- A – Seat height
- A1 – Seat height according to standard EN 16139
- B – Seat depth
- C – Seat surface depth

- D – Seat width
- E – Overall height
- F – Backrest width
- G – Backrest length
- H – Armrests height

- K – Base width
- V – Overall width
- L – Overall depth

2. Materials / Versions

2.1. Base

The structure is made of:

- 3-layer beech plywood, thickness 4.5 mm,
- rubber disc, thickness 3 mm,
- foam thickness 50 mm, density 40 kg / m³,
- 9-layer beech plywood covered with black laminate (U999), thickness 13 mm, visible plywood edge protected with wax,
- chromium plated gas lift.

2.2. Seat

Wooden seat with upholstered pad (110) – structure is made of 11-layer beech plywood, thickness 16 mm, seat pad structure is made of 4-layer beech plywood, thickness 6 mm, foam thickness 20 mm, density 40 kg / m³.

Upholstered seat (UPH) – structure is made of 11-layer beech plywood, thickness 12 mm, covered with foam thickness 20 mm, density 40 kg / m³.



3. Packaging

1 piece per box (assembled).

4. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)

Ergonomical Evaluation Report.

PRICE LIST – HOCKER

Model	Description	Basic price (EUR)				
		Upholstery price group				
		1	2	3	4	5
BELISE 110 	Height adjustable hocker chair with wooden seat in natural beech finish (1.007) and upholstered pad. Height adjusting ring – powder-coated in Jet black RAL 9005 (BL) colour. Chromium plated gas lift and soft rubber base which allows tilting in every direction.	259	270	277	281	294
BELISE UPH 	Height adjustable hocker chair with fully upholstered seat. Height adjusting ring – powder-coated in Jet black RAL 9005 (BL) colour. Chromium plated gas lift and soft rubber base which allows tilting in every direction.	259	270	277	281	294





PRICE GROUP 1: Bondai, Era, Kaiman, Lucia, Oflum, Sempre, Sempre Melange

PRICE GROUP 2: Felicity, Radio, Rivet, Valencia, Xtreme

PRICE GROUP 3: Silvertex, Step, Step Melange

PRICE GROUP 4: Blazer, Fame, Synergy

PRICE GROUP 5: Fine leather (LE), Fine leather (SD), Remix 3



Pricelist

For detailed information please see:

CS5040 Price list











Pricelist

For detailed information please see:
Office Furniture Price list









Pricelist

For detailed information please see:

Office Furniture Price list



NowyStyl



MeeThink





Pricelist

For detailed information please see:
Office Furniture Price list



Easy Space


NowyStyl



Pricelist

For detailed information please see:
Office Furniture Price list






Pricelist

For detailed information please see:
Office Furniture Price list








Pricelist

For detailed information please see:
Office Furniture Price list









Pricelist

For detailed information please see:
Office Furniture Price list



SQart Workstation

NowyStyl



Pricelist


For detailed information please see:
Office Furniture Price list




Inta

Technical description


1. Dimensions / Weights



INTA FRAME CHAIR 4L OD P



INTA FRAME CHAIR 4L P



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
INTA FRAME CHAIR 4L OD P	460	460	445	445	450	775	410	335	655	460	555	540	5,40
INTA FRAME CHAIR 4L P	480	470	445	445	450	775	410	335	655	460	555	540	6,25

A – Seat height

A1 – Seat height according to standard EN

B – Seat depth

C – Seat surface depth

D – Seat width

E – Overall height

F – Backrest width

G – Backrest length

H – Armrests height

K – Base width

V – Overall width

L – Overall depth

2. Materials / Versions

2.1. Base / Frame

4-leg frame – made of black polypropylene (PP), oval legs tapering towards floor.

2.2. Glides

Plastic glides in white colour.

2.3. Seat and backrest

Plastic shell

Seat, backrest and armrests as one-piece shell made of polypropylene (PP).

Plastic shell with upholstered seat pad

Seat, backrest and armrests as one-piece shell made of polypropylene (PP).

Upholstered seat pad – structure made of polypropylene (PP), covered with cut foam, thickness 20 mm, density 35 kg/m³, upholstered.

Shell finish options:

- plastic in: Black (B), Powder (PR), Cream (CE), White (W) colour.

3. Packaging

Assembled chair – 1 piece per box, 8 pieces on pallet.

4. Technical regulations, approvals and quality marks

Approvals compliant with: PN-EN 16139, PN-EN 1022, PN-EN 1728

Hygienic approval



Plastic frame chair
on four legs, for outdoor use

Plastic frame chair
on four legs
with upholstered seat pad

INTA FRAME CHAIR 4L OD P

INTA FRAME CHAIR 4L P

Basic price (EUR) according to upholstery price group

No upholstered seat pad	102	—
1	—	124
2	—	130

	Frame		
E-B	Plastic in black colour	•	•
	Shell		
SE-④	Plastic	•	—
SE-PD-④/⑤	Plastic with upholstered seat pad	—	•

Sample order	INTA FRAME CHAIR 4L OD P (E-B SE-B)
	INTA FRAME CHAIR 4L P (E-B SE-PD-B/CSE16)

④ – Please specify plastic colour code – [see finishes](#)


⑤ – Please specify upholstery colour code from selected price group – [see finishes](#)

• Available as standard (included in basic price)


Neo-Lux

Technical description

1. Dimensions / Weight



NEO-LUX-LB CF
weight: 10.30 kg



NEO-LUX 4L-ARM
weight: 8.30 kg

2. Materials / Versions

2.1. Frame

Cantilever frame – made of steel tube $\varnothing 22 \times 2.5$ mm.

4-leg frame – made of oval tube $30 \times 15 \times 1.5$ mm
Finish options:

- powder-coated in White aluminium RAL 9006 colour (ALU),
- chromium plated (CR).

2.2. Glides

Glides for soft floors (GB) as standard, or hard floors (GBF) as an option.

2.3. Seat & backrest

Seat

4-leg frame chairs – structure is made of 6-layer plywood, thickness 8.5 mm covered with cut foam, thickness 30 mm, density 35 kg/m^3 .

Cantilever frame chairs – structure is made of 7-layer plywood, thickness 10.5 mm covered with cut foam, thickness 60 mm, density 35 kg/m^3 .

Backrest

Upholstered backrest

4-leg frame chairs – structure is made of 6-layer plywood, thickness 8.5 mm covered with cut foam, thickness 20 mm and 10 mm, density 25 kg/m^3 .

Cantilever frame chairs – structure is made of 8-layer plywood, thickness 12 mm, covered with cut foam, front part thickness 30, density 25 kg/m^3 , back part thickness 9 mm, density 25 kg/m^3 .

3. Armrests

Fixed armrests – made of polypropylene (PP) with steel powder-coated in White aluminium RAL 9006 colour or chromium plated, applicable to cantilever version.

Fixed armrests – intergated with frame.

Upholstered armrest pads made of solid wood, thickness 18 mm, covered with cut foam, thickness 10 mm, density kg/m^3 , applicable to 4-leg version.

4. Packaging

Conference 4-leg chairs – 1 piece per box (fully assembled), 4 pieces on pallet.

Conference cantilever chairs – 1 piece per box (partially assembled), 10 pieces on pallet.

5. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)



Remodex (durability certificate) – approvals compliant with:

EN 1335, EN 1022, EN 16139 and EN 1728.

OPTIONS – CONFERENCE CHAIRS

Options	Code	Surcharge
Fixed armrests, armrest structure made of steel powder-coated in White aluminium RAL 9006 colour and black plastic (applicable to cantilever frame chair)	GTP9-ALU	28
Fixed armrests, armrest structure made of steel chromium plated and black plastic (applicable to cantilever frame chair)	GTP9-CR	40
Cantilever frame chromium plated	CF-CR	17
4-leg frame chromium plated	4L-ARM-CR	17
Glides with felt for hard floors	GBF	11

PRICE LIST – CONFERENCE CHAIRS

Model	Description	Basic price (EUR)				
		Upholstery price group				
		1	2	3	4	5
<p>NEO-LUX-LB CF</p> 	<p>Conference chair on cantilever frame powder-coated in White aluminium RAL 9006 colour (CF-ALU), upholstered seat and backrest, no armrests, glides for soft floors (GB).</p>	173	195	215	243	298
<p>NEO-LUX 4L-ARM</p> 	<p>Conference chair on 4-leg frame powder-coated in White aluminium RAL 9006 colour, with upholstered armrest pads (4L-ARM-ALU), upholstered seat and backrest, glides for soft floors (GB).</p>	194	217	236	264	320

PRICE GROUP 1: Bondai, Era, Kaiman, Lucia, Oflum, Sempre, Sempre Melange
 PRICE GROUP 2: Rivet, Valencia, Xtreme
 PRICE GROUP 3: Split leather (SP)


PRICE GROUP 4: Fine leather front (LE)
 PRICE GROUP 5: Fine leather (LE)

Apart from the product number / code, please specify options, upholstery and other finishes to complete an order.


Sonata

Technical description

1. Dimensions / Weight



SONATA-LB CFP



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
SONATA-LB CFP	470	440	530	485	540	1015	520	570	665	584	615	685	16,8

A – Seat height

A1 – Seat height according to standard EN 16139

B – Seat depth

C – Seat surface depth

D – Seat width

E – Overall height

F – Backrest width


G – Backrest length

H – Armrests height

K – Base width

V – Overall width

L – Overall depth


Technical regulations, Approvals	Carton dimensions (mm)	Quantity in cardboard box [pc.]	Model/Description	Basic price (EUR)				
				Upholstery price group				
				1	2	3	4	5
REMODEX	750 × 650 × 1085	1	 <p>SONATA LB CFP-CR – upholstered seat and low backrest (xx), – chromium plated cantilever frame (CFP), – fixed armrests integrated with frame, with upholstered armrest pads (NF1-xx), SONATA LB CFP-CR NF1-XX XX</p>	288	324	346	399	463

Chester
Invitus
Lynx
Manager
Mirage
Nadir
Nova
Orion

Technical description

1. Dimensions

1.1. Chester



CHESTER LB CFP



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
CHESTER-LB CFP NF-2	490	450	470	485	525	975	500	600	690	605	630	685	16,5

A – Seat height

A1 – Seat height according to standard EN 16139

B – Seat depth

C – Seat surface depth

D – Seat width

E – Overall height

F – Backrest width

G – Backrest length


H – Armrests height

K – Base width

V – Overall width

L – Overall depth

1.2. Invitus



INVITUS LB CFP



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
INVITUS-LB CFP	495	455	465	470	495	1020	480	625	695	605	625	655	14,9

A – Seat height

A1 – Seat height according to standard EN 16139

B – Seat depth

C – Seat surface depth

D – Seat width

E – Overall height

F – Backrest width

G – Backrest length


H – Armrests height

K – Base width

V – Overall width

L – Overall depth

1.3. Lynx



LYNX



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
LYNX-LB CFP NF-3 GB	490	450	465	470	525	1130	515	730	730	584	620	675	16,6

A – Seat height

A1 – Seat height according to standard EN 16139

B – Seat depth

C – Seat surface depth

D – Seat width

E – Overall height

F – Backrest width

G – Backrest length


H – Armrests height

K – Base width

V – Overall width

L – Overall depth

1.4. Manager




MANAGER-LB CF




Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
MANAGER-LB CF	490	450	450	430	500	950	500	580	680	565	605	670	15,9

- A – Seat height
- A1 – Seat height according to standard EN 16139
- B – Seat depth
- C – Seat surface depth
- D – Seat width
- E – Overall height
- F – Backrest width
- G – Backrest length
- H – Armrests height
- K – Base width
- V – Overall width
- L – Overall depth


1.5. Mirage



MIRAGE LB CF-BL



MIRAGE LB CF-BL




MIRAGE-LB CFN WOOD



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
MIRAGE-LB PF12	490	450	470	490	500	975	490	560	675	565	600	665	13,4
MIRAGE-LB PF31	490	450	470	490	500	975	490	560	675	565	600	665	13,5
MIRAGE-LB CFN WOOD	450	410	470	490	500	945	490	560	645	610	610	650	11,4

- A – Seat height
- A1 – Seat height according to standard EN 16139
- B – Seat depth
- C – Seat surface depth
- D – Seat width
- E – Overall height
- F – Backrest width
- G – Backrest length
- H – Armrests height
- K – Base width
- V – Overall width
- L – Overall depth

1.6. Nadir



NADIR-LB CF



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
NADIR-LB CF PF27	510	440	480	460	500	985	500	540	700	565	600	725	14,6

- A – Seat height
- A1 – Seat height according to standard EN 16139
- B – Seat depth
- C – Seat surface depth
- D – Seat width
- E – Overall height
- F – Backrest width
- G – Backrest length
- H – Armrests height
- K – Base width
- V – Overall width
- L – Overall depth

Technical description

1.7. Nova



NOVA LB CF-CR



NOVA WOOD LB CF-CR



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
NOVA-LB CF PF5	460	485	480	450	520	1030	510	580	700	565	625	665	16,8
NOVA WOOD STEEL LB CF PF4	460	485	480	450	520	1030	510	580	700	565	620	665	16,7

A – Seat height

A1 – Seat height according to standard EN 16139

B – Seat depth

C – Seat surface depth

D – Seat width

E – Overall height

F – Backrest width

G – Backrest length

H – Armrests height

K – Base width

V – Overall width

L – Overall depth

1.8. Orion



ORION LB CFP



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
ORION-LB CF PF5	495	440	555	480	500	1015	500	550	700	565	595	780	16,7

A – Seat height

A1 – Seat height according to standard EN 16139

B – Seat depth

C – Seat surface depth

D – Seat width

E – Overall height

F – Backrest width








G – Backrest length

H – Armrests height

K – Base width

V – Overall width





L – Overall depth

Technical regulations, Approvals	Carton dimensions (mm)	Quantity in cardboard box [pc.]	Model/Description	Basic price (EUR)					
				Upholstery price group					
				0	1	2	3	4	5
REMODEX	660×630×1040	1	 <p>CHESTER WOOD LB CFP-CR – upholstered seat and low backrest (xx), – chromium plated cantilever frame (CFP-CR), – fixed armrests integrated with frame with wooden armrest pads (NF2-yy). CHESTER-LB CFP-CR NF2-yy xx</p>	324	336 (KN)	361 (VL)	375	412	472
REMODEX	660×630×1040	1	 <p>INVITUS LB CFP-CR – upholstered seat and low backrest (xx), – chromium plated cantilever frame (CFP-CR), – fixed armrests integrated with frame with wooden armrest pads (NF2-yy). INVITUS-LB CFP-CR NF2-yy xx</p>	—	305	323	331	350	392
REMODEX	730×600×1180	1	 <p>LYNX LB CFP-CR – upholstered seat and low backrest (xx), – chromium plated cantilever frame (CFP-CR), – fixed armrests integrated with frame, made of chromium plated steel with black wooden armrest pads (NF-3.097), – glides for soft floors (GB). LYNX-LB CFP-CR NF-3.097 xx GB</p>	—	312 (KN)	324 (VL)	332	364	445
	950×650×450	1	 <p>MANAGER LB CF-BL – upholstered seat and low backrest (xx), – cantilever frame powder-coated in Jet Black 9005 colour (CF-BL), – fixed armrests integrated with frame, made of black plastic (PF6). MANAGER-LB CF-BL PF6-XX</p>	169	172 (KN, SM, SMM)	196	202	—	—
	950×650×450	1	 <p>MIRAGE LB CF-BL – upholstered seat and low backrest (xx), – cantilever frame, powder-coated in Jet Black 9005 colour (CF-BL), – fixed armrests integrated with frame, made of black plastic (PF12). MIRAGE-LB CF-BL PF12 xx</p>	165 (V)	180 (KN, SM, SMM)	192	195	218	—
	950×650×450	1	 <p>MIRAGE LB CF-CR – upholstered seat and low backrest (xx), – chromium plated cantilever frame (CF-CR), – fixed armrests integrated with frame, made of chromium plated steel with upholstered armrest pads (PF31-CR-xx). MIRAGE-LB CF-CR PF31-CR-xx xx</p>	204 (V)	216 (KN, SM, SMM)	226	234	252	—
	950×650×450	1	 <p>MIRAGE LB CFN-WOOD – upholstered seat and low backrest (xx), – wooden cantilever frame (CFN-yy). MIRAGE-LB CFN-yy xx</p>	229 (V)	236 (KN, SM, SMM)	242	250	268	—

xx/yy – Please specify upholstery colour code from selected price group – [see finishes](#)

PRICE GROUP 0: Imitation Leather (V)
 PRICE GROUP 1: Era (CSE), Kaiman (KN),
 Sempre (SM)/Sempre Melange (SMM)

PRICE GROUP 2: Valencia (VL), Xtreme (XR)
 PRICE GROUP 3: Split Leather (SP)
 PRICE GROUP 4: Fine Leather front (LE)

Technical regulations, Approvals	Carton dimensions (mm)	Quantity in cardboard box [pc.]	Model/Description	Basic price (EUR)					
				Upholstery price group					
				0	1	2	3	4	5
	950×650×450	1	 <p>NADIR LB CF-CR – upholstered seat and low backrest (xx), – chromium plated cantilever frame (CF-CR), – fixed armrests integrated with frame, made of chromium plated steel with upholstered armrest pads (PF27-CR-xx). NADIR-LB CF-CR PF27-CR-xx xx</p>	218	228	242	262	286	—
REMODEX	1050×650×460	1	 <p>NOVA LB CF-CR – upholstered seat and low backrest (xx), – chromium plated cantilever frame (CF-CR), – fixed armrests integrated with frame, made of chromium plated steel with upholstered armrest pads (PF5-CR-xx). NOVA-LB CF-CR PF5-CR-xx xx</p>	262	274	289 (VL)	308	326	376
	1050×650×460	1	 <p>NOVA WOOD LB CF-CR – upholstered seat and low backrest (xx), – chromium plated cantilever frame (CF-CR), – fixed armrests integrated with frame, made of chromium plated steel with wooden armrest pads (PF4-CR-yy). NOVA-LB CF-CR PF4-CR-yy xx</p>	238	252	262 (VL)	272	296	322
REMODEX	1050×650×460	1	 <p>ORION LB CFP-CR – upholstered seat and low backrest (xx), – chromium plated cantilever frame (CFP-CR), – fixed armrests integrated with frame, made of chromium plated steel with upholstered armrest pads (PF5-CR-xx). ORION-LB CFP-CR PF5-CR-xx xx</p>	264	272 (KN)	298 (VL)	318	338	452


xx – Please specify upholstery colour code from selected price group – [see finishes](#)

PRICE GROUP 0: Imitation Leather
 PRICE GROUP 1: Kaiman (KN), Sempre/Sempre Melange (SM/SMM)
 PRICE GROUP 2: Valencia (VL), Xtreme (XR)


PRICE GROUP 3: Split Leather (SP)
 PRICE GROUP 4: Fine Leather front (LE)
 PRICE GROUP 5: Fine Leather (LE)

Loco II


1. Dimensions / Weight



LOCO-II 4L



LOCO-II-CLICK 4L



	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
LOCO-II 4L-ARM	465	430	470	450	440	930	440	540	685	500	565	700	8

A – Seat height

A1 – Seat height according to standard EN 16139

B – Seat depth

C – Seat surface depth

D – Seat width

E – Overall height

F – Backrest width

G – Backrest length

H – Armrests height

K – Base width

L – Overall depth

V – Overall width

2. Materials / Versions

2.1. Frame

4-leg frame made of steel tubes $\varnothing 22 \times 1.5$ mm.

4-leg frame with CLICK – made of steel tubes $\varnothing 22 \times 1.5$ mm, with integrated metal link to connect chairs into rows available in the same finish as chair frame.

Finish options:

- powder-coated in White aluminium RAL 9006 colour (ALU),
- powder-coated in Jet black RAL 9005 colour (BL),
- chromium plated (CR).

Stacking: up to 4 pieces.

2.2. Glides

Glides for soft floors (GB) as standard or hard floors (GBF) as an option.

2.3. Seat and backrest

Seat

Structure is made of 5-layer beech plywood, thickness 7 mm, covered with foam thickness 60 mm, density 35 kg/m³.

Backrest

Structure is made of 6-layer beech plywood, thickness 8.5 mm. Front side of the backrest covered with foam thickness 30 mm, density 35 kg/m³. Back side of the backrest covered with foam thickness 10 mm, density 21 kg/m³.

2.4. Armrests

Fixed armrests – integrated with chair frame, armrest pads made of beech solid wood, variable thickness up to 26 mm, width 40 mm. Finish options: stained wood (NF-xx**).

3. Packaging

2 pieces per box (assembled), 4 boxes on the pallet.

4. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)


Remodex (durability certificate) – approvals compliant with:

EN 16139, EN 1728, EN 1022

OPTIONS – CONFERENCE CHAIRS

Options	Code	Surcharge
4-leg frame powder-coated in White aluminium RAL 9006 colour	4L-ARM-ALU	0
4-leg frame chromium plated	4L-ARM-CR	22
Metal link integrated with frame for connecting chairs into rows	CLICK	10
Glides with felt for hard floors	GBF	11

PRICE LIST – CONFERENCE CHAIRS

Model	Description	Basic price (EUR)					
		Upholstery price group					
		0	1	2	3	4	5
LOCO-II 4L 	Conference chair on 4-leg frame powder-coated in Jet black RAL 9005 colour (4L-ARM-BL), integrated armrests with wooden pads (NF-xx*), upholstered seat and backrest, glides for soft floors (GB).	146	158	183	203	224	274
















Cart		
UNIVERSAL CHAIR CART	See CART TABLE	184

*Please specify colour code of wood – [see finishes](#)

PRICE GROUP 0: Basic, Micro, Oban, Imitation Leather
 PRICE GROUP 1: Bondai, Era, Kaiman, Lucia, Ofium, Sempre, Sempre Melange
 PRICE GROUP 2: Radio, Rivet, Valencia, Xtreme

PRICE GROUP 3: Split leather (SP)
 PRICE GROUP 4: Fine leather front (LE)
 PRICE GROUP 5: Fine leather (LE)

Iso

Stacking max. no of pcs	Card box volume (m ³)	No. of pcs per card box	No. of pcs per pallet	No. of pcs per 1200 x 1000 pallet (mm)	Net weight (kg)	Chair seat – width (mm)	Chair seat – depth (mm)	Model / Description
10 	pallet: 3.5	—	—	ISO pallet 1250x1160: 50	6.7	470	410	  <p>ISO – 4-leg frame powder-coated in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL) colour, – upholstered seat and backrest, black plastic covers. ISO 4L-xx xx GB</p> <p>ISO CR – 4-leg chromium plated frame, – upholstered seat and backrest, black plastic covers. ISO 4L-CR xx GB</p>
— 	pallet: 1.85	—	20	—	8.7	470	410	  <p>ISO ARM – 4-leg frame powder-coated in White aluminium RAL 9006(ALU) or Jet black RAL 9005 (BL) colour, – black plastic armrests, – upholstered seat and backrest, black plastic covers. ISO 4L-xx ARM xx GB</p> <p>ISO CR ARM – 4-leg chromium plated frame, – black plastic armrests, – upholstered seat and backrest, black plastic covers. ISO 4L-CR ARM xx GB</p>
10 	pallet: 3.5	—	—	ISO pallet 1250x1160: 50	6.7	470	410	  <p>ISO BIANCO – 4-leg chromium plated frame, – upholstered seat and backrest, white plastic covers. ISO-BIANCO 4L-CR xx GB</p>
10 	pallet: 3.5	—	—	ISO pallet 1250x1160: 50	6.5	470	410	  <p>ISO OLIMPIC – 4-leg frame powder-coated in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL) colour, – upholstered seat, black plastic cover, – double-side upholstered backrest. ISO 4L-xx xx GB (BACKREST OLIMPIC)</p> <p>ISO OLIMPIC CR – 4-leg chromium plated frame, – upholstered seat, black plastic cover, – double-side upholstered backrest. ISO 4L-CR xx GB (BACKREST OLIMPIC)</p>
10 	pallet: 3.3	—	—	ISO pallet 1250x1160: 50	6	460	410	  <p>ISO ERGO MESH* – 4-leg frame powder-coated in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL) colour, – upholstered seat with black plastic cover, OP mesh backrest. ISO-ERGO-MESH 4L-xx BA-xx SE-xx G59</p> <p>ISO ERGO MESH CR – 4-leg chromium plated frame, – upholstered seat with black plastic cover, OP mesh backrest. ISO-ERGO-MESH 4L-CR BA-xx SE-xx GB</p>







xx – please specify upholstery or other finish colour code – see finishes

Apart from the product number /code, please specify options, upholstery and other finishes to complete an order.

Basic price (EUR)			
Upholstery price group			
0	1	2	3
39	41	45	54
42	45	49	58
66	69	73	82
70	73	78	87
48	52	56	65
51	54	60 (XR)	—
55	58	65 (XR)	—
55	60	65	—
59	65	69	—

PRICE GROUP 0: Basic (C), Micro (M), Oban (EF), Imitation Leather (V)
 PRICE GROUP 1: Bondai (BN), Era (CSE), Kaiman (KN), Lucia (YB),
 Oflum (OL), Sempre (SM), Sempre Melange (SMM)

PRICE GROUP 2: Valencia (VL), Xtreme (XR)
 PRICE GROUP 3: Split leather (SP)

Stacking max. no of pcs	Card box volume (m ³)	No. of pcs per card box	No. of pcs per pallet	No. of pcs per 1200 × 1000 pallet (mm)	Net weight (kg)	Chair seat – width (mm)	Chair seat – depth (mm)	Model / Description
4 	0.35	4	16	—	6.6	460	410	  <p>ISO ERGO MESH* CF – cantilever frame powder-coated in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL) colour, – upholstered seat with black plastic cover, OP mesh backrest. ISO-ERGO-MESH CF-xx BA-xx SE-xx GB</p> <p>ISO ERGO MESH* CF-CR – cantilever chromium plated frame, – upholstered seat with black plastic cover, OP mesh backrest. ISO-ERGO-MESH CF-CR BA-xx SE-xx GB</p>
10 	pal- let: 3.5	—	ISO pallet 1250×1160: 50	6.0	470	410	  <p>ISO MIX – 4-leg frame powder-coated in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL) colour, – upholstered seat with black plastic cover, plastic backrest. ISO-MIX 4L-xx BA-xx SE-xx GB</p> <p>ISO MIX CR – 4-leg chromium plated frame, – upholstered seat with black plastic cover, plastic backrest. ISO-MIX 4L-CR BA-xx SE-xx GB</p>	

xx – please specify upholstery or other finish colour code – [see finishes](#)

Apart from the product number /code, please specify options, upholstery and other finishes to complete an order.

Basic price (EUR)			
Upholstery price group			
0	1	2	3
69	75	79	—
73	79	83	—
39	41	45	54
42	45	49	58

PRICE GROUP 0: Basic (C), Micro (M), Oban (EF), Imitation Leather
 PRICE GROUP 1: Bondai (BN), Era (CSE), Kaiman (KN), Lucia (YB), Oflum (OL),
 Sempre (SM), Sempre Melange (SMM)

PRICE GROUP 2: Valencia (VL), Xtreme (XR)
 PRICE GROUP 3: Split leather (SP)

Stacking max. no of pcs	Card box volume (m ³)	No. of pcs per card box	No. of pcs per pallet	No. of pcs per 1200 × 1000 pallet (mm)	Net weight (kg)	Chair seat – width (mm)	Chair seat – depth (mm)	Model / Description
12 	pallet: 3.5	—	ISO pallet 1250×1160: 50	—	5.4	460	410	 <p>ISO PLASTIC – 4-leg frame powder-coated in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL) colour, – plastic seat and backrest. ISO-PLASTIK 4L-xx xx GB</p> <p>ISO PLASTIC CR – 4-leg chromium plated frame, – plastic seat and backrest. ISO-PLASTIK 4L-CR xx GB</p>
5 	0.4	5	1200×1200: 40	—	5.4	460	410	 <p>ISO PLASTIC CFS – sled frame powder-coated in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL) colour, – plastic seat and backrest. ISO-PLASTIK CFS-xx xx GB</p> <p>ISO PLASTIC CFS CR – sled chromium plated frame, – plastic seat and backrest. ISO-PLASTIK CFS-CR xx GB</p>
5 	0.4	4	16	—	6.7	470	410	 <p>ISO CFS – sled frame powder-coated in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL) colour, – upholstered seat and backrest, black plastic covers. ISO CFS-xx xx GB</p> <p>ISO CFS CR – sled chromium plated frame, – upholstered seat and backrest, black plastic covers. ISO CFS-CR xx GB</p>
5 	0.4	5	20	—	5.4	460	400	 <p>ISO CFS WOOD – sled frame powder-coated in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL) colour, – wooden seat and backrest. ISO CFS-xx WOOD-xx GB</p> <p>ISO CFS WOOD CR – sled chromium plated frame, – wooden seat and backrest. ISO CFS-CR WOOD-xx GB</p>

xx – please specify upholstery or other finish colour code – see finishes

Apart from the product number /code, please specify options, upholstery and other finishes to complete an order.

Basic price (EUR)			
Upholstery price group			
0	1	2	3

**33
PLASTIC**

**36
PLASTIC**

**64
PLASTIC**

**66
PLASTIC**







69	71	76	84
72	76	80	89

**90
WOOD**

**103
WOOD**

PRICE GROUP 0: Basic (C), Micro (M), Oban (EF), Imitation Leather
PRICE GROUP 1: Bondai (BN), Era (CSE), Kaiman (KN), Lucia (YB), Oflum (OL),
Sempre (SM), Sempre Melange (SMM)

PRICE GROUP 2: Valencia (VL), Xtreme (XR)
PRICE GROUP 3: Split leather (SP)

Stacking max. no of pcs	Card box volume (m ³)	No. of pcs per card box	No. of pcs per pallet	No. of pcs per 1200 x 1000 pallet (mm)	Net weight (kg)	Chair seat – width (mm)	Chair seat – depth (mm)	Model / Description
	0.4	4	pallet 1200×1200: 32	9.5	470	410	 	<p>ISO TR</p> <ul style="list-style-type: none"> – 4-leg frame powder-coated in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL) colour, right hand plastic writing tablet (TR), – upholstered seat and backrest, black plastic covers. <p>ISO 4L – xx TR GB</p>
							<p>ISO CR TR</p> <ul style="list-style-type: none"> – 4-leg chromium plated frame, right hand plastic writing tablet (TR), – upholstered seat and backrest, black plastic covers. <p>ISO 4L-CR xx TR GB</p>	
	0.4	4	pallet 1200×1200: 32	8.5	475	410	 	<p>ISO TR-WOOD</p> <ul style="list-style-type: none"> – 4-leg frame powder-coated in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL) colour, right hand wooden writing tablet (TR-xx), – upholstered seat and backrest with black plastic covers. <p>ISO 4L-xx xx TR-xx GB</p>
							<p>ISO CR TR-WOOD</p> <ul style="list-style-type: none"> – 4-leg chromium plated frame, right hand wooden writing tablet (TR-xx), – upholstered seat and backrest with black plastic covers. <p>ISO 4L-CR xx TR-xx GB</p>	





xx – please specify upholstery or other finish colour code – [see finishes](#)

Apart from the product number /code, please specify options, upholstery and other finishes to complete an order.

Basic price (EUR)			
Upholstery price group			
0	1	2	3
81	83	88	96
84	88	92	100
85	88	92	100
89	92	96	105

PRICE GROUP 0: Basic (C), Micro (M), Oban (EF), Imitation Leather
 PRICE GROUP 1: Bondai (BN), Era (CSE), Kaiman (KN), Lucia (YB), Oflum (OL),
 Sempre (SM), Sempre Melange (SMM)

PRICE GROUP 2: Valencia (VL), Xtreme (XR)
 PRICE GROUP 3: Split leather (SP)

Stacking max. no of pcs	Card box volume (m ³)	No. of pcs per card box	No. of pcs per pallet	No. of pcs per 1200 x 1000 pallet (mm)	Net weight (kg)	Chair seat – width (mm)	Chair seat – depth (mm)	Model / Description
10 	pallet: 3.5	—	ISO pallet 1250x1160: 50	5.3	460	400		<p>ISO WOOD</p> <ul style="list-style-type: none"> – 4-leg frame powder-coated in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL) colour, – wooden seat and backrest. <p>ISO 4L-xx WOOD-xx GB</p>
— 	0.4	4	pallet 1200x1200: 32	8.5	460	400		<p>ISO WOOD TR</p> <ul style="list-style-type: none"> – 4-leg frame powder-coated in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL) colour, right hand wooden writing tablet (TR-xx), – wooden seat and backrest. <p>ISO 4L-xx WOOD-xx TR-xx GB</p> <p>ISO CR WOOD TR</p> <ul style="list-style-type: none"> – 4-leg chromium plated frame, right hand wooden writing tablet (TR-xx), – wooden seat and backrest. <p>ISO 4L-CR WOOD-xx TR-xx GB</p>

xx – please specify upholstery or other finish colour code – [see finishes](#)

Apart from the product number /code, please specify options, upholstery and other finishes to complete an order.

Basic price (EUR)

Wood










64

66








110

114

PRICE LIST – ISO ACCESSORIES

	Model/Description	Basic price (EUR)
	ISO CLICK – metal link integrated with frame, in the same finishing – dedicated for ISO 4-leg and ISO CFS, versions without armrests	8
 	ISO LINK – metal link powder-coated in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL) colour, – dedicated for ISO 4-leg without armrests.	8
	ISO LINK CR – chromium plated metal link, – dedicated for ISO 4-leg without armrests.	8
	ISO LINK PLASTIC REG – made of black polypropylene (PP), – width adjustable, – dedicated for ISO 4-leg, ISO 4-leg ARM, – 2 pcs are needed to connect 2 chairs.	9
	ISO LINK-PLASTIC – made of black polypropylene (PP), – dedicated for ISO 4-leg, ISO-W 4-leg, – 2 pcs are recommended to connect 2 chairs.	7
 	WRITING TABLE TR ISO WOOD – right hand version, – black plastic armrest, – wooden table top, – dedicated for ISO 4-leg and CFS versions.	49
	WRITING TABLE TL ISO WOOD – left hand version, – black plastic armrest, – wooden table top, – dedicated for ISO 4-leg and CFS versions.	49
 	WRITING TABLE TR ISO PLASTIC – right hand version, – black plastic armrest, – black plastic table top, – dedicated for ISO 4-leg and CFS versions.	45
	WRITING TABLE TL ISO PLASTIC – left hand version, – black plastic armrest, – black plastic table top, – dedicated for ISO 4-leg and CFS versions.	45













PRICE LIST – ISO ACCESSORIES

	Model / Description	Basic price (EUR)
	<p>WRITING TABLET ISO-AS MA RIGHT</p> <ul style="list-style-type: none"> – right hand version – frame powder-coated in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL) colour, – melamine faced chipboard table top (MA-xx*), thickness 18 mm, – dedicated for ISO 4-leg and CFS versions. 	<p>54</p>
	<p>WRITING TABLET ISO-AS MA LEFT</p> <ul style="list-style-type: none"> – left hand version, – frame powder-coated in White aluminium RAL 9006 or Jet black RAL 9005 colour, – melamine faced chipboard table top (MA-xx*), thickness 18 mm, – dedicated for ISO 4-leg and CFS versions. 	<p>54</p>
	<p>WRITING TABLET ISO-AS CR MA RIGHT</p> <ul style="list-style-type: none"> – right hand version, – frame chromium plated, – melamine faced chipboard table top (MA-xx*), thickness 18 mm, – dedicated for ISO 4-leg and CFS versions. 	<p>56</p>
	<p>WRITING TABLET ISO-AS CR MA LEFT</p> <ul style="list-style-type: none"> – left hand version, – frame chromium plated, – melamine faced chipboard table top (MA-xx*), thickness 18 mm, – dedicated for ISO 4-leg and CFS versions and CFS versions. 	<p>56</p>
	<p>BASKET</p> <ul style="list-style-type: none"> – powder-coated in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL) colour, – dedicated for ISO 4-leg versions. 	<p>23</p>
	<p>BASKET</p> <ul style="list-style-type: none"> – chromium plated, – dedicated for ISO 4-leg versions. 	<p>27</p>
	<p>ISO ARMRESTS SET</p> <ul style="list-style-type: none"> – set of 2 armrests – made of black polyurethane (PU), – dedicated for ISO 4-leg and CFS versions. 	<p>30</p>
	<p>ISO CART</p> <ul style="list-style-type: none"> – cart for transporting of stacked chairs – up to 30 pcs, – powder-coated in Jet black RAL 9005 colour. <p>ISO 4L – 30 pcs (3 × 10 piles) ISO CFS – 15 pcs (3 × 5 piles) ISO CF – 12 pcs (3 × 4 piles)</p>	<p>564</p>
	<p>UNIVERSAL CHAIR CART – see CART TABLE.</p>	<p>184</p>

xx – please specify upholstery or other finish colour code – see finishes

* Please specify colour of melamine, see finishes

Elva
Rumba
Samba
Styl
Sylwia S

Stacking max. no of pcs	Card box volume (m ³)	No. of pcs per card box	No. of pcs per pallet	No. of pcs per 1200 x 1000 pallet (mm)	Net weight (kg)	Seat of chair – width (mm)	Seat of chair – depth (mm)	Model / Description	
4	0.36	3	12	18 or 21	6.7	470	470	 	<p>ELVA</p> <ul style="list-style-type: none"> – upholstered seat and backrest, – 4-leg wooden frame with integrated armrests. <p>ELVA 4L-ARM-xx xx</p>
4	0.36	3	12	18 or 21	6.7	470	470	 	<p>ELVA CLICK</p> <ul style="list-style-type: none"> – upholstered seat and backrest, – 4-leg wooden frame with integrated armrests and linking element (CLICK) to connect chairs into rows. <p>ELVA-CLICK 4L-ARM-xx xx</p>
	0.45	2	—	12	7.5	455	470	 	<p>RUMBA</p> <ul style="list-style-type: none"> – fully upholstered shell – cantilever frame chromium plated (CFP-CR), – upholstered armrests pads (NF-xx), – glides for soft floors (GB). <p>RUMBA CFP-CR NF-xx xx GB</p>
								 	<p>RUMBA</p> <ul style="list-style-type: none"> – fully upholstered shell – cantilever frame (CFP-xx) powder-coated in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL), – upholstered armrests pads (NF-xx), – glides for soft floors (GB). <p>RUMBA CFP-xx NF-xx xx GB</p>
4	0.48	4	16	—	8.3	455	470	 	<p>RUMBA S</p> <ul style="list-style-type: none"> – fully upholstered shell, – cantilever frame chromium plated (CFP-CR), – upholstered armrests pads (NF-xx), – glides for soft floors (GB). <p>RUMBA-S CFP-CR NF-xx xx GB</p>
								 	<p>RUMBA S</p> <ul style="list-style-type: none"> – fully upholstered shell, – cantilever frame (CFP-xx) powder-coated in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL), – upholstered, armrests pads (NF-xx), – glides for soft floors (GB). <p>RUMBA-S CFP-xx NF-xx xx GB</p>



xx – please specify upholstery or other finish colour code – [see finishes](#)

Apart from the product number / code, please specify options, upholstery and other finishes to complete an order.

Basic price (EUR)					
Upholstery price group					
0	1	2	3	4	5
164	168	184	—	—	—
174	178	193	—	—	—
113	116	121	128	—	—
108	112	117	124	—	—
113	116	121	128	—	—
108	112	117	124	—	—

PRICE GROUP 0: Basic (C), Micro (M), Oban (EF), Imitation Leather (V)
 PRICE GROUP 1: Bondai (BN), Era (CSE), Kaiman (KN), Lucia (YB), Oflum (OL),
 Sempre (SM), Sempre Melange (SMM)
 PRICE GROUP 2: Rivet (EGL), Valencia (VL), Xtreme (XR)

PRICE GROUP 3: Split leather (SP)
 PRICE GROUP 4: Fine leather front (LE)
 PRICE GROUP 5: Fine leather (LE)

Stacking max. no of pcs	Card box volume (m ³)	No. of pcs per card box	No. of pcs per pallet	No. of pcs per 1200 x 1000 pallet (mm)	Net weight (kg)	Seat of chair – width (mm)	Seat of chair – depth (mm)	Model / Description
4	0.36	2		pallet 1200×1200: 16	8.0	460	460	 <p>SAMBA</p> <ul style="list-style-type: none"> – fully upholstered shell, – 4-leg frame powder-coated in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL), – wooden armrests pads (NF-xx), – glides for soft floors (GB). <p>SAMBA 4L-ARM-xx NF-xx xx GB</p> <hr/> <p>SAMBA CR</p> <ul style="list-style-type: none"> – fully upholstered shell, – 4-leg frame chromium plated, – wooden armrests pads (NF-xx), – glides for soft floors (GB). <p>SAMBA 4L-ARM-CR NF-xx xx GB</p>
	0.34	1	6	pallet 1200×1200: 8	9.0	460	460	 <p>SAMBA TR</p> <ul style="list-style-type: none"> – fully upholstered shell, – 4-leg frame powder-coated in Jet black RAL 9005 (BL) or White aluminium RAL 9006 (ALU) colour, – wooden armrests pads (NF-xx), – right hand wooden writing tablet (TR-xx), – glides for soft floors (GB). <p>SAMBA 4L-ARM-ALU NF-xx xx TR-xx GB</p> <hr/> <p>SAMBA CR TR</p> <ul style="list-style-type: none"> – fully upholstered shell, – 4-leg frame chromium plated – wooden armrests pads (NF-xx), – right hand wooden writing tablet (TR-xx), – glides for soft floors (GB). <p>SAMBA 4L-ARM-CR NF-xx xx TR-xx GB</p>



xx – please specify upholstery or other finish colour code – [see finishes](#)

Apart from the product number / code, please specify options, upholstery and other finishes to complete an order.

Basic price (EUR)					
Upholstery price group					
0	1	2	3	4	5
97	102	121	132	137	184
105	108	127	141	144	190
141	143	163	175	179	226
146	149	169	181	185	232

PRICE GROUP 0: Basic (C), Micro (M), Oban (EF), Imitation Leather (V)
 PRICE GROUP 1: Bondai (BN), Era (CSE), Kaiman (KN), Lucia (YB), Oflum (OL),
 Sempre (SM), Sempre Melange (SMM)
 PRICE GROUP 2: Rivet (EGL), Valencia (VL), Xtreme (XR)

PRICE GROUP 3: Split leather (SP)
 PRICE GROUP 4: Fine leather front (LE)
 PRICE GROUP 5: Fine leather (LE)





Stacking max. no of pcs	Card box volume (m ³)	No. of pcs per card box	No. of pcs per pallet	No. of pcs per 1200 x 1000 pallet (mm)	Net weight (kg)	Seat of chair – width (mm)	Seat of chair – depth (mm)	Model / Description
4	0.36	2	—	pallet 1200x1200: 16	7.8	445	460	 <p>SAMBA WOOD</p> <ul style="list-style-type: none"> – wooden shell (WOOD), – 4-leg frame powder-coated in Jet black RAL 9005 (BL) or White aluminium RAL 9006 (ALU) colour, – wooden armrests pads (NF-xx), – glides for soft floors (GB). <p>SAMBA 4L-ARM-ALU NF-xx WOOD-xx GB</p> <p>SAMBA CR WOOD</p> <ul style="list-style-type: none"> – wooden shell (WOOD), – 4-leg frame chromium plated, – wooden armrests pads (NF-xx), – glides for soft floors (GB). <p>SAMBA 4L-ARM-CR NF-xx WOOD-xx GB</p>
	0.34	1	6	pallet 1200x1200: 8	8,8	445	460	 <p>SAMBA WOOD TR</p> <ul style="list-style-type: none"> – wooden shell (WOOD), – 4-leg frame powder-coated in Jet black RAL 9005 (BL) or White aluminium RAL 9006 (ALU) colour, – wooden armrests pads (NF-xx), – right hand wooden writing tablet (TR-xx), – glides for soft floors (GB). <p>SAMBA 4L-ARM-ALU NF-xx WOOD-xx TR-xx GB</p> <p>SAMBA CR WOOD TR</p> <ul style="list-style-type: none"> – wooden shell (WOOD), – 4-leg frame chromium plated, – wooden armrests pads (NF-xx), – right hand wooden writing tablet (TR-xx), – glides for soft floors (GB). <p>SAMBA 4L-ARM-CR NF-xx WOOD-xx TR-xx GB</p>

xx – please specify upholstery or other finish colour code – [see finishes](#)

Basic price (EUR)						
Upholstery price group						
Wood	0	1	2	3	4	5
131	—	—	—	—	—	—
138	—	—	—	—	—	—
172	—	—	—	—	—	—
178	—	—	—	—	—	—

PRICE GROUP 0: Basic (C), Micro (M), Oban (EF), Imitation Leather (V)
 PRICE GROUP 1: Bondai (BN), Era (CSE), Kaiman (KN), Lucia (YB), Oflum (OL),
 Sempre (SM), Sempre Melange (SMM)
 PRICE GROUP 2: Rivet (EGL), Valencia (VL), Xtreme (XR)

PRICE GROUP 3: Split leather (SP)
 PRICE GROUP 4: Fine leather front (LE)
 PRICE GROUP 5: Fine leather (LE)

Stacking max. no of pcs	Card box volume (m ³)	No. of pcs per card box	No. of pcs per pallet	No. of pcs per 1200 x 1000 pallet (mm)	Net weight (kg)	Seat of chair – width (mm)	Seat of chair – depth (mm)	Model / Description
	0.21	1	8	—	10	465	480	 <p>SAMBA II GTP</p> <ul style="list-style-type: none"> – fully upholstered shell, – fixed armrests with wooden pads (GTP-CR-xx), – base – Ø 655 mm five-star steel chromium plated (ST01-CR), – castors – Ø 50 mm for soft floors (SH). <p>SAMBA-II ST01-CR GTP-CR-xx PST45-BL xx SH</p>
								 <p>LINK-PLASTIC 16</p> <ul style="list-style-type: none"> – dedicated to connect Samba frame chairs, connection between rear legs, – plastic in black or alu colour, – set contains 2 pcs of connector <p>P0152-T97xx</p>
6*	0.36	4	pallet 1200x1200: 32		5.5	450	460	 <p>STYL*</p> <ul style="list-style-type: none"> – upholstered seat and backrest, – 4-leg frame powder-coated in Jet black RAL 9005 (4L-BL) or White aluminium RAL 9006 colour (4L-ALU). <p>STYL 4L-xx xx GB</p> <p>STYL* CR</p> <ul style="list-style-type: none"> – upholstered seat and backrest, – 4-leg frame chromium plated (4L-CR). <p>STYL 4L-CR xx GB</p>
6*	0.45	4	16	—	6.9	450	460	 <p>STYL* ARM</p> <ul style="list-style-type: none"> – upholstered seat and backrest, – fixed polypropylene armrests in black colour, – 4-leg frame powder-coated in Jet black RAL 9005 (4L-BL) or White aluminium RAL 9006 colour (4L-ALU). <p>STYL 4L-ARM-xx xx GB</p> <p>STYL* ARM CR</p> <ul style="list-style-type: none"> – upholstered seat and backrest, – fixed polypropylene armrests in black colour, – 4-leg frame chromium plated (4L-CR). <p>STYL 4L-ARM-CR xx GB</p>
								<p>UNIVERSAL CHAIR CART for Styl chair – see CART TABLE</p>

*Styl chair upholstered in any Imitation Leather does not stack

xx – please specify upholstery or other finish colour code – [see finishes](#)

Apart from the product number / code, please specify options, upholstery and other finishes to complete an order.

Basic price (EUR)					
Upholstery price group					
0	1	2	3	4	5
174	176	197	208	212	260

10


54	57	59	64	—	—
57	61	64	70	—	—
58	63	65	72	—	—
63	68	70	77	—	—

184


PRICE GROUP 0: Basic (C), Micro (M), Oban (EF), Imitation Leather (V)
 PRICE GROUP 1: Bondai (BN), Era (CSE), Kaiman (KN), Lucia (YB), Oflum (OL),
 Sempre (SM), Sempre Melange (SMM)
 PRICE GROUP 2: Rivet (EGL), Valencia (VL), Xtreme (XR)

PRICE GROUP 3: Split leather (SP)
 PRICE GROUP 4: Fine leather front (LE)
 PRICE GROUP 5: Fine leather (LE)

1. Dimensions/Weight



SYLWIA S



SYLWIA S ARM



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
SYLWIA S ARM	490	465	460	435	465	790	480	250	675	515	595	555	8,6
SYLWIA S	490	465	415	435	465	865	480	250	—	515	515	500	6,8

A – Seat height

A1 – Seat height according to standard EN 16139

B – Seat depth

C – Seat surface depth

D – Seat width

E – Overall height

F – Backrest width



G – Backrest length

H – Armrests height

K – Base width





V – Overall width

L – Overall depth

Technical regulations, Approvals	Carton dimensions (mm)	Quantity in cardboard box [pc.]	Dimensions (mm)	Basic price (EUR)			
				Upholstery price group			
				0	1	2	3
REMODEX	600×530×980	3	 <p>SYLWIA S – cantilever frame made of chromium plated steel (CF-CR), – upholstered seat and backrest (xx), – plastic glides (GB). SYLWIA-S CF-CR xx GB</p>	68	72	74	80
REMODEX	680×620×980	3	 <p>SYLWIA S ARM – cantilever frame with integrated armrests made of chromium plated steel (CFP-CR), – upholstered armrests pads (NF-xx), – upholstered seat and backrest (xx), – plastic glides (GB). SYLWIA-S-2.0 CFP-CR NF-xx xx GB</p>	105	106	108	125

xx – Please specify upholstery colour code from selected price group – [see finishes](#)

Amigo
Arioso
Beta
Cortina
Polyfold

Stacking max. no of pcs	Card box volume (m ³)	No. of pcs per card box	No. of pcs per pallet	No. of pcs per 1200 x 1000 pallet (mm)	Net weight (kg)	Seat of chair – width (mm)	Seat of chair – depth (mm)	Model / Description
8	0.34	4	—	32	4.3	460	460	 <p>AMIGO 4L – plastic shell, – 4-leg frame powder-coated in Jet black RAL 9005 (4L-BL) or White aluminium RAL 9006 colour (4L-ALU). AMIGO 4L-xx xx GB</p>
								<p>AMIGO 4L-CR – plastic shell, – 4-leg frame chromium plated (4L-CR). AMIGO 4L-CR xx GB</p>
8	0.34	4	—	32	4.8	460	460	 <p>AMIGO CLICK 4L – plastic shell, – 4-leg frame with integrated metal row linking (CLICK), powder-coated in Jet black RAL 9005 (4L-BL) or White aluminium RAL 9006 colour (4L-ALU). AMIGO-CLICK 4L-xx xx GB</p>
								<p>AMIGO CLICK 4L-CR – plastic shell, – 4-leg frame with integrated metal row linking (CLICK), chromium plated (4L-CR). AMIGO-CLICK 4L-CR xx GB</p>
8	0.34	4	—	32	5.7	460	460	 <p>AMIGO 4L ARM – plastic shell, – 4-leg frame powder-coated in Jet black RAL 9005 (4L-BL) or White aluminium RAL 9006 colour (4L-ALU). – armrest with plastic pads (ARM-xx). AMIGO 4L-xx ARM-xx-xx xx GB</p>
								<p>AMIGO 4L-CR ARM – plastic shell, – 4-leg frame chromium plated (4L-CR), – armrests with plastic pads (ARM-CR). AMIGO 4L-CR ARM-CR-xx xx GB</p>
								<p>AMIGO BENCHES</p>
								 <p>LINK-PLASTIC 20 – dedicated to connect Amigo 4-leg chairs without armrests, or alternately chairs with and without armrests, – plastic in black colour, – 2 pcs recommended to connect two chairs. P0152-31100</p>

xx – please specify upholstery or other finish colour code – [see finishes](#)

Apart from the product number / code, please specify options, upholstery and other finishes to complete an order.

Basic price (EUR)

Plastic

52

55

61













65

72

76

see benches

11

Stacking max. no of pcs	Card box volume (m ³)	No. of pcs per card box	No. of pcs per pallet	No. of pcs per 1200 x 1000 pallet (mm)	Net weight (kg)	Seat of chair – width (mm)	Seat of chair – depth (mm)	Model / Description		
6	0.34	4	—	32	7.1	400	450			<p>ARIOSO 4L</p> <ul style="list-style-type: none"> – upholstered seat and backrest, – 4-leg frame powder-coated in Jet black RAL 9005 (4L-BL) or White aluminium RAL 9006 colour (4L-ALU). <p>ARIOSO-FR 4L-xx xx GB</p>
6	0.09	2	—	50	5.8	400	410			<p>ARIOSO FOLD</p> <ul style="list-style-type: none"> – upholstered seat and backrest, – 4-leg folding frame, powder-coated in Jet black RAL 9005 (4L-BL) or White aluminium RAL 9006 colour (4L-ALU). <p>ARIOSO-FOLD 4L-xx xx GB</p>
6	0.09	2	—	50	5.8	400	410			<p>ARIOSO FOLD CLICK</p> <ul style="list-style-type: none"> – upholstered seat and backrest, – 4-leg folding frame, with integrated metal row linking (CLICK), powder-coated in Jet black RAL 9005 (4L-BL) or White aluminium RAL 9006 colour (4L-ALU). <p>ARIOSO-FOLD-CLICK 4L-xx xx GB</p>
6	—	—	pallet 1150x1100: 72	3.2	440	405			<p>BETA 4L</p> <ul style="list-style-type: none"> – plastic shell, – 4-leg frame powder-coated in Jet black RAL 9005 (4L-BL) or White aluminium RAL 9006 colour (4L-ALU). <p>BETA-NSN 4L-xx xx GB</p>	
6	—	—	pallet 1150x1100: 72	4	440	405			<p>BETA PLUS 4L</p> <ul style="list-style-type: none"> – plastic shell with upholstered seat and backrest pads, – 4-leg frame powder-coated in Jet black RAL 9005 (4L-BL) or White aluminium RAL 9006 colour (4L-ALU). <p>BETA-NSN 4L-xx PLUS-xx-xx GB</p>	
6	—	—	pallet 1150x1100: 72	4	440	405			<p>BETA PLUS 4L-CR</p> <ul style="list-style-type: none"> – plastic shell with upholstered seat and backrest pads, – 4-leg frame chromium plated (4L-CR). <p>BETA-NSN 4L-CR PLUS-xx-xx GB</p>	










xx – please specify upholstery or other finish colour code – [see finishes](#).

Apart from the product number / code, please specify options, upholstery and other finishes to complete an order.

Basic price (EUR)		
Upholstery price group		
0	1	2
57	58	61 (XR)
90	91	93 (XR)
102	103	106 (XR)
31 PLASTIC		
33 PLASTIC		
47	54	56
52	56	58

PRICE GROUP 0: Basic (C), Micro (M), Oban (EF), Imitation Leather (V)
 PRICE GROUP 1: Bondai (BN), Era (CSE), Kaiman (KN), Lucia (YB), Oflum (OL),
 Sempre (SM), Sempre Melange (SMM)

PRICE GROUP 2: Valencia (VL), Xtreme (XR)

Stacking max. no of pcs	Card box volume (m³)	No. of pcs per card box	No. of pcs per pallet	No. of pcs per 1200 x 1000 pallet (mm)	Net weight (kg)	Seat of chair – width (mm)	Seat of chair – depth (mm)	Model / Description
6 	—	—	pallet 1150x1100: 72	—	3.2	440	405	  <p>BETA CLICK 4L – plastic shell, – 4-leg frame with integrated metal row linking (CLICK), powder-coated in Jet black RAL 9005 (4L-BL) or White aluminium RAL 9006 colour (4L-ALU). BETA-NSN-CLICK 4L-xx xx GB</p> <hr/> <p>BETA CLICK 4L-CR – plastic shell, – 4-leg frame with integrated metal row linking (CLICK), chromium plated (4L-CR). BETA-NSN-CLICK 4L-CR xx GB</p>
6 	—	—	pallet 1150x1100: 72	—	4	440	405	  <p>BETA CLICK PLUS – plastic shell with upholstered seat and backrest pads, – 4-leg frame with integrated metal row linking (CLICK), powder-coated in Jet black RAL 9005 (4L-BL) or White aluminium RAL 9006 colour (4L-ALU). BETA-NSN-CLICK 4L-xx PLUS-xx-xx GB</p> <hr/> <p>BETA CLICK CR PLUS – plastic shell with upholstered seat and backrest pads, – 4-leg frame with integrated metal row linking (CLICK), chromium plated (4L-CR). BETA-NSN-CLICK 4L-CR PLUS-xx-xx GB</p>
6 	—	—	20	—	4,1	440	405	  <p>BETA 4L TL – plastic shell, – left hand plastic writing tablet (TL), – 4-leg frame powder-coated in Jet black RAL 9005 (4L-BL) or White aluminium RAL 9006 colour (4L-ALU). BETA-NSN 4L-xx xx TL GB</p> <hr/> <p>BETA 4L TR – plastic shell, – right hand plastic writing tablet (TR), – 4-leg frame powder-coated in Jet black (4L-BL) or White aluminium colour (4L-ALU). BETA-NSN 4L-xx xx TR GB</p>

xx – please specify upholstery or other finish colour code – [see finishes](#)

Apart from the product number / code, please specify options, upholstery and other finishes to complete an order.

Basic price (EUR)		
Upholstery price group		
0	1	2

37
PLASTIC

41
PLASTIC







55	58	60
57	60	61

58
PLASTIC

58
PLASTIC

PRICE GROUP 0: Basic (C), Micro (M), Oban (EF), Imitation Leather (V)
PRICE GROUP 1: Bondai (BN), Era (CSE), Kaiman (KN), Lucia (YB), Oflum (OL),
Sempre (SM), Sempre Melange (SMM)

PRICE GROUP 2: Valencia (VL), Xtreme (XR)

Stacking max. no of pcs	Card box volume (m ³)	No. of pcs per card box	No. of pcs per pallet	No. of pcs per 1200 × 1000 pallet (mm)	Net weight (kg)	Seat of chair – width (mm)	Seat of chair – depth (mm)	Model / Description
	-	4	20	-	4.1	440	405	<p>BETA 4L-CR TL</p> <ul style="list-style-type: none"> – plastic shell, – left hand plastic writing tablet (TL), – 4-leg frame chromium plated (4L-CR). <p>BETA-NSN 4L-CR xx TL GB</p>
								<p>BETA 4L-CR TR</p> <ul style="list-style-type: none"> – plastic shell, – right hand plastic writing tablet (TR), – 4-leg frame chromium plated (4L-CR). <p>BETA-NSN 4L-CR xx TR GB</p>
								
	-	-	20	-	4.9	440	405	<p>BETA 4L PLUS TL</p> <ul style="list-style-type: none"> – plastic shell with upholstered seat and backrest pads, – left hand plastic writing tablet (TL), – 4-leg frame powder-coated in Jet black RAL 9005 (4L-BL) or White aluminium RAL 9006 colour (4L-ALU). <p>BETA-NSN 4L-xx PLUS-xx-xx TL GB</p>
								<p>BETA 4L PLUS TR</p> <ul style="list-style-type: none"> – plastic shell with upholstered seat and backrest pads, – right hand plastic writing tablet (TR), – 4-leg frame powder-coated in Jet black RAL 9005 (4L-BL) or White aluminium RAL 9006 colour (4L-ALU). <p>BETA-NSN 4L-xx PLUS-xx-xx TR GB</p>
								
	-	-	20	-	4.9	440	405	<p>BETA 4L-CR PLUS TL</p> <ul style="list-style-type: none"> – plastic shell with upholstered seat and backrest pads, – left hand plastic writing tablet (TL), – 4-leg frame chromium plated (4L-CR). <p>BETA-NSN 4L-CR PLUS-xx-xx TL GB</p>
								<p>BETA 4L-CR PLUS TR</p> <ul style="list-style-type: none"> – plastic shell with upholstered seat and backrest pads, – right hand plastic writing tablet (TR), – 4-leg frame chromium plated (4L-CR). <p>BETA-NSN 4L-CR PLUS-xx-xx TR GB</p>
								

xx – please specify upholstery or other finish colour code – see finishes

Basic price (EUR)		
Upholstery price group		
0	1	2







60
PLASTIC

60
PLASTIC

73	79	81
73	79	81
77	81	82
77	81	82

PRICE GROUP 0: Basic (C), Micro (M), Oban (EF), Imitation Leather (V)
PRICE GROUP 1: Bondai (BN), Era (CSE), Kaiman (KN), Lucia (YB), Oflum (OL),
Sempre (SM), Sempre Melange (SMM)





PRICE GROUP 2: Valencia (VL), Xtreme (XR)

Stacking max. no of pcs	Card box volume (m ³)	No. of pcs per card box	No. of pcs per pallet	No. of pcs per 1200 x 1000 pallet (mm)	Net weight (kg)	Seat of chair – width (mm)	Seat of chair – depth (mm)	Model / Description
6 	–	–	20	–	4.2	440	405	 <p>BETA CFS</p> <ul style="list-style-type: none"> – plastic shell, – sled frame powder-coated in Jet black RAL 9005 (CFS-BL) or White aluminium RAL 9006 colour (CFS-ALU). <p>BETA-NSN CFS-xx xx GB</p> <p>BETA CFS-CR</p> <ul style="list-style-type: none"> – plastic shell, – sled frame chromium plated (CFS-CR). <p>BETA-NSN CFS-CR xx GB</p>
								BETA BENCHES
								UNIVERSAL CHAIR CART for Amigo, Arioso and Beta chair – see CART TABLE .
								 <p>UNIVERSAL ROW CONNECTOR</p> <ul style="list-style-type: none"> – dedicated to connect rows of 4-leg chairs: AMIGO, BETA, – nominal distance between rows – 520 + 60 mm (connector length + regulation), – powder-coated in Jet black RAL 9005 (BL). <p>P0152E-37902</p>
8	0.25	6	30	48	4,1	400	430	 <p>CORTINA</p> <ul style="list-style-type: none"> – plastic seat and backrest, – 4-leg frame chromium plated (4L-CR). <p>CORTINA 4L-CR xx GB</p>
20 after folding	0.08	5	–	120	3.20	400	400	 <p>POLYFOLD</p> <ul style="list-style-type: none"> – plastic seat and backrest, – 4-leg folding frame powder-coated in Jet black RAL 9005 (4L-BL) or White aluminium RAL 9006 colour (4L-ALU). <p>POLYFOLD 4L-xx xx G61</p>
20 after folding	0.08	4	–	96	4.00	400	400	 <p>POLYFOLD PLUS</p> <ul style="list-style-type: none"> – plastic seat and backrest with upholstered pads, – 4-leg folding frame powder-coated in Jet black RAL 9005 (4L-BL) or White aluminium RAL 9006 colour (4L-ALU). <p>POLYFOLD 4L-xx PLUS-xx-xx GB</p>

xx – please specify upholstery or other finish colour code – [see finishes](#)

Basic price (EUR)	
Upholstery price group	
0	1
48 PLASTIC	
51 PLASTIC	
see <u>benches</u>	
184	
58	
42 PLASTIC	
40 PLASTIC	
59	61

PRICE GROUP 0: Basic (C), Micro (M), Oban (EF), Imitation Leather (V)
 PRICE GROUP 1: Bondai (BN), Era (CSE), Kaiman (KN), Lucia (YB), Oflum (OL),
 Sempre (SM), Sempre Melange (SMM)

Stacking max. no of pcs	Card box volume (m ³)	No. of pcs per card box	No. of pcs per pallet	No. of pcs per 1200 x 1000 pallet (mm)	Net weight (kg)	Seat of chair – width (mm)	Seat of chair – depth (mm)	Model / Description
20 after folding	0.09	5	—	120	3.30	400	400	 <p>POLYFOLD CLICK</p> <ul style="list-style-type: none"> – plastic seat and backrest, – 4-leg folding frame with integrated metal row linking (CLICK), powder-coated in Jet black (4L-BL) or White aluminium colour (4L-ALU) <p>POLYFOLD-CLICK 4L-xxx xx GB</p>
20 after folding	0.12	5	—	100	4.10	400	400	 <p>POLYFOLD CLICK PLUS</p> <ul style="list-style-type: none"> – plastic seat and backrest with upholstered pads, – 4-leg folding frame with integrated metal row linking (CLICK), powder-coated in Jet black (4L-BL) or White aluminium colour (4L-ALU) <p>POLYFOLD-CLICK 4L-xx PLUS-xx-xx GB</p>
			—					 <p>POLYFOLD „P” ROW CONNECTOR</p> <ul style="list-style-type: none"> – dedicated to connect rows of Polyfold 4-leg chairs, – distance between rows 530 mm, – chromium plated finish. <p>P0152F-41203</p>
			—					 <p>POLYFOLD CART</p> <ul style="list-style-type: none"> – dedicated to stack and transport horizontally up to 50 pcs folded Polyfold chairs – powder-coated in Jet black RAL 9005 colour. <p>WG255</p>

xx – please specify upholstery or other finish colour code – [see finishes](#)

Apart from the product number / code, please specify options, upholstery and other finishes to complete an order.

Basic price (EUR)	
Upholstery price group	
0	1

46
PLASTIC

65	67
----	----

32


556

PRICE GROUP 0: Basic (C), Micro (M), Oban (EF),
Imitation Leather (V)

PRICE GROUP 1: Bondai (BN), Era (CSE), Kaiman (KN), Lucia (YB), Oflum (OL),
Sempre (SM), Sempre Melange (SMM)

Chico

1. Dimensions



CHICO



Model	Dimensions (mm)										Weight (kg)
	A	A1	C	D	E	G	H	K	V	L	
CHICO/CHICO CR	475	450	340	340	475	—	—	410	410	410	2,45

A – Seat height

A1 – Seat height according to standard EN 16139

C – Seat surface depth

D – Seat width

E – Overall height



G – Backrest length

H – Armrests height

K – Base width

V – Overall width

L – Overall depth

Technical regulations, Approvals	Carton dimensions (mm)	Quantity in cardboard box [pc.]	Model/Description		Basic price (EUR)	
					Upholstery price group	
					0	
REMODEX	360×360×700	4		CHICO – 4 leg frame powder-coated in Jet black RAL 9005 (BL), White aluminium RAL 9006 (ALU), Traffic white RAL 9016 (WT), Anthracite grey RAL 7016 (AH) colour, – upholstered seat, – stacking up to 6 pcs. CHICO 4L-xx xx GB	20	
				CHICO CR – 4 leg frame chromium plated, – upholstered seat, – stacking up to 6 pcs. CHICO 4L-CR xx GB	22	

xx – Please specify upholstery colour code from selected price group – [see finishes](#)

Noreno Tulipan Zeta

Technical description

1. Dimensions

1.1. Noreno



NORENO 4L



Model	Dimensions (mm)											Weight (kg)
	A	A1	B	C	D	E	F	G	K	V	L	
NORENO 4L	495	470	430	425	430	940	420	450	420	430	500	5,50

A – Seat height

A1 – Seat height according to standard

EN 16139

B – Seat depth

C – Seat surface depth

D – Seat width

E – Overall height

F – Backrest width


G – Backrest length

K – Base width

V – Overall width

L – Overall depth

1.2. Tulipan




TULIPAN 4L




TULIPAN 4L PLUS




TULIPAN 4L WOOD




TULIPAN HOCKER



TULIPAN HOCKER WOOD



TULIPAN 7/8 HOCKER



TULIPAN 7/8 HOCKER WOOD



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	K	V	L	P	
TULIPAN 4L	465	440	390	410	410	860	375	390	360	410	470	—	4,50
TULIPAN 4L PLUS	465	440	390	410	410	860	375	390	360	410	470	—	4,70
TULIPAN 4L WOOD18	445	420	390	410	400	860	375	390	360	400	470	—	4,35
TULIPAN HOCKER	750	725	400	410	410	1095	390	345	430	430	485	275	6,10
TULIPAN HOCKER WOOD18	725	700	400	410	400	1095	390	345	430	430	485	275	5,90
TULIPAN 7/8-HOCKER	640	615	400	410	400	985	390	345	400	400	440	190	5,90
TULIPAN 7/8-HOCKER WOOD18	615	590	400	410	400	985	390	345	400	400	440	190	5,70

A – Seat height

A1 – Seat height according to standard EN 16139

B – Seat depth

C – Seat surface depth

D – Seat width

E – Overall height

F – Backrest width

G – Backrest length


K – Base width

V – Overall width

L – Overall depth

P – Footrest height

1.3. Zeta



Model	Dimensions (mm)								Weight (kg)
	A	A1	C	D	E	K	V	L	
ZETA HOCKER	850	820	340	340	850	355	355	355	6,00
ZETA-425 HOCKER	850	820	340	340	850	430	430	430	6,20

A – Seat height

A1 – Seat height according to standard EN 16139

C – Seat surface depth






D – Seat width

E – Overall height

K – Base width

V – Overall width





L – Overall depth

Technical regulations, Approvals	Carton dimensions (mm)	Quantity in cardboard box [pc.]	Model/Description	Basic price (EUR)			
				Upholstery price group			
				Wood	0	1	2
	650×450×1030	2	 <p>NORENO – 4 leg frame powder-coated in Jet black RAL 9005 (BL), White aluminium RAL 9006 (ALU), Traffic white RAL 9016 (WT), Anthracite grey RAL 7016 (AH) colour (4L-xx), – upholstered seat (xx), – plastic glides (GB). NORENO 4L xx xx GB</p>	—	46	48	52
	650×450×1030	2	 <p>NORENO CR – 4 leg frame chromium plated (4L-CR) – upholstered seat (xx), – plastic glides (GB). NORENO 4L-CR xx GB</p>	—	56	58	62
REMODEX	570×420×1030	2	 <p>TULIPAN – 4 leg frame, powder-coated in Jet black RAL 9005 (BL), White aluminium RAL 9006 (ALU), Traffic white RAL 9016 (WT), Anthracite grey RAL 7016 (AH) colour (4L-xx) – upholstered seat (xx), – plastic glides (GB). TULIPAN 4L-xx xx GB</p>	—	38	40	41
			<p>TULIPAN CR – 4 leg frame chromium plated (4L-CR) – upholstered seat (xx), – plastic glides (GB). TULIPAN 4L-CR xx GB</p>	—	44	46	47
REMODEX	570×420×1030	2	 <p>TULIPAN PLUS – 4 leg frame, powder-coated in Jet black RAL 9005 (BL), White aluminium RAL 9006 (ALU), Traffic white RAL 9016 (WT), Anthracite grey RAL 7016 (AH) colour (4L-xx) – upholstered seat and backrest (xx), – plastic glides (GB). TULIPAN 4L-xx PLUS xx GB</p>	—	56	58	64
			<p>TULIPAN CR PLUS – 4 leg frame chromium plated (4L-CR) – upholstered seat and backrest (xx), – plastic glides (GB). TULIPAN 4L-CR PLUS xx GB</p>	—	62	64	70
REMODEX	570×420×1030	2	 <p>TULIPAN WOOD – 4 leg frame powder-coated in Jet black RAL 9005 (BL), White aluminium RAL 9006 (ALU), Traffic white RAL 9016 (WT), Anthracite grey RAL 7016 (AH) colour (4L-xx), – wooden seat (WOOD18-xx), – plastic glides (GB). TULIPAN 4L-xx WOOD18-xx GB</p>	52	—	—	—
			<p>TULIPAN CR WOOD – 4 leg frame chromium plated (4L-CR) – wooden seat (WOOD18-xx), – plastic glides (GB). TULIPAN 4L-CR WOOD18-xx GB</p>	58	—	—	—

PRICE GROUP 0: Basic, Micro, Oban, Imitation Leather

PRICE GROUP 1: Bondai, Era, Lucia, Ofium, Sempre/Sempre Melange



PRICE GROUP 2: Xtreme, Valencia

Technical regulations, Approvals	Carton dimensions (mm)	Quantity in cardboard box [pc.]	Model/Description	Basic price (EUR)			
				Upholstery price group			
				Wood	0	1	2
	470×430×1100	1	 <p>TULIPAN HOCKER – 4 leg frame with footrest, powder-coated in Jet black RAL 9005 (BL), White aluminium RAL 9006 (ALU), Traffic white RAL 9016 (WT), Anthracite grey RAL 7016 (AH) colour (HOCKER- xx), – upholstered seat (xx), – plastic glides (GB), TULIPAN HOCKER-xx xx GB</p>	–	58	60	62
				<p>TULIPAN HOCKER CR – 4 leg frame with footrest chromium plated (HOCKER- CR), – upholstered seat (xx), – plastic glides (GB). TULIPAN HOCKER-CR xx GB</p>	–	80	82
REMODEX	530×430×1250	2	 <p>TULIPAN HOCKER 78 – 4 leg frame with footrest, height 7/8, powder-coated in Jet black RAL 9005 (BL), White aluminium RAL 9006 (ALU), Traffic white RAL 9016 (WT), Anthracite grey RAL 7016 (AH) colour (7/8-HOCKER- xx), – upholstered seat (xx), – plastic glides (GB). TULIPAN 7/8-HOCKER-xx xx GB</p>	–	56	58	60
				<p>TULIPAN HOCKER 78 CR – 4 leg frame with footrest, height 7/8, chromium plated (7/8-HOCKER- CR), – upholstered seat (xx), – plastic glides (GB). TULIPAN 7/8-HOCKER-CR xx GB</p>	–	78	80
	470×430×1100	1	 <p>TULIPAN HOCKER WOOD – 4 leg frame with footrest, powder-coated in Jet black RAL 9005 (BL), White aluminium RAL 9006 (ALU), Traffic white RAL 9016 (WT), Anthracite grey RAL 7016 (AH) colour (HOCKER- xx), – wooden seat (WOOD18-xx), – plastic glides (GB). TULIPAN HOCKER-xx WOOD18-xx GB</p>	74	–	–	–
				<p>TULIPAN HOCKER CR WOOD – 4 leg frame with footrest chromium plated (HOCKER-CR), – wooden seat (WOOD18-xx), – plastic glides (GB). TULIPAN HOCKER-CR WOOD18-xx GB</p>	96	–	–
REMODEX	530×430×1250	2	 <p>TULIPAN HOCKER 78 WOOD – 4 leg frame with footrest, hight 7/8, powder-coated in colour Jet black RAL 9005 (BL), White aluminium RAL 9006 (ALU), Traffic white RAL 9016 (WT), Anthracite grey RAL 7016 (AH) colour (7/8-HOCKER- xx), – wooden seat (WOOD18-xx), – plastic glides (GB). TULIPAN 7/8-HOCKER-xx WOOD18-xx GB</p>	72	–	–	–
				<p>TULIPAN HOCKER 78 WOOD CR – 4 leg frame with footrest, hight 7/8, chromium plated (7/8-HOCKER-CR), – wooden seat (WOOD18-xx), – plastic glides (GB). TULIPAN 7/8-HOCKER-CR WOOD18-xx GB</p>	94	–	–

PRICE GROUP 0: Basic, Micro, Oban, Imitation Leather

PRICE GROUP 1: Bondai, Era, Lucia, Oflum, Sempre/Sempre Melange

PRICE GROUP 2: Xtreme, Valencia

Technical regulations, Approvals	Carton dimensions (mm)	Quantity in cardboard box [pc.]	Model/Description	Basic price (EUR)			
				Upholstery price group			
				Wood	0	1	2
	440×360×900	2	 <p>ZETA CR – hocker frame with footrest chromium plated (HOCKER-CR) – upholstered seat (xx), – plastic glides (GB). ZETA HOCKER CR xx GB</p>	—	76	78	82
	440×360×900	2	 <p>ZETA 425 CR – hocker frame with footrest chromium plated (HOCKER-CR) – upholstered seat (xx), – plastic glides (GB). ZETA-425 HOCKER CR xx GB</p>	—	76	78	82

Benches






Amigo

Beta

Bingo


Iso

PRICE LIST – AMIGO BENCHES

Model		Description	Basic price (EUR)
			Plastic
<p>AMIGO ARM-2</p> 	<p>Bench for 2 people, side armrests with plastic pads, plastic shells, powder-coated frame in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL).</p> <p>AMIGO-2 A-xx ARM-xx-xx xx GB</p>	214	
<p>AMIGO ARM-3</p> 	<p>Bench for 3 people, side armrests with plastic pads, plastic shells, powder-coated frame in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL).</p> <p>AMIGO-3 A-xx ARM-xx-xx xx GB</p>	260	
<p>AMIGO ARM-4</p> 	<p>Bench for 4 people, side armrests with plastic pads, plastic shells, powder-coated frame in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL).</p> <p>AMIGO-4 A-xx ARM-xx-xx xx GB</p>	303	
<p>AMIGO ARM-5</p> 	<p>Bench for 5 people, side armrests with plastic pads, plastic shells, powder-coated frame in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL).</p> <p>AMIGO-5 A-xx ARM-xx-xx xx GB</p>	389	
Connector			
<p>AMIGO CONNECTOR</p> 	<p>Metal link powder-coated in White aluminium RAL 9006 (ALU), Jet black RAL 9005 (BL) colour or chromium plated (CR) to connect 2 benches back to back.</p>	11	

xx – please specify upholstery or other finish colour code – [see finishes](#)

Apart from the product number / code, please specify options, upholstery and other finishes to complete an order.



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
BETA NSN BENCH 3-PEOPLE	440	425	405	405	440	750	430	330	—	1760	1780	600	19.5
BETA NSN BENCH 4-PEOPLE	440	425	405	405	440	750	430	330	—	2325	2345	600	24.5
BETA NSN BENCH 5-PEOPLE	440	425	405	405	440	750	430	330	—	2940	2960	600	30.7

A – Seat height

A1 – Seat height according to standard EN 16139

B – Seat depth

C – Seat surface depth

D – Seat width

E – Overall height

F – Backrest width

G – Backrest length

H – Armrests height

K – Base width

V – Overall width

L – Overall depth

OPTIONS – BETA BENCHES

Options	Code	Surcharge / 1 seat*		
		Upholstery price group		
		0	1	2
Table top, melamine faced chipboard (T-xx), applicable alternately with seat	T-xx**	-11		
Plastic shell with upholstered seat and backrest pads	PLUS	22	27	31

* Please multiply by number of seats

** Replacing the seat for the table top is the first step when configuring the bench, while choosing other options connected with the seat

Please specify colour of melamine, [see finishes](#)




PRICE GROUP 0: Basic Micro, Oban, Imitation Leather

PRICE GROUP 1: Bondai, Era, Kaiman, Lucia, Oflum, Sempre, Sempre Melange

PRICE GROUP 2: Valencia, Xtreme

Apart from the product number /code, please specify options, upholstery and other finishes to complete an order.

PRICE LIST – BETA BENCHES

Model	Description	Basic price (EUR)
<p>BETA-3</p> 	<p>Bench for 3 people, plastic shells, powder-coated frame in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL). BETA-3-NSN B-xx xx GB</p>	<p>Plastic</p> <p>181</p>
<p>BETA-4</p> 	<p>Bench for 4 people, plastic shells, powder-coated frame in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL). BETA-4-NSN B-xx xx GB</p>	<p>224</p>
<p>BETA-5</p> 	<p>Bench for 5 people, plastic shells, powder-coated frame in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL). BETA-5-NSN B-xx xx GB</p>	<p>279</p>

xx – please specify upholstery or other finish colour code – [see finishes](#)

OPTIONS – BENCHES

Options	Code	Surcharge / 1 seat*			
		Upholstery price group			
		0	1	2	3
Table top, melamine faced chipboard (T-xx), applicable alternately with seat	T-xx**	-39			
Wooden shell with upholstered seat pad	SEAT PLUS	15	17	19	22
Wooden shell with upholstered seat pad and backrest pad	PLUS	24	28	33	42
Wooden shell or shell with armpads with slightly visible wood grains	2.xx***	15			
Laminated wooden shell (wooden armrest pads always stained – 1.xx or 2.xx)	LAMINATE****	21			
Frame powder-coated in White aluminium RAL 9006 colour	ALU	0			
Metal link for connecting 2 benches back to back (2pcs / set)	powder-coated in Jet black RAL 9005 colour	11			
	powder-coated in White aluminium RAL 9006 colour				
	chromium plated				
Glides with felt for hard floors	GBF	41			

* Please multiply by number of seats

** Replacing the seat for the table top is the first step when configuring the bench, while choosing other options connected with the seat

Please specify colour of melamine, [see finishes](#)

*** Please specify colour code of wood – [see finishes](#)

**** Please specify colour code of laminate – [see finishes](#)

PRICE GROUP 0: Basic, Micro, Oban, Imitation Leather

PRICE GROUP 1: Bondai, Era, Kaiman, Lucia, Oflum, Sempre, Sempre Melange

PRICE GROUP 2: Rivet, Valencia, Xtreme


PRICE GROUP 3: Split Leather (SP)

Apart from the product number / code, please specify options, upholstery and other finishes to complete an order.

PRICE LIST – BENCHES

Model	Description	Basic price (EUR)
<p>BINGO-2</p>	<p>Bench with armrests for 2 people, wooden shells and armrests pads, powder-coated frame in Jet black RAL 9005 colour (BL), glides for soft floors (GB). BINGO-2 A-BL ARM-xx-xx WOOD-xx GB</p>	<p>Wood</p> <p>332</p>
<p>BINGO-3</p>	<p>Bench with armrests for 3 people, wooden shells and armrests pads, powder-coated frame in Jet black RAL 9005 colour (BL), glides for soft floors (GB). BINGO-3 A-BL ARM-xx-xx WOOD-xx GB</p>	<p>432</p>
<p>BINGO-4</p>	<p>Bench with armrests for 4 people, wooden shells and armrests pads, powder-coated frame in Jet black RAL 9005 colour (BL), glides for soft floors (GB). BINGO-4 A-BL ARM-xx-xx WOOD-xx GB</p>	<p>532</p>
<p>BINGO-5</p>	<p>Bench with armrests for 5 people, wooden shells and armrests pads, powder-coated frame in Jet black RAL 9005 colour (BL), glides for soft floors (GB). BINGO-5 A-BL ARM-xx-xx WOOD-xx GB</p>	<p>670</p>
<p>Sample configuration with table top</p>		
<p>BINGO-3/T ARM</p>	<p>Bench with armrests for 2 people and table top, wooden shells and armrests pads, melamine faced chipboard table top (T-xx), powder-coated frame in Jet black RAL 9005 colour (BL), glides for soft floors (GB). BINGO-3 A-BL ARM-xx-xx WOOD-xx-xx T GB</p>	<p>404</p>

xx – please specify upholstery or other finish colour code – [see finishes](#)



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
ISO-2	440	420	410	450	470	810	480	330	—	600	600	1295	19
ISO-3	440	420	410	450	470	810	480	330	—	600	600	1780	26
ISO-4	440	420	410	450	470	810	480	330	—	600	600	2345	32
ISO-5	440	420	410	450	470	810	480	330	—	600	600	2960	41

A – Seat height

A1 – Seat height according to standard EN 16139

B – Seat depth

C – Seat surface depth

D – Seat width

E – Overall height

F – Backrest width

G – Backrest length

H – Armrests height

K – Base width

V – Overall width

L – Overall depth

OPTIONS – ISO BENCHES

Options	Code	Surcharge / 1 seat*			
		Upholstery price group			
		0	1	2	3
Table top, melamine faced chipboard (T-xx), applicable alternately with seat	T-xx**	- 7	- 9	- 11	- 16
White plastic covers for seat and backrest	BIANCO***	8			
Black plastic armrests mountable on bench sides (2 pcs / set)	ARM	28			





* Please multiply by number of seats

** Replacing the seat for the table top is the first step when configuring the bench, while choosing other options connected with the seat


Please specify colour of melamine, [see finishes](#)

*** To be applied to all seats

PRICE LIST – BENCHES

Model	Description	Basic price (EUR)			
		Upholstery price group			
		0	1	2	3
ISO-2 	Bench for 2 people, upholstered seat and backrest, black plastic covers, powder-coated frame in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL). ISO-2 B-xx xx GB	154	156	158	164
ISO-3 	Bench for 3 people, upholstered seat and backrest, black plastic covers, powder-coated frame in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL). ISO-3 B-xx xx G313197	197	200	206	211
ISO-4 	Bench for 4 people, upholstered seat and backrest, black plastic covers, powder-coated frame in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL). ISO-4 B-xx xx GB	246	251	257	262
ISO-5 	Bench for 5 people, upholstered seat and backrest, black plastic covers, powder-coated frame in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL). ISO-5 B-xx xx GB	308	313	321	325

xx – please specify upholstery or other finish colour code – [see finishes](#)



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
ISO-2 WOOD	430	415	400	460	460	800	474	315	—	600	600	1295	19
ISO-3 WOOD	430	415	400	460	460	800	474	315	—	600	600	1780	26
ISO-4 WOOD	430	415	400	460	460	800	474	315	—	600	600	2345	32
ISO-5 WOOD	430	415	400	460	460	800	474	315	—	600	600	2960	41

A – Seat height

A1 – Seat height according to standard EN 16139

B – Seat depth

C – Seat surface depth

D – Seat width

E – Overall height

F – Backrest width

G – Backrest length

H – Armrests height

K – Base width

V – Overall width

L – Overall depth





OPTIONS – ISO BENCHES

Options	Code	Surcharge
Table top, melamine faced chipboard (T-xx), applicable alternately with seat. Price to be multiplied by number of replaced seats.	T-xx*	– 16
Black plastic armrests mountable on bench sides (2 pcs/set)	ARM	28


*Please specify colour of melamine, see [finishes](#)

Apart from the product number/code, please specify options, upholstery and other finishes to complete an order.

PRICE LIST – BENCHES

Model	Description	Basic price (EUR)
<p>ISO-2 WOOD</p> 	<p>Bench for 2 people, wooden seat and backrest, powder-coated frame in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL). ISO-2 B-xx WOOD-xx G407</p>	<p>Wood</p> <p>192</p>
<p>ISO-3 WOOD</p> 	<p>Bench for 3 people, wooden seat and backrest, powder-coated frame in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL). ISO-3 B-xx WOOD-xx GB</p>	<p>257</p>
<p>ISO-4 WOOD</p> 	<p>Bench for 4 people, wooden seat and backrest, powder-coated frame in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL). ISO-4 B-xx WOOD-xx GB</p>	<p>326</p>
<p>ISO-5 WOOD</p> 	<p>Bench for 5 people, wooden seat and backrest, powder-coated frame in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL). ISO-5 B-xx WOOD-xx GB</p>	<p>407</p>

xx – please specify upholstery or other finish colour code – [see finishes](#)



Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
ISO-2 PLASTIK	420	390	405	475	460	795	470	320	—	600	600	1295	19
ISO-3 PLASTIK	420	390	405	475	460	795	470	320	—	600	600	1780	26
ISO-4 PLASTIK	420	390	405	475	460	795	470	320	—	600	600	2345	32
ISO-5 PLASTIK	420	390	405	475	460	795	470	320	—	600	600	2960	41

A – Seat height

A1 – Seat height according to standard EN 16139

B – Seat depth

C – Seat surface depth

D – Seat width

E – Overall height

F – Backrest width

G – Backrest length

H – Armrests height

K – Base width

V – Overall width

L – Overall depth

OPTIONS – ISO BENCHES

Options	Code	Surcharge / 1 seat*			
		Upholstery price group			
		0	1	2	3
Table top, melamine faced chipboard (T-xx), applicable alternately with seat.	T-xx**	– 11			
Upholstered seat with black plastic cover, plastic backrest	MIX***	7	8	9	10
Black plastic armrests mountable on bench sides (2pcs / set).	ARM	30			





* Please multiply by number of seats

** Replacing the seat for the table top is the first step when configuring the bench, while choosing other options connected with the seat

Please specify colour of melamine, [see finishes](#)

*** To be applied to all seats

PRICE LIST – BENCHES

Model	Description	Basic price (EUR)
<p>ISO-2 PLASTIC</p> 	<p>Bench for 2 people, plastic seat and backrest, powder-coated frame in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL). ISO-2-PLASTIK B-xx Kxx GB</p>	<p>Plastic</p> <p>144</p>
<p>ISO-3 PLASTIC</p> 	<p>Bench for 3 people, plastic seat and backrest, powder-coated frame in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL). ISO-3-PLASTIK B-xx Kxx GB</p>	<p>182</p>
<p>ISO-4 PLASTIC</p> 	<p>Bench for 4 people, plastic seat and backrest, powder-coated frame in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL). ISO-4-PLASTIK B-xx Kxx GB</p>	<p>227</p>
<p>ISO-5 PLASTIC</p> 	<p>Bench for 5 people, plastic seat and backrest, powder-coated frame in White aluminium RAL 9006 (ALU) or Jet black RAL 9005 (BL). ISO-5-PLASTIK B-xx Kxx GB</p>	<p>281</p>

xx – please specify upholstery or other finish colour code – [see finishes](#)

Bingo

OPTIONS – MEETING CHAIRS

Options	Code	Surcharge			
		Upholstery price group			
		0	1	2	3
Wooden shell with upholstered seat pad	SEAT PLUS	15	17	19	22
Wooden shell with upholstered seat pad and backrest pad	PLUS	24	28	33	42
Wooden shell or shell with arm pads with slightly visible wood grains	2.xx*	15			
Laminated wooden shell (for ARM version wooden armrest pads always stained – 1.xx* or 2.xx*)	LAMINATE**	21			
Frame powder-coated in White aluminium RAL 9006 colour (applicable to BINGO, BINGO ARM, BINGO CFL, BINGO HOCKER)	ALU	0			
4-leg frame chromium plated	CR	10			
4-leg frame chromium plated with integrated armrests	CR	12			
4-leg Hocker frame chromium plated	CR	12			
Link for connecting chairs into rows, plastic in black colour (dedicated to BINGO 4L and BINGO 4L ARM)***	LINK-PLASTIC 20	11			
Base – Ø 600 mm five-star powder-coated in White aluminium RAL 9006 colour (dedicated to BINGO GTP, armrest frame powder-coated in White aluminium RAL 9006 colour)	<u>ST21-ALU</u>	0			
Base – Ø 600 mm five-star chromium plated (dedicated to BINGO GTP, armrest frame chromium plated)	<u>ST21-CR</u>	34			
Glides with felt for hard floors (applicable to BINGO 4L and BINGO 4L ARM)	GBF	11			
Castors – Ø 50 mm for hard floors (dedicate to BINGO GTP)	<u>SHH</u>	0			

*Please specify colour code of wood – [see finishes](#)

**Please specify colour code of laminate – [see finishes](#)





*** Possible configurations: Bingo on 4 legs without armrests or alternately version with and without armrests

PRICE GROUP 0: Basic, Micro, Oban, Imitation Leather
PRICE GROUP 1: Bondai, Era, Kaiman, Lucia, Oflum, Sempre, Sempre Melange

PRICE GROUP 2: Rivet, Xtreme, Valencia
PRICE GROUP 3: Split Letaher SP

Apart from the product number /code, please specify options, upholstery and other finishes to complete an order.


PRICE LIST – MEETING CHAIRS

Model	Description	Basic price (EUR)
		Wood
BINGO 4L 	Meeting chair on 4-leg frame powder-coated in Jet black RAL 9005 colour (BL), wooden shell, stacking up to 4 pcs, glides for soft floors (GB).	124
BINGO 4L ARM 	Meeting chair on 4-leg frame powder-coated in Jet black RAL 9005 colour (BL), open integrated armrests with wooden pads (NF-xx*), wooden shell, stacking up to 4 pcs, glides for soft floors (GB).	163
BINGO HOCKER 	Hocker chair on 4-leg frame powder-coated in Jet black RAL 9005 colour (BL), wooden shell, stacking up to 4 pcs, glides for soft floors (GB).	156
BINGO GTP 	Swivel chair with wooden shell, integrated armrests powder-coated in Jet black RAL 9005 colour with wooden armrest pads (ARM / FRONT-BL NF-xx*), height adjustment with pneumatic gas lift (PST45), Ø 620 mm five-star powder-coated in Jet black RAL 9005 colour base (ST21-BL), Ø 50 mm castors for soft floors (SH).	217
	BINGO BENCHES	see benches
Cart		
UNIVERSAL CHAIR CART	See CART TABLE	184


*Please specify colour code of wood – [see finishes](#)

Timmi Hocker

1. Dimensions/Weight



TIMMI HOCKER



	Dimensions (mm)												Weight (kg)
	A	B	C	D	E	F	G	H	J	K	L	I	
TIMMI HOCKER	515-740	—	235	360	530-760	—	—	—	—	435	240	—	5.3

A – Seat height

B – Seat depth

C – Seat surface depth

D – Seat width

E – Overall height

F – Backrest width

G – Backrest length

H – Backrest height

J – Base diameter

K – Base width

L – Overall depth

I – Headrest height

2. Materials/Versions

2.1. Base

The base is made of white, black or red polypropylene (PP), bottom part covered with anti-slip rubber. Pneumatic gas lift always in black.

2.2. Seat

Structure is made of polypropylene (PP), covered with injected foam, thickness 43 mm. Seat cover made of white, black or red polypropylene (PP).

3. Packaging

1 piece per box (assembled).

PRICE LIST – HOCKER



Timmi height adjustable hocker with upholstered seat

TIMMI HOCKER

Basic price (EUR) according to upholstery price group	
0	131
1	133
2	136

C05	Colour concept	
CC-W	White	•
CC-R	Red	○
CC-B	Black	○
C10	Seat finish	
SE-⑤	Upholstered	•
Sample order	TIMMI HOCKER (CC-R SE-BN4011)	

⑤ – Please specify upholstery colour code from selected price group – [see finishes](#)

- Available as standard (included in basic price)
- Available as an option (included in basic price)




PRICE GROUP 0: Oban
PRICE GROUP 1: Oflum
PRICE GROUP 2: Rivet, Xtreme

Coat stands

Arizona

HoldOp

Top

Card box diameter (m³)	No. of pcs per card box	No. of pcs of 1200 x 1000 mm pallet	Net weight (kg)		Model / Description	Basic price (EUR)
0.03	1	40	6.4		SOHOS by Nowy Styl ARIZONA Coat stand made of steel powder-coated in White aluminium (ALU), Jet black (BL)	66
					SOHOS by Nowy Styl ARIZONA CR	95
—	1	—	16.8		NowyStyl HoldOp Coat stand, side elements made of melamine faced chipboard, MFC (MA***), metal bars chromium plated.	321
0.08	1	26	11.1		SOHOS by Nowy Styl TOP Coat stand made of steel powder-coated in alu or black colour, wooden knobs (1.xx**), beige hooks.	114
					SOHOS by Nowy Styl TOP CR Coat stand made of steel chromium plated, wooden knobs (1.xx**), beige hooks.	124

* Please see [finishes](#) for RAL code

** Please specify colour code of wood, see [finishes](#)


*** Please specify colour code of MA, see [finishes](#)

Tables and Table Bases


Lara Inox

Technical description


1. Dimensions / Weight



LARA INOX
weight: 15.30 kg



LARA INOX 1100
weight: 16.00 kg



LARA INOX SQ
weight: 20.00 kg

2. Materials / Version

2.1. Base

LARA INOX – 2 heights available:

730 mm, 1100 mm

Column – Ø 76 mm tube

Round base – Ø 495 mm

INOX finish – polished stainless steel

LARA INOX SQ – available height:

730 mm

Column – 80 × 80 mm square tube

Square base: 500 × 500 mm

INOX finish – polished stainless steel

2.2. Glides

Felt glides.




3. Packaging

Carton packaging – 1 piece

4. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)

Durability certificate – EN 15372.











PRICE LIST – LARA INOX TABLE BASE*

Model	Description	Basic price (EUR)
<p>LARA INOX</p> 	<p>Table base, round base and leg, polished stainless steel with chrome effect, height 730 mm.</p>	<p>173</p>
<p>LARA INOX 1100</p> 	<p>Table base, round base and leg, polished stainless steel with chrome effect, height 1100 mm.</p>	<p>193</p>
<p>LARA INOX SQ</p> 	<p>Table base, square base and leg, polished stainless steel with chrome effect, height 730 mm.</p>	<p>206</p>

*Table top to be specified separately, see table tops matrix and price-list















Cruzo

PRICE LIST – CRUZO TABLE TOPS

Card box volume (m ³)	No. of card boxes per pcs	No. of pcs per pallet	Net weight (kg)	Model / Description		Basic price (EUR)		
						Melamine faced chipboard MFC (MA)	Laminate (LL)	Topalit (TP)
0.009	1	pallet 1250×800: 80	LL: 4.40 MA: 4.80		CRUZO Ø 600	47	92	—
0.010	1		TP: 4.30			—	—	93
0.019	1	pallet 1200×850: 40	LL: 7.90 MA: 8.50		CRUZO Ø 800	60	146	—
0.030	1	32	TP: 7.60			—	—	130
0.030	1	pallet 1200×1200: 40	LL: 11.70 MA: 13.50		CRUZO Ø 1000	127	265	—
0.044	1	pallet 1250×1250: 35	LL: 16.90 MA: 19.20		CRUZO Ø 1200	137	283	—
0.016	1	pallet 1200×850: 40	LL: 10.00 MA: 10.90		CRUZO 800 × 800	58	153	—
0.030	1	32	TP: 10.00			—	—	188
0.020	1	pallet 1250×800: 40	LL: 11.30 MA: 12.30		CRUZO LARGO 1200 × 600	60	167	—
0.029	1	pallet 1250×850: 40	LL: 15.00 MA: 16.30		CRUZO LARGO 1200 × 800	70	193	—
0.400	1	25	TP: 15.20			—	—	288
0.040	1	pallet 1450×850: 30	LL: 17.50 MA: 19.10		CRUZO LARGO 1400 × 800	104	235	—
0.047	1	pallet 1650×850: 30	LL: 20.00 MA: 21.80		CRUZO LARGO 1600 × 800	124	273	—
0.044	1	pallet 1850×850: 25	LL: 22.50 MA: 24.50		CRUZO LARGO 1800 × 800	155	312	—

Other top dimensions available on request

PRICE LIST – CRUZO TABLE BASE*

Card box volume (m ³)	No. of card boxes per pcs	No. of pcs per pallet	Net weight (kg)	Model / Description	Basic price (EUR)	
					Powder coated in White aluminium (ALU), Jet black (BL), Traffic white (WT), Anthracite grey (AH)	Chromium plated (CR)
0.051	1	pallet 1200×1000: 20	3.9	  CRUZO Ø 600	79	106
0.046	1	pallet 1200×1000: 20	7.5	  CRUZO Ø 800	110	152
0.046	1	pallet 1200×1000: 20	4.5	  CRUZO 1100 Ø 600	96	132
0.048	1	pallet 1200×1000: 15	8.2	  CRUZO 1100 Ø 800	133	184
0.098	3	pallet 1200×800: 10	10.0	  CRUZO Ø 1000	142	182
0.071	1	15	7.6	  CRUZO LARGO	121	176
0.060	1	pallet 1400×800: 20	9.5	  CRUZO LARGO 1800	130	188






*Table top to be specified separately, see table tops matrix and price-list

CRUZO – CONFIGURATION

Cruzo table bases (mm)	Cruzo table tops (mm)									
	Ø 600	800 × 800	Ø 800	Largo 1200 × 600	Largo 1200 × 800	Largo 1400 × 600	Largo 1600 × 800	Largo 1800 × 800	Ø 1000	Ø 1200
Ø 600	×	—	—	—	—	—	—	—	—	—
1100 Ø 600	×	—	—	—	—	—	—	—	—	—
Ø 800	—	×	×	—	—	—	—	—	—	—
1100 Ø 800	—	×	×	—	—	—	—	—	—	—
Largo	—	—	—	×	×	×	×	—	—	—
Largo 1800	—	—	—	—	—	—	—	×	—	—
Ø 1000	—	—	—	—	—	—	—	—	×	×

Lena

PRICE LIST – LENA TABLE BASE*



Card box volume (m ³)	No. of pcs per card box	No. of pcs of 1200 × 1000 mm pallet	Net weight (kg)	Model / Description	Basic price (EUR)		
					Powder-coated in White aluminium (ALU) or Jet black (BL) colour Traffic white (WT) or Anthracite grey (AH)	Leg – Chromium plated (CR)	
0.04	2	40	7.8		LENA 380 Round base and leg powder-coated in the same colour	59	—
					LENA 380 Round base powder-coated in Jet Black RAL 9005 (BL) and leg chromium plated (CR)	—	61
0.07	2	18	8		LENA 580 Round base and leg powder-coated in the same colour	62	—
					LENA 580 Round base powder-coated in Jet Black RAL 9005 (BL) and leg chromium plated	—	63
0.07	2	18	8.4		LENA Round base and leg powder-coated in the same colour	64	—
					LENA Round base powder-coated in Jet Black RAL 9005 (BL) and leg chromium plated	—	65
0.26	2	16	8.8		LENA 1100 Round base and leg powder-coated in the same colour	75	—
					LENA 1100 Round base powder-coated in Jet Black RAL 9005 (BL) and leg chromium plated	—	80
0.07	2	18	8.4		LENA OUTDOOR Round base and leg made of steel covered with zinc and polyester lacquer with alu finish effect. Available with Topalit top dedicated for outdoor use.	105	—

*Table top to be specified separately, see table tops matrix and price-list

Tiramisu

Tiramisu Table Base

PRICE LIST – TIRAMISU TABLE BASE*

Card box volume (m ³)	No. of pcs per card box	No. of pcs per pallet	Net weight (kg)	Model / Description	Basic price (EUR)		
					Powder-coated in White aluminium (ALU) or Jet black (BL) or Traffic white (WT)	Chromium plated (CR)	
0.09	1	20	5.5		TIRAMISU	90	—
						—	94
0.09	1	20	6.2		TIRAMISU DUO	91	—
						—	97

*Table top to be specified separately, see table tops matrix and price-list

Rico





PRICE LIST – RICO TABLE

Card box volume (m ³)	No. of pcs per card box	No. of pcs per pallet	Net weight (kg)	Model/Description	Basic price (EUR)	
					Powder-coated in White aluminium (ALU) or Jet black (BL)	
0.09	1	pallet 1650×800: 20	24.5		RICO TABLE-2 ALU Table base powder-coated in White aluminium RAL 9006 (ALU) colour, melamine faced chipboard (MFC) table top (MA-xx*), dimensions 1600 × 800 × 18 mm, melamine table top 1600 × 800 × 18 mm	151
					RICO TABLE-2 BLACK Table base powder-coated in Jet black RAL 9005 (BL) colour, melamine faced chipboard (MFC) table top (MA-xx*), dimensions 1600 × 800 × 18 mm.	151
0.1	1	pallet 1900×900: 20	27		RICO TABLE-3 ALU Table base powder-coated in White aluminium RAL 9006 (ALU) colour, melamine faced chipboard (MFC) table top (MA-xx*), dimensions 1800 × 800 × 18 mm.	162
					RICO TABLE-3 BLACK Table base powder-coated in Jet black RAL 9005 (BL) colour, melamine faced chipboard (MFC) table top (MA-xx*), dimensions 1800 × 800 × 18 mm.	162
0.12	1	pallet 2100×900: 20	30		RICO TABLE-4 ALU Table base powder-coated in White aluminium RAL 9006 (ALU) colour, melamine faced chipboard (MFC) table top (MA-xx*), dimensions 2000 × 800 × 18 mm.	171
					RICO TABLE-4 BLACK Table base powder-coated in Jet black RAL 9005 (BL) colour, melamine faced chipboard (MFC) table top (MA-xx*), dimensions 2000 × 800 × 18 mm.	171
CART						
0.2	—	—	21		RICO CART For stacking and transporting RICO tables, up to 10 pcs. Cart powder-coated in Jet black RAL 9005 (BL) colour only.	656





Other top dimensions available on request

Simple





PRICE LIST – SIMPLE TABLE

Certificates	Card box volume (m ³)	No. of pcs per card box	No. of pcs per pallet	Net weight (kg)	Model / Description	Basic price (EUR)	
REMODEX	0.036	1	20	18.2	 	<p>SIMPLE 800 × 800 Table base and frame powder-coated in White aluminium RAL 9006 (ALU), Black grey RAL 7021 (GF) or Traffic White RAL 9016 (WT) colour, melamine faced chipboard (MFC) table top (MA-xx*), dimensions 800 × 800 × 18 mm SIMPLE 800 × 800 xx MA-xx</p>	167
					<p>SIMPLE 800 × 800 GF/CR Table base chromium plated, frame powder-coated in Black grey RAL 7021 (GF) colour, melamine faced chipboard (MFC) table top (MA-xx*), dimensions 800 × 800 × 18 mm SIMPLE 800 × 800 GF/CR MA-xx</p>	209	
REMODEX	0.048	1	20	20.76	 	<p>SIMPLE 1200 × 700 Table base and frame powder-coated in White aluminium RAL 9006 (ALU), Black grey RAL 7021 (GF) or Traffic white RAL 9016 (WT) colour, melamine faced chipboard (MFC) table top (MA-xx*) available: – without cut outs for cable outlets – with cut outs for cable outlets: left, right or left and right, dimensions 1200 × 700 × 18 mm SIMPLE 1200 × 700 xx MA-xx SIMPLE 1200 × 700 L xx MA-xx SIMPLE 1200 × 700 P xx MA-xx SIMPLE 1200 × 700 D xx MA-xx</p>	187
					<p>SIMPLE 1200 × 700 GF/CR Table base chromium plated, frame powder coated in Black grey RAL 7021 (GF) colour, melamine faced chipboard (MFC) table top (MA-xx*) available: – without cut outs for cable outlets – with cut outs for cable outlets: left, right or left and right, dimensions 1200 × 700 × 18 mm SIMPLE 1200 × 700 GF/CR MA-xx SIMPLE 1200 × 700 L GF/CR MA-xx SIMPLE 1200 × 700 P GF/CR MA-xx SIMPLE 1200 × 700 D GF/CR MA-xx</p>	217	



PRICE LIST – SIMPLE TABLE

Certificates	Card box volume (m ³)	No. of pcs per card box	No. of pcs per pallet	Net weight (kg)	Model/Description	Basic price (EUR)
REMODEX	0.055	1	20	23.28	 <p>SIMPLE 1200 × 800 Table base and frame powder-coated in White aluminium RAL 9006 (ALU), Black grey RAL 7021 (GF) or Traffic white RAL 9016 (WT) colour, melamine faced chipboard (MFC) table top (MA-xx*) available: – without cut outs for cable outlets – with cut outs for cable outlets: left, right or left and right, dimensions 1200 × 800 × 18 mm SIMPLE 1200 × 800 xx MA-xx SIMPLE 1200 × 800 L xx MA-xx SIMPLE 1200 × 800 P xx MA-xx SIMPLE 1200 × 800 D xx MA-xx</p>	183
					 <p>SIMPLE 1200 × 800 GF/CR Table base chromium plated, frame powder-coated in Black grey RAL 7021 (GF) colour, melamine faced chipboard (MFC) table top (MA-xx*) available: – without cut outs for cable outlets – with cut outs for cable outlets: left, right or left and right, dimensions 1200 × 800 × 18 mm SIMPLE 1200 × 800 GF/CR MA-xx SIMPLE 1200 × 800 L GF/CR MA-xx SIMPLE 1200 × 800 P GF/CR MA-xx SIMPLE 1200 × 800 D GF/CR MA-xx</p>	223
REMODEX	0.056	1	20	24.02	 <p>SIMPLE 1400 × 700 Table base and frame powder-coated in White aluminium RAL 9006 (ALU), Black grey RAL 7021 (GF) or Traffic white RAL 9016 (WT) colour, melamine faced chipboard (MFC) table top (MA-xx*) available: – without cut outs for cable outlets – with cut outs for cable outlets: left, right or left and right, dimensions 1400 × 700 × 18 mm SIMPLE 1400 × 700 xx MA-xx SIMPLE 1400 × 700 L xx MA-xx SIMPLE 1400 × 700 P xx MA-xx SIMPLE 1400 × 700 D xx MA-xx</p>	195
					 <p>SIMPLE 1400 × 700 GF/CR Table base chromium plated, frame powder-coated in Black grey RAL 7021 (GF) colour, melamine faced chipboard (MFC) table top (MA-xx*) available: – without cut outs for cable outlets – with cut outs for cable outlets: left, right or left and right, dimensions 1400 × 700 × 18 mm SIMPLE 1400 × 700 GF/CR MA-xx SIMPLE 1400 × 700 L GF/CR MA-xx SIMPLE 1400 × 700 P GF/CR MA-xx SIMPLE 1400 × 700 D GF/CR MA-xx</p>	236

PRICE LIST – SIMPLE TABLE

Certificates	Card box volume (m ³)	No. of pcs per card box	No. of pcs per pallet	Net weight (kg)	Model / Description	Basic price (EUR)
REMODEX	0.064	1	20	25.96	 <p>SIMPLE 1400 × 800 Table base and frame powder-coated in White aluminium RAL 9006 (ALU), Black grey RAL 7021 (GF) or Traffic white RAL 9016 (WT) colour, melamine faced chipboard (MFC) table top (MA-xx*) available: – without cut outs for cable outlets – with cut outs for cable outlets: left, right or left and right, dimensions: 1400 × 800 × 18 mm SIMPLE 1400 × 800 xx MA-xx SIMPLE 1400 × 800 L xx MA-xx SIMPLE 1400 × 800 P xx MA-xx SIMPLE 1400 × 800 D xx MA-xx</p>	204
					 <p>SIMPLE 1400 × 800 GF/CR Table base chromium plated, frame powder-coated in Black grey RAL 7021 (GF), melamine faced chipboard (MFC) table top (MA-xx*) available: – without cut outs for cable outlets – with cut outs for cable outlets: left, right or left and right, dimensions: 1400 × 800 × 18 mm SIMPLE 1400 × 800 GF/CR MA-xx SIMPLE 1400 × 800 L GF/CR MA-xx SIMPLE 1400 × 800 P GF/CR MA-xx SIMPLE 1400 × 800 D GF/CR MA-xx</p>	245
REMODEX	0.073	1	20	28.3	 <p>SIMPLE 1600 × 800 Table base and frame powder-coated in White aluminium RAL 9006 (ALU), Black grey RAL 7021 (GF) or Traffic white RAL 9016 (WT) colour, melamine faced chipboard (MFC) table top (MA-xx*) available: – without cut outs for cable outlets – with cut outs for cable outlets: left, right or left and right, dimensions: 1600 × 800 × 18 mm SIMPLE 1600 × 800 xx MA-xx SIMPLE 1600 × 800 L xx MA-xx SIMPLE 1600 × 800 P xx MA-xx SIMPLE 1600 × 800 D xx MA-xx</p>	221
					 <p>SIMPLE 1600 × 800 GF/CR Table base chromium plated, frame powder-coated in Black grey RAL 7021 (GF) colour, melamine faced chipboard (MFC) table top (MA-xx*) available: – without cut outs for cable outlets – with cut outs for cable outlets: left, right or left and right, dimensions: 1600 × 800 × 18 mm SIMPLE 1600 × 800 GF/CR MA-xx SIMPLE 1600 × 800 L GF/CR MA-xx SIMPLE 1600 × 800 P GF/CR MA-xx SIMPLE 1600 × 800 D GF/CR MA-xx</p>	263

PRICE LIST – SIMPLE TABLE

Certificates	Card box volume (m ³)	No. of pcs per card box	No. of pcs per pallet	Net weight (kg)	Model / Description	Basic price (EUR)
REMODEX	0.091	1	20	32.99	 <p>SIMPLE 2000 × 800 Table base and frame powder-coated in White aluminium RAL 9006 (ALU) or Black grey RAL 7021 (GF) or Traffic white RAL 9016 (WT) colour, melamine faced chipboard (MFC) table top (MA-xx*), dimensions 2000 × 800 × 18 mm SIMPLE 2000×800 xx MA-xx</p>	237
					 <p>SIMPLE 2000 × 800 GF/CR Table base chromium plated, frame powder-coated in Black grey RAL 7021 (GF), melamine faced chipboard (MFC) table top (MA-xx*), dimensions 2000 × 800 × 18 mm SIMPLE 2000×800 GF/CR MA-xx</p>	280

Grommets and cut outs positioning


















Simple Table Tops			
Grommets positioning	Left	Right	Left & Right
<p>Grommets made of plastic.</p> <p>Grommet dimensions: 90 × 90 mm, Cut out dimensions: Ø 80 mm.</p>			
	Simple 1400 × 800 L xx MA-xx	Simple 1400 × 800 P xx MA-xx	Simple 1400 × 800 D xx MA-xx

Table Tops







PRICE LIST – MELAMINE FACED CHIPBOARD (MFC), thickness 25 mm, 2 mm ABS edge in the same colour as the top

card box volume (m ³)	no. of pcs per card box	no. of pcs per pallet	net weight (kg)	SHAPE	SIZE (mm)	THICKNESS (mm)	Basic price (EUR)
0.02	1	100	4.5		Ø600	 25	48
0.03	1	50	5.6		Ø800	 25	61
0.03	1	50	8.5		800×800	 25	59
0.03	1	50	16.8		800×1200	 25	72









PRICE LIST – TOP 36, MELAMINE FACED CHIPBOARD (MFC), thickness 36 mm, aluminum edge

card box volume (m ³)	no. of pcs per card box	no. of pcs per pallet	net weight (kg)	SHAPE	SIZE (mm)	THICKNESS (mm)	Basic price (EUR)
0.03	1	60	5.1		Ø600	 36	95
0.05	1	30	9.1		Ø800	 36	125
0.05	1	30	10.8		800×800	 36	125

PRICE LIST – TOP 50, MELAMINE FACED CHIPBOARD (MFC), thickness 50 mm, 2 mm ABS edge in the same colour as the top

card box volume (m ³)	no. of pcs per card box	no. of pcs per pallet	net weight (kg)	SHAPE	SIZE (mm)	THICKNESS (mm)	Basic price (EUR)
0.03	1	60	7.2		Ø600	 50	84
0.05	1	30	12.2		Ø800	 50	117
0.05	1	30	14.9		800×800	 50	117

PRICE LIST – LAMINATED TOP, thickness 23 mm, 2 mm ABS edge in the same colour as the top

card box volume (m ³)	no. of pcs per card box	no. of pcs per pallet	no. of pcs per 1200 × 1000 mm pallet	gross weight (kg)	SHAPE	SIZE (mm)	THICKNESS (mm)	Basic price (EUR)
0.02	1	100	7.5	4.5		Ø600		94
0.03	1	50	1.1	5.6		Ø800		162
0.03	1	50	13.5	8.5		800×800		157
0.03	1	50	2.5	16.8		800×1200		198

PRICE LIST – TOPALIT TABLE TOPS


























card box volume (m ³)	no. of pcs per card box	no. of pcs per pallet	no. of pcs per 1200 × 1000 mm pallet	gross weight (kg)	SHAPE	SIZE (mm)	THICKNESS (mm)	Basic price (EUR)
0.01	1		—	4.3		Ø600		91
0.03	1	32	—	7.6		Ø800		127
0.03	1	32	—	10		800×800		183
0.04	1	25	—	15.2		800×1200		282

Table tops / table bases combination

TABLE TOPS												
Shapes and dimensions of table tops			LARA INOX	LARA INOX 1100	LARA INOX SQ	LENA 380	LENA 580	LENA	LENA 1100	LENA OUTDOOR	TIRAMISU DUO	TIRAMISU
Melamine faced chipboard (MFC) table tops	Ø600		•	•	•	•	•	•	•	—		—
	Ø800		•		•	—		•		—		•
	800×800		—		•	—		—		—		•
	800×1200		—			—		—		—	•	—
TOP 36 & TOP 50 melamine faced chipboard table tops	Ø600		•	•	•	•	•	•	•	—		—
	Ø800		•		•	—		•		—		•
	800×800		—		•	—		—		—		•
Laminated table tops	Ø600		•	•	•	•	•	•	•	—		—
	Ø800		•		•	—		•		—		•
	800×800		—		•	—		—		—		•
	800×1200		—			—		—		—	•	—
Topalit table tops	Ø600		•	•	•	•	•	•	•	•		—
	Ø800		•		•	—		•		•		•
	800×800		—		•	—		—		—		•
	800×1200		—			—		—		—	•	—

Components




FIXED ARMRESTS




Picture	Code	Material	Adjustment	Applicable to following models:
	GTP54-CR-xx ARM-ALU/CR/BL-YY	Armrest structure: – metal element: steel Armrest pads: – polypropylene (PP)	No adjustment	Amigo
	GTP9-ALU GTP9-CR	Armrest structure: – steel powder-coated in White aluminium RAL 9006 colour or chromium plated, – black polypropylene (PP)	No adjustment	Neo-Lux
	GTP59-ALU-XX GTP59-CR-XX	Armrest structure: – powder-coated in White aluminium RAL 9006 colour – chromium plated Armrest pads: – plywood	No adjustment	Cafe VII GTP
	PF6	Armrest structure: – black polyurethane (PU)	No adjustment	Manager
	GTP-CR-xx	Armrest structure: – metal element: steel, chromium plated Armrest pads: – wooden	No adjustment	Samba II GTP
	PF31-CR-xx	Armrest structure: – steel chromium plated Armrest pads: – upholstered	No adjustment	Mirage
	PF12	Armrest structure: – black polyurethane (PU)	No adjustment	Mirage
	PF5-CR-xx	Armrest structure: – steel powder-coated in Jet black RAL 9005 or White aluminium RAL 9006 colour or chromium plated Armrest pads: – upholstered	No adjustment	Nova Orion

Armrests

FIXED ARMRESTS








Picture	Code	Material	Adjustment	Applicable to following models:
	PF27-CR-xx	Armrest structure: – steel chromium plated Armrest pads: – upholstered	No adjustment	Nadir

SYNCHRONOUS MECHANISMS




Picture	Code	Description	Applicable to following models:
	TILT/AR TILT/AR/BD	TILT AR/BD mechanism-functions: – tilting of integrated seat and backrest in the range of 11° (free-floating), – TILT/AR – smooth height adjustment of chair with pneumatic gas lift, – TILT/AR/BD – no height adjustment of chair.	2ME (TILT/AR, TILT/AR/BD)
	TILT2	TILT2 tilt mechanism – functions: – free-floating backrest and seat, – opening tilt angle 12.5°, – forward tilting angle 1.5°, – backrest lock in working position, – smooth height adjustment of chair with pneumatic gas lift.	Xilium
	TIGER UP GT GLIDE-TEC	TIGER GT GLIDE-TEC/TIGER UP GT GLIDE TEC mechanism – functions: – backrest tilt angle 25°, – backrest block at upright position, – automatic weight adjustment + 2 steps-adjustment of backrest tilt force, – smooth height adjustment of chair with pneumatic gas lift.	Tiger UP

Bases




ALUMINIUM AND STEEL BASES

Picture	Code	Description	Applicable to following models:
	ST53-POL	Ø 740 four-star base polished aluminium with chrome effect	2ME
	ST32-ALU ST32-CR	Ø 680 five-star base aluminium powder-coated in White aluminium RAL 9006 colour with protective plastic inlays Ø 680 five-star base polished aluminium with chrome effect with protective plastic inlays	Cafe VII GTP Cafe VII GTS
	ST44-POL	Ø 700 five-star base polished aluminium with chrome effect	2ME Xilium
	ST44-WA ST44-BL	Ø 700 five-star base aluminium powder-coated in White aluminium RAL 9006 colour Ø 700 five-star base aluminium powder-coated in Jet black RAL 9005 colour	2ME (ST44-WA) Xilium (ST44-BL)
	ST-BL ST-WA ST-POL	Ø 700 five-star base aluminium powder-coated in Jet black RAL 9005 colour Ø 700 five-star base aluminium powder-coated in White aluminium RAL 9006 colour Ø 700 five-star base polished aluminium with chrome effect	Sail Conference Swiwell Chair UPH Sail Conference Swiwell Chair MESH Sail Conference Swiwell Chair MESH 2 Tiger-UP Conference Swivel Chair MB UPH Tiger-UP Conference Swivel Chair HB UPH (only ST-POL)
	TS	Ø 700 five-star base black glass fiber reinforced polyamide (PA + GF)	Sail Conference Swiwell Chair UPH Sail Conference Swiwell Chair MESH Sail Conference Swiwell Chair MESH 2
	ST21-CR ST21-ALU ST21-BL	Ø 600 mm five-star chromium plated Ø 600 mm five-star powder-coated in White aluminium RAL 9006 colour Ø 600 mm five-star powder-coated in Jet black RAL 9005 colour base	Bingo GTP







ALUMINIUM AND STEEL BASES



Picture	Code	Description	Applicable to following models:
	ST20-CR	Ø 600 mm five-star chromium plated	Cafe VI GTS
	ST01-CR	Ø 655 five-star base steel chromium plated	Samba II GTP
	TS	Ø 660 five-star base black glass fiber reinforced polyamide (PA + GF)	Tiger UP Conference Swivel Chair MP UPH Tiger UP Conference Swivel Chair HB UPH

PLASTIC BASES











Picture	Code	Description	Used in the following models:
	TS18	Ø 680 five-star base black glass fiber reinforced polyamide (PA + GF)	Cafe VII GTP Cafe VII GTS
	TS25	Ø 710 five-star base black glass fiber reinforced polyamide (PA + GF)	2ME Xilium
	TS25-W	Ø 710 five-star base white glass fiber reinforced polyamide (PA + GF)	Xilium 2ME

Castors

Picture	Code	Description	Applicable to following models:
	SH	Ø 50 mm self-braking castors for soft floors	Cafe VII GTS/GTP Cafe II Cafe IV Cafe VI Bingo Samba II GTP (SH)
	SHH	Ø 50 mm self-braking castors for hard floors	
	ESH	Ø 65 mm self-braking castors for soft floors	2ME Cafe VII GTS/GTP Cafe II Cafe IV Cafe VI Sail Xilium
	ESHH	Ø 65 mm self-braking castors for hard floors	
	ESHR	Ø 65 mm ring self-braking castors for soft floors	2ME
	ESHHR	Ø 65 mm ring self-braking castors for hard floors	











Picture	Code	Description	Applicable to following models:
	RMH	Ø 37 mm self-braking mini-rolls for soft floors	Intrata V 2ME Xilium
	RMHH	Ø 37 mm self-braking mini-rolls for hard floors	

ROW CONNECTOR / SEPARATOR

Connection picture	Connection example	Model	Description
		UNIVERSAL CHAIR ROW CONNECTOR	<p>UNIVERSAL ROW CONNECTOR (520 + 60 mm)</p> <ul style="list-style-type: none"> – dedicated to connect rows of chairs on 4-leg frames, – max leg diameter 25 mm, max square leg profile 20 × 20 mm, – max leg angle in each direction 18°, – 6-steps distance adjustment in the range of 60 mm, – possibility of mounting to the floor. <p>The connecting system is made of:</p> <ul style="list-style-type: none"> – 2 × steel flat bars, 40 × 4 mm (right and left) with snags, and sleeves welded at the ends, – connector cover, – set screw, – 3 × felt pads. <p>Finishing: all elements powder-coated in Jet black RAL 9005 (BL) (P0152E-37902).</p>
		ESPACIO ROW CONNECTOR RIGHT	<p>ESPACIO CONNECTOR RIGHT</p> <ul style="list-style-type: none"> – dedicated to connect rows of Espacio chairs, – possibility of mounting to the floor – made of steel flat bar with sleeves containing bearing bushes, welded at the ends. <p>Finishing: chromium plated (CR) (P0152B-79203).</p>
		POLYFOLD „P” ROW CONNECTOR	<p>POLYFOLD „P” ROW CONNECTOR</p> <ul style="list-style-type: none"> – dedicated to connect rows of Polyfold chairs, – possibility of mounting to the floor, – made of steel flat bar with sleeves welded at the ends. <p>Finishing: chromium plated (CR) (P0152F-41203).</p>
		CADEIRA ROW CONNECTOR	<p>CADEIRA ROW CONNECTOR</p> <ul style="list-style-type: none"> – dedicated to connect rows of Cadeira chairs, – possibility of mounting to the floor, – made of steel flat bar with sleeves welded at the ends. <p>Finishing: powder-coated in White aluminium RAL 9006 (ALU) colour (P0152G-86406).</p>
		BINGO / AMIGO BENCH CONNECTOR	<p>BINGO / AMIGO BENCH CONNECTOR</p> <ul style="list-style-type: none"> – dedicated to connect back to back Bingo / Amigo benches, – made of metal sheet with 2 × Ø 11 mm holes, to be assembled between legs and glides of two connected benches, – 2 pcs recommended to connect two benches. <p>Finish options:</p> <ul style="list-style-type: none"> – powder-coated in Jet black RAL 9005 (BL) colour (P0152-49602), – powder-coated in White aluminium RAL 9006 colour (ALU) (P0152-49606), – chromium plated (CR) (P0152-49603).





Dedicated to	Row distance
AMIGO 4L (4-leg version only) CADEIRA	440–500 mm (measured between backrest edge and seat edge of chairs from connected rows)
BETA 4L (4-leg version only) WING 4L (4-leg version only)	450–510 mm (measured between backrest edge and seat edge of chairs from connected rows)
ESPACIO 4L (4-leg version only)	
AXO (only for versions with G17F, G3 or G3F glides)	410–470 mm (measured between backrest edge and seat edge of chairs from connected rows)
CAFE-VII 4L (4-leg version only)	460–520 mm (measured between backrest edge and seat edge of chairs from connected rows)
CALADO 4L (4-leg version only) FEN	470–530 mm (measured between backrest edge and seat edge of chairs from connected rows)
ESPACIO 4L (4-leg version only)	490 mm (measured between the axes of sleeves)
POLYFOLD	530 mm (measured between the axes of sleeves)
CADEIRA	530 mm (measured between the axes of sleeves)
AMIGO benches BINGO benches	60 mm (measured between the axes of mounting holes of connector)

LINKING UNIT FOR CONNECTING CHAIRS INTO ROW

Connection picture	Connection example	Model	Description
		LINK-PLASTIC 20	<p>LINK-PLASTIC 20</p> <ul style="list-style-type: none"> – dedicated to connect 4-leg Amigo/Bingo chairs without armrests, or alternately chairs with and without armrests, – 2 pcs recommended to connect two chairs, – made of polypropylene PP in black (P0152–31100) colour.
		LINK-METAL 30 × 15	<p>LINK-METAL 30 × 15</p> <ul style="list-style-type: none"> – dedicated to connect Iso 4-leg chairs without armrests, – made of shaped steel sheet and crossbar, with clamping set. <p>Finish options:</p> <ul style="list-style-type: none"> – powder-coated in Jet black RAL 9005 (BL) colour (P0152–07902), – powder-coated in White aluminium RAL 9006 (ALU) colour (P0152–07906), – chromium plated (CR) (P0152–07903).
		LINK-PLASTIC 30 × 15 REG.	<p>LINK-PLASTIC 30 × 15 REG.</p> <ul style="list-style-type: none"> – adjustable, – dedicated to connect Iso 4-leg chairs with or without armrests (for frames made of oval tube profile 30 × 15 mm), – 2 pcs are needed to connect two chairs, – made of black polypropylene (P0152A-75300). <p>The linking in maximum extension is not recommended.</p>
		LINK-PLASTIC 30 × 15	<p>LINK-PLASTIC 30 × 15</p> <ul style="list-style-type: none"> – dedicated to connect Iso 4-leg chairs without armrests (for frames made of oval tube profile 30 × 15 mm), – 2 pcs are recommended to connect two chairs, – made of black polypropylene PP (P0152-E8200).
		LINK-PLASTIC 16	<p>LINK-PLASTIC 16</p> <ul style="list-style-type: none"> – dedicated to connect chair frames made of tube Ø 16 mm, – Vesta New – linking in the bottom part of sled frame, – Samba – linking between the rear legs. – made of polypropylene (PP) available in black (P0152-T9700) or alu RAL 7045 (P0152-T9706) colour. <p>Each index includes set of two connectors, required to connect to chairs.</p>

Dedicated to	Distance between chairs
BINGO 4L (4-leg version only)	60 mm (measured between legs of connected chairs in connection points, at the seat height)
AMIGO 4L (4-leg version only)	60 mm (measured between legs of connected chairs in connection points)
ISO 4L (4-leg version only)	50 mm (measured between legs of connected chairs in connection point, at the seat height)
ISO 4L (4-leg version)	104–184 mm (measured between legs of connected chairs in connection points, at the seat height – depending on the link setting)
ISO 4L-ARM (4-leg version with armrests)	130–184 mm (measured between legs of connected chairs in connection points, at the seat height – depending on the link setting)
ISO 4L (4-leg version only)	60 mm (measured between legs of connected chairs in connection points, at the seat height)
VESTA NEW	20 mm (measured between axes of the legs / sleds of connected frames)
SAMBA	









LINKING UNIT FOR CONNECTING CHAIRS INTO ROW

Connection picture	Connection example	Model	Description
		<p>LINK-PLASTIC 18 REG.</p>	<p>LINK-PLASTIC 18 REG.</p> <ul style="list-style-type: none"> - adjustable, - dedicated to connect Calado 4-leg chairs with or without armrests (for frames made of tube Ø 18–20 mm), - 2 sets are needed to connect two chairs, - made of black polypropylene (P0152C-38400).
		<p>ROW LINK EN 14703 (CADEIRA) BL</p>	<p>ROW LINK EN 14703</p> <ul style="list-style-type: none"> - dedicated to connect Cadeira chairs, - the set made of steel sheet: the central component and two brackets mounted to the frame (right and left). <p>Finishing: powder-coated in Jet black RAL 9005 (BL) (P0152F-77602).</p>

Click / link









Dedicated to	Distance between chairs
CALADO 4L (4-leg version only)	106–186 mm (measured between legs of connected chairs in connection points)
CADEIRA	265 mm (measured between axes of assembly screws used for mounting the link to frame)

FASTENERS INTEGRATED WITH FRAME FOR CONNECTING CHAIRS INTO ROW (CLICK OPTION)

Component picture	Connection example	Model	Description
		<p>CLICK-J4</p>	<p>CLICK-J4</p> <ul style="list-style-type: none"> – available for 4-leg chairs with or without armrests, – numbering not available, – made of steel rod Ø 6 mm, hook at the right and loop at the left side of seat. <p>Finishing: chromium plated.</p>
		<p>WING II CLICK</p>	<p>CLICK</p> <ul style="list-style-type: none"> – available for 4-leg Wing II chairs without armrests, – integrated with chair frame (crossbar between legs) – made of rod Ø 6 mm, hook at the left and loop at the right side. <p>Finish options: available in the same colour as chair frame.</p>
		<p>FEN CLICK</p>	<p>CLICK / CLICK NRM</p> <ul style="list-style-type: none"> – available for Fen chairs with or without armrests, – complete set consists of fixing metal plate, powder coated in black, and 2 x sliding metal brackets, chromium plated, with black polyamide (PA) clicks and clamps; symmetrical fasteners on both sides of chair, – numbering (NRM) available as an option (to be ordered separately or with CLICK), contains 3D adhesive foil label in oval shape, with outer polyurethane layer. Numbers in black colour, height 30 mm. Numbering is placed at the front part of wooden backrest. For upholstered version (A-PLUS or B-PLUS), embroidery numbering available. <p>Finishing: black, with chromium plated elements.</p>
		<p>CADEIRA CLICK-J3-NRM</p>	<p>CLICK-J3 / NRM</p> <ul style="list-style-type: none"> – available for Cadeira chairs with or without armrests, – made of Ø 6 mm chromium plated rod (slider), with black click bracket (PA + GF) with zinc metal plate (place for interchangeable, magnetic numbering); connecting elements symmetrical on both sides of chair. The numbering (NRM) to be ordered separately. <p>Finishing: chromium plated, with black elements.</p>













Dedicated to	Distance between chairs
WING II 4L (4-leg version)	30 mm (measured between frames in connection points at the seat height)
WING II-W 4L (4-leg version, frame with integrated armrests)	20 mm (measured between frames in connection points at the seat height)
CADEIRA 4L (4-leg version)	25 mm (measured between the legs in connection points)
CADEIRA 4L ARM (4-leg with armrests)	15 mm (measured between the arm pads)
WING II 4L (4-leg version only)	10 mm (measured between bottom parts of legs)
FEN (version without armrests)	112 mm (measured between legs)
FEN ARM (version with armrests)	92 mm (measured between the arm pads)
CADEIRA (version without armrests)	20 mm (measured between legs)
CADEIRA ARM, ARM / FRONT (version with armrests)	10 mm (measured between the arm pads)

FASTENERS INTEGRATED WITH FRAME FOR CONNECTING CHAIRS INTO ROW (CLICK OPTION)

Component picture	Connection example	Model	Description
		<p>CLICK AXO J1</p>	<p>CLICK AXO J1 / J1 NRM</p> <ul style="list-style-type: none"> – available for Axo chairs without armrests (Axo 10), – complete set consists of steel brackets finished in the same colour as chair frame, with black plastic connectors (PA + GF), right and left, and black plastic covers (PA) with place for numbering. While choosing J1 NRM option, the number plate made of steel strip, thickness 0,5 mm, is stuck in place for numbering. Numbering, made of magnetic or self-adhesive foil, to be ordered separately. <p>Finish options: black plastic, with steel brackets in the same colour as chair frame</p>
		<p>CLICK AXO J2</p>	<p>CLICK AXO J2 / J2 NRM</p> <ul style="list-style-type: none"> – available for all Axo chair versions, depending on the locking position, – adjustment in three basic positions: – minimum at both sides – for connecting two Axo 10 chairs only, – middle at both sides – possible for connecting Axo 10 with versions with armrests (Axo 11) or with writing tablet (Axo 20, Axo 21), – maximum at both sides – for connecting two Axo 11 chairs or Axo 11 with Axo 20, Axo 21, – mixed locking positions also possible, adjusted to chairs versions, – complete set consists of steel brackets finished in the same colour as chair frame, with black plastic connectors (PA + GF), right and left, and black plastic fasteners (PP) with place for numbering. While choosing J2 NRM option, the number plate made of steel strip, thickness 0,5 mm, is stuck in place for numbering. Numbering, made of magnetic or self-adhesive foil, to be ordered separately. <p>Finish options: black plastic, with steel brackets in the same colour as chair frame</p>
		<p>LOCO II CLICK</p>	<p>CLICK</p> <ul style="list-style-type: none"> – available for all Loco II chairs, – integrated with chair frame (under the arm pads), – made of Ø 5 mm steel rod, hook at the left and loop at the right side. <p>Finish options: the same colour as chair frame.</p>
		<p>VESTA NEW CLICK</p>	<p>CLICK</p> <ul style="list-style-type: none"> – available for Vesta New with (CFP) or without armrests (CFS); CFP versions to be connected only alternately with armless chairs, – integrated with chair frame (bottom part), – made of Ø 5 mm steel rod, hook at the left and loop at the right side. <p>Finish options: the same colour as chair frame.</p>



Dedicated to	Distance between chairs
AXO 10	30 mm (measured between bottom parts of legs)
AXO 10 + Axo 10	Minimum position: 30 mm (measured between bottom parts of legs)
AXO 10 + Axo 11 AXO 10 + Axo 20 AXO 10 + Axo 21	Middle position: 150 mm (measured between bottom parts of legs)
AXO 11 + Axo 11 AXO 11 + Axo 20 AXO 11 + Axo 21	Maximum position: 230 mm (measured between bottom parts of legs)
LOCO II	35 mm (measured between the arm pads)
VESTA NEW	25 mm (measured between bottom parts of legs)

FASTENERS INTEGRATED WITH FRAME FOR CONNECTING CHAIRS INTO ROW (CLICK OPTION)

Component picture	Connection example	Model	Description
		AMIGO CLICK	<p>CLICK</p> <ul style="list-style-type: none"> – available for Amigo 4-leg chairs without armrests, – made of Ø 6 mm steel rod, hook at the right and loop at the left side of seat, screwed to frame. <p>Finish options: the same colour as chair frame.</p>
		BETA-NSN CLICK	<p>CLICK</p> <ul style="list-style-type: none"> – available for Beta 4-leg chairs without armrests, – integrated with chair frame (crossbar between legs), – made of Ø 5 mm steel rod, hook at the left and double loop at the right side. <p>Finish options: the same colour as chair frame.</p>
		ELVA CLICK	<p>CLICK</p> <ul style="list-style-type: none"> – available for all Elva chairs, – connectors are fixed in chair frame in two locations: <ul style="list-style-type: none"> ● between front legs at the back height, ● between front legs at the seat height, ● outer connector is fixed in the right leg, inner connector in the left leg. <p>Finishing: black.</p>
		POLYFOLD CLICK	<p>CLICK</p> <ul style="list-style-type: none"> – available for all Polyfold chairs, – integrated with chair frame, – fasteners are welded on backrest leg in two locations: <ul style="list-style-type: none"> ● between seat and back, ● between seat and crossbar, ● detent element is fixed in the right leg, holding element in the left leg. <p>Finish options: the same colour as chair frame.</p>
		ISO CLICK	<p>CLICK</p> <ul style="list-style-type: none"> – available for ISO 4-leg chairs without armrests, – integrated with chair frame, – made of Ø 6 mm steel rod, hook at the right and double loop at the left side of seat. <p>Finish options: the same colour as chair frame.</p>
		CAFE VII CLICK	<p>CLICK</p> <ul style="list-style-type: none"> – available for CAFE VII 4-leg chairs without armrests, – made of Ø 5 mm steel rod, hook at the right and loop at the left side of seat. <p>Finish options: the same colour as chair frame.</p>

Dedicated to	Distance between chairs
AMIGO 4L (4-leg version only)	10 mm (measured between bottom parts of legs)
BETA-NSN 4L (4-leg version only)	30 mm (measured between frames in connection points)
ELVA	24 mm (measured between frames at the seat height)
POLYFOLD	20 mm (measured between chair frames)
ISO 4L (4-leg version only)	35 mm (measured between frames in connection points, at the seat height)
CAFE VII 4L (4-leg version only)	10 mm (measured between bottom parts of legs)






FASTENERS INTEGRATED WITH FRAME FOR CONNECTING CHAIRS INTO ROW (CLICK OPTION)

Component picture	Connection example	Model	Description
		<p>ARIOSO FOLD CLICK</p>	<p>CLICK</p> <ul style="list-style-type: none"> - available for Arioso Fold chairs, - integrated with chair frame, - fasteners are welded on backrest leg in two locations: <ul style="list-style-type: none"> - between seat and back, - between seat and bottom part, - detent element is fixed in the right leg, holding element in the left leg, - the depth of upper fasteners is greater than lower, because of the frame shape. <p>Finish options: the same colour as chair frame.</p>





Click / link

Dedicated to	Distance between chairs
ARIOSO FOLD	min. 5 mm (measured between the bottom parts of legs; it varies depending on the measured points from maximum in the top till minimum at the bottom)

CARTS FOR CHAIRS AND TABLES

Picture	Model	Description	Stacking on the cart
	AXO CART WG080-07	<p>AXO CART</p> <ul style="list-style-type: none"> – cart dedicated for transporting stacked AXO chairs and tables, – cart structure made of melamine faced chipboard, thickness 18 mm (colour NH Maple). – frame made of solid beech wood strips in natural colour 1.007, 4 castors for hard floors (rubber tires) including two castors with brakes. <p>Cart dimensions: 820 x 620 mm (width x depth), 150 mm (height).</p>	<p>Max. load capacity: 12 pcs of AXO tables or 6 pcs of AXO chairs. max. load approx. 200 kg (vertical stacking and transporting)</p>
	RICO CART WG192	<p>RICO CART</p> <ul style="list-style-type: none"> – made of square profile 40 x 40 x 1,5 mm and steel tube diameter 25 x 2.0 mm, – felt pads for table tops protection, – 4 castors, 2 castors with manual brakes, – adjustable in length in range 1530–2030 mm (internal dimension), – cart disassembled for shipment, – powder-coated in Jet black RAL 9005 colour. <p>Cart dimensions: 870 mm x (1840–2340) mm x 1080 mm (height)</p>	<p>TABLES – 10 pcs RICO: Rico-2, Rico-3, Rico-4 max. load approx. 380 kg (horizontal stacking – folded tables and transporting)</p>
	UNIVERSAL CHAIR CART WG139-02 – BLACK WG139-06 – ALU	<p>UNIVERSAL CHAIR CART</p> <ul style="list-style-type: none"> – made of steel tube diameter 22 x 2.0 mm and tube diameter 16 x 2.0 mm for width adjustable connector, – adjustable in width in range 530–655 mm (internal dimension), – 4 castors, diameter 75 mm for hard floors, 2 castors with manual brakes, – powder-coated in alu or black colour. <p>Cart dimensions: 555 mm x (575–700) mm (reg.) x 125 mm (height)</p>	<p>Max.load 150 kg AMIGO, ARIOSIO, AXO, BETA, BINGO, CAFE, FONDO, ISO, LOCO II, STYL, WING max. load approx. 150 kg (stacking on cart according to stacking quantity listed in price list)</p>
	CALADO CART WG178-03	<p>CALADO CART</p> <ul style="list-style-type: none"> – made of steel tube diameter 25 x 2.0 mm, – 4 castors diameter 80 mm, – chromium plated frame. <p>Cart dimensions: 665 mm x 785 mm x 405 mm (height)</p>	<p>Calado 4L – 10 pcs Calado CFS – 21 pcs max. load approx. 125 kg (vertical stacking and transporting)</p>
	TROLLEY VESTA WG180-02 – BLACK WG180-06 – ALU	<p>VESTA TROLLEY</p> <ul style="list-style-type: none"> – made of square profile 30 x 30 x 1,5 mm and steel tube diameter 25 x 1.5 mm, – 4 castors, 2 castors with manual brakes, – cart partially assembled for shipment, – powder-coated in alu or black colour. <p>Cart dimensions: 630 x 1195 x 945 mm (height)</p>	<p>VESTA NEW CFS/CFP – 25 pcs max. load approx. 175 kg (vertical stacking and transporting)</p>

CARTS FOR CHAIRS AND TABLES

Picture	Model	Description	Stacking on the cart
	<p>3-ROW ISO CART WBNOS2121-000000</p>	<p>3-ROW ISO CART</p> <ul style="list-style-type: none"> made of profile 30 × 30 × 1.5 mm and 40 × 10 × 1.5 mm for cross bars, construction reinforced with flat bar, 4 castors, 2 castors with manual brakes, cart partially assembled for shipment, powder-coated in Jet black RAL 9005 colour. <p>Cart dimensions: 1920 mm × 500 mm × 1680 mm (height)</p>	<p>ISO 4L – 30 pcs (3 × 10 piles) ISO CFS – 15 pcs (3 × 5 piles) ISO CF – 12 pcs (3 × 4 piles) max. load approx. 200 kg (vertical stacking and transporting)</p>
	<p>POLYFOLD CART WG255</p>	<p>POLYFOLD CART</p> <ul style="list-style-type: none"> made of profile 30 × 30 × 1,5 mm and steel tube diameter 25 × 2.0 mm, 4 castors, 2 castors with manual brakes, cart assembled for shipment, powder-coated in Jet black RAL 9005 colour. <p>Cart dimensions: 470 mm × 1100 mm × 1700 mm (height).</p>	<p>POLYFOLD – 50 pcs max. load approx 200 kg (horizontal stacking – folded chairs and transporting)</p>
	<p>WING CART WG152-02 – BLACK WG152-06 – ALU</p>	<p>WING CART</p> <ul style="list-style-type: none"> made of steel tube diameter 25 × 2.0 mm with supports and diameter 20 × 2.0 mm for handles with rod bar diameter 8 mm, handles to be fixed to the cart after stacking the chairs, 4 castors diameter 75 mm, 2 castors with manual brakes, powder-coated in alu or black colour. <p>Cart dimensions: 650 mm × 1720 mm × 840 mm (height).</p>	<p>WING – 24 pcs max. load 180 kg (vertical stacking in two piles back to back, transporting)</p>
	<p>FEN CART WG159-02</p>	<p>FEN CART</p> <ul style="list-style-type: none"> made of steel tube diameter 22 × 1.5 mm, 4 castors diameter 75 mm, 2 castors with manual brakes, powder-coated in Jet black RAL 9005 colour. <p>Cart dimensions: 590 mm × 600 mm × 255 mm (height).</p>	<p>FEN – 10 pcs max load: 150 kg (vertical stacking and transporting)</p>

Finishes

Technical specification of upholsteries

0 PRICE GROUP 0

BASIC C	<p>Composition: 100 % polyester Weight: 270 g/m² Abrasion resistance: 90 000 Martindale cycles Pilling: EN ISO 12945-2 (4-5) Colour fastness to light: EN ISO 105-B02 (6-7) Colour fastness to rubbing: EN ISO 105-X12 (wet: 4-5 / dry: 4-5)</p>
IMITATION LEATHER V	<p>Composition: 100 % PVC coated polyester Weight: 460 g/m² Abrasion resistance: > 70 000 Martindale cycles Flammability: applies to colours marked with N symbol: EN 1021-1, EN 1021-2, BS 5852-1, Other: easy to keep clean</p>
MICRO M	<p>Composition: 100 % polyester Weight: 160 g/m² Abrasion resistance: 50 000 Martindale cycles Flammability: EN 1021-1, EN 1021-2 Other: EN 71-1 safety of toys (mechanical and physical properties) EN 71-2 safety of toys (flammability) EN 71-3 safety of toys (migration of certain elements)</p>
OBAN EF	<p>Composition: 100 % polypropylene Weight: 230 g/m² Abrasion resistance: ≥ 30 000 Martindale cycles Colour fastness to light: EN ISO 105-B02 (min. 5) Flammability: EN 1021-1</p>

1 PRICE GROUP 1

BONDAI BN	<p>Composition: 100 % polyester Weight: 250 g/m² Abrasion resistance: 150 000 Martindale cycles Pilling: EN ISO 12945-2 (5) Colour fastness to light: EN ISO 105-B02 (min. 6) Colour fastness to rubbing: EN ISO 105-X12 (wet: 4-5 / dry: 4-5) Flammability: EN 1021-1, EN 1021-2, BS 7176 medium hazard, BS 5852 Crib 5 Other: Oeko-Tex Standard 100 certificate</p>
ERA CSE	<p>Composition: 100 % polyester, non metallic dyestuffs Weight: 320g/m² Abrasion resistance: ≥ 100 000 Martindale cycles Colour fastness to light: EN ISO 105-B02 (min. 5) Flammability: EN 1021-1, EN 1021-2, BS 7176 low hazard Other: Oeko-Tex Standard 100 certificate, Indoor Advantage™ certificate (Gold)</p>
KAIMAN KN	<p>Composition: upper layer: 100 % polyurethane, bottom layer: 65 % polyester, 35 % cotton Weight: 420g/m² Abrasion resistance: 100 000 Martindale cycles Colour fastness to light: EN ISO 105-B02 (> 5) Colour fastness to rubbing: EN ISO 105-X12 (dry: 5) Flammability: EN 1021-1, BS 5852 Source 0</p>
LUCIA YB	<p>Composition: 100 % recycled polyester, non metallic dyestuffs Weight: 260 g/m² Abrasion resistance: 50 000 Martindale cycles Colour fastness to light: EN ISO 105-B02 (6) Flammability: EN 1021-1, EN 1021-2, BS 7176 low hazard, Other: EU Ecolabel certificate, Oeko-Tex Standard 100 certificate, Indoor Advantage™ certificate (Gold)</p>
OFLUM OL	<p>Composition: 100 % polyester Weight: 310 g/m² Abrasion resistance: 162 500 Martindale cycles Colour fastness to light: EN ISO 105-B02 (5) Flammability: EN 1021-1, EN 1021-2 Other: EU Ecolabel certificate Oeko-Tex Standard 100 certificate</p>

Next pages →

Technical specification of upholsteries

SEMPRE SM	<p>Composition: 100% polyester Weight: 366 g/m² Abrasion resistance: 155 000 ± 5000 Martindale cycles Pilling: EN ISO 12945-2 (4-5) Colour fastness to light: EN ISO 105-B02 (3-4) Colour fastness to rubbing: EN ISO 105-X12 (wet: 4-5 / dry: 4-5) Flammability: EN 1021-1, EN 1021-2 Other: Oeko-Tex Standard 100 certificate EU Ecolabel certificate</p>
SEMPRE MELANGE SMM	<p>Composition: 100% polyester Weight: 375 g/m² Abrasion resistance: 125 000 Martindale cycles Pilling: EN ISO 12945-2 (5) Colour fastness to light: EN ISO 105-B02 (min. 4-5) Colour fastness to rubbing: EN ISO 105-X12 (wet: 4-5 / dry: 4-5) Flammability: EN 1021-1, EN 1021-2 Other: Oeko-Tex Standard 100 certificate EU Ecolabel certificate,</p>
2 PRICE GROUP 2	
FELICITY FLG	<p>Composition: 100% post-consumer recycled polyester Weight: 307 g/m² Abrasion resistance: 90 000 Martindale cycles Pilling: EN ISO 12945-2 (5) Colour fastness to light: EN ISO 105-B02 (min. 5-7) Colour fastness to rubbing: EN ISO 105-X12 (wet: 4-5 / dry: 4-5) Flammability: EN 1021-1, EN 1021-2, Calif. Bull. 117E Other: EU Ecolabel certificate Cradle to Cradle certificate, Oeko-Tex Standard 100 certificate</p>
MAFRA MR	<p>Composition: 100% polyester Weight: 275 g/m²</p>
RADIO RD(X)F	<p>Composition: 100% polyester FR Weight: 400 g/m² Abrasion resistance: 80 000 Martindale cycles Colour fastness to light: EN ISO 105-B02 (6) Colour fastness to rubbing: EN ISO 105-X12 (wet: 4-5 / dry: 4-5) Flammability: EN 1021-1, EN 1021-2, BS 5852 Crib 5, BS 7176 medium hazard, DIN 4102 B1, NF P 92-501-7 M1, NF D 60-013 AM 18, Önorm B 3825, Önorm A 3800-1 Class B1-Q1-TR1, Calif. Bull. 117E Other: Oeko-Tex Standard 100 certificate</p>
RIVET EGL	<p>Composition: 100% REPREVE® Recycled Polyester (100% post-consumer) Weight: 280 g/m² Abrasion resistance: ≥80 000 Martindale cycles Colour fastness to light: EN ISO 105-B02 (6) Colour fastness to rubbing: EN ISO 105-X12 (wet: min.4 / min. dry: 4) Flammability: EN 1021-1, EN 1021-2, BS 7176 low hazard Other: EU Ecolabel certificate Indoor Advantage™ certificate (Gold) Made from 100% REPREVE®, a brand of recycled polyester made from used plastic bottles</p>
VALENCIA VL	<p>Composition: upper layer – 100% vinyl/urethane, bottom layer –100% Hi-Loft polyester” Weight: 650 g/m² Abrasion resistance: 300 000 Martindale cycles Colour fastness to light: EN ISO 105-B02 (5) Flammability: EN 1021-1, EN 1021-2, DIN 4102 B2, NF P 92-503 M2, Önorm B 3825, Önorm A 3800-1 Q1 Other: EN 71-3 Safety of toys (migration of certain elements) PERMABLOK3® – is an effective barrier against the virus as is certified with: - ISO 18184: reduction of Coronavirus* presence by more than 90% within one hour of contact. - ISO 21702: reduction of Coronavirus* activity by 99,9% within 24 hours of exposure on the surface. * Testing was conducted with material exposed to Feline Coronavirus (same coronavirus family, structures, and mechanisms similar to SARS-Cov2).</p>

Technical specification of upholsteries

XTREME XR	Composition: Weight: Abrasion resistance: Pilling: Colour fastness to light: Colour fastness to rubbing: Flammability:	100 % recycled polyester, non metallic dyestuffs 310 g/m ² ≥ 100 000 Martindale cycles EN ISO 12945-2 (5) EN ISO 105-B02 (6) EN ISO 105-X12 (wet: 4/dry: 4) EN 1021-1, EN 1021-2, BS 7176 medium hazard, BS 5852 Crib 5, BS 476 Class 1, DIN 4102 B1, NF D 60-013 Other: EU Ecolabel certificate Oeko-Tex Standard 100 certificate, Indoor Advantage™ certificate (Gold)
3 PRICE GROUP 3		
RUNNER RN	Composition: Weight: Abrasion resistance: Pilling: Colour fastness to light: Colour fastness to rubbing: Flammability: Other:	80% polyester / 20% post-consumer recycled polyester 318 g/m ² 70 000 Martindale cycles EN ISO 12945-2 (5) EN ISO 105-B02 (min. 5-7) EN ISO 105-X12 (wet: 4-5/dry: 4-5) EN 1021-1, EN 1021-2, Calif. Bull. 117E Oeko-Tex Standard 100 certificate, 100% free of heavy metals EU Ecolabel certificate
SILVERTEX SX	Composition: Weight: Abrasion resistance: Flammability: Other:	upper layer – 100% vinyl/urethane, bottom layer – 100% Hi-Loft polyester 685 g/m ² 300 000 Martindale cycles EN 1021-1, EN 1021-2, DIN 4102 B2, NF P 92-503 M2, Önorm B 3825, Önorm A 3800-1 Q1 EN 71-3 Safety of toys (migration of certain elements) PERMABLOK3® – is an effective barrier against the virus as is certified with: - ISO 18184: reduction of Coronavirus* presence by more than 90% within one hour of contact. - ISO 21702: reduction of Coronavirus* activity by 99,9% within 24 hours of exposure on the surface. * Testing was conducted with material exposed to Feline Coronavirus (same coronavirusidae family, structures, and mechanisms similar to SARS-Cov2). SILVERGUARD® – natural environmentally friendly bacteria fighting defense to inhibit odour and stains (silver ion technology)
SPLIT LEATHER SP (front upholstered)	Composition: Flammability:	Pigmented split leather (1.1-1.3 mm) EN 1021-1, EN 1021-2
STEP STG & STEP MELANGE STMG	Composition: Weight: Abrasion resistance: Pilling: Colour fastness to light: Colour fastness to rubbing: Flammability: Other:	100% Trevira CS 335g/m ² 100 000 Martindale cycles EN ISO 12945-2 (min. 4-5) EN ISO 105-B02 (min. 5-7) EN ISO 105-X12 (wet: 4-5/dry: 4-5) EN 1021-1, EN 1021-2, BS 5852 Crib 5, BS 7176 medium hazard, DIN 4102 B1, NF P 92-503-5 M1, NF D 60-013 AM 18, Calif. Bull. 117E EU Ecolabel certificate Oeko-Tex Standard 100 certificate
4 PRICE GROUP 4		
BLAZER CUZ	Composition: Weight: Abrasion resistance: Colour fastness to light: Colour fastness to rubbing: Flammability: Other:	100% virgin wool, non metallic dyestuffs 460 g/m ² ≥ 50 000 Martindale cycles EN ISO 105-B02 (5) EN ISO 105-X12 (wet: 4/dry: 4) EN 1021-1, EN 1021-2, BS 7176 low hazard, BS 476 Class 1, NF D 60-013, Indoor Advantage™ certificate (Gold)
FAME F	Composition: Weight: Abrasion resistance: Pilling: Colour fastness to light: Colour fastness to rubbing: Flammability: Other:	95% wool, 5% polyamide 450 g/m ² 200 000 Martindale cycles EN ISO 12945-2 (4) EN ISO 105-B02 (min. 5-7) EN ISO 105-X12 (wet: 4-5/dry: 4-5) EN 1021-1, EN 1021-2, BS 5852 Crib 5, NF D 60-013 AM 18, ÖNORM B 3825-B1-3800-Q1 UK, Calif. Bull. 117E EU Ecolabel certificate Oeko-Tex Standard 100 certificate

Next pages →

Technical specification of upholsteries

FINE LEATHER LE (front upholstered)	Composition: Flammability:	pigmented soft grain leather (0.9–1.1 mm), dyed through EN 1021–1, EN 1021–2
FINE LEATHER SD (front upholstered)	Composition: Flammability:	pigmented soft grain leather (0.9–1.1 mm), dyed through EN 1021–1, EN 1021–2
HI-TECH AS	Composition: Weight: Abrasion resistance: Colour fastness to light: Flammability: Other:	60% polypropylene, 29% wool, 10% viscose, 1% carbon fibre 385 g/m ² ≥60 000 Martindale cycles EN ISO 105-B02 (5) EN 1021-1, EN 1021-2, BS 7176 Low Hazard The fabric with unique anti-static properties. It has been specifically designed to dissipate any build up of static electricity so there are no nasty shocks.
SYNERGY LDS	Composition: Weight: Abrasion resistance: Pilling: Colour fastness to light: Colour fastness to rubbing: Flammability: Other:	95% virgin wool, 5% polyamide 400 g/m ² ≥ 100 000 Martindale cycles EN ISO 12945–2 (4) EN ISO 105-B02 (5) EN ISO 105-X12 (wet: 4/dry: 4) EN 1021–1, EN 1021–2, BS 7176 low hazard, NF D 60–013, Önorm B 3825, Önorm A 3800–1 Q1 EU Ecolabel certificate, Indoor Advantage™ certificate (Gold)

5 PRICE GROUP 5

FINE LEATHER LE (fully upholstered)	Composition: Flammability:	pigmented soft grain leather (0.9–1.1 mm), dyed through EN 1021–1, EN 1021–2
FINE LEATHER SD (fully upholstered)	Composition: Flammability:	pigmented soft grain leather (0.9–1.1 mm), dyed through EN 1021–1, EN 1021–2
REMIX 3 RX	Composition: Weight: Abrasion resistance: Colour fastness to light: Colour fastness to rubbing: Pilling: Flammability: Other:	90% new wool, 10% nylon 300 g/m ² 100 000 Martindale cycles EN ISO 105-B02 (5-7) EN ISO 105-X12 (wet: 4-5 / dry: 4-5) EN ISO 12945-2 (4) EN 1021-1, EN 1021-2, BS 5852 ignition source 3, NF D 60-013 AM 18, Önorm B 3825 (B1), Önorm A 3800-1 (Q1), Calif. Bull. 117E EU Ecolabel certificate Greenguard certificate (Gold) Environmental Product Declaration (EPD)

6 PRICE GROUP 6


NAPPA LEATHER	Composition: Flammability:	semi aniline leather (1,0–1.1 mm), natural corrected grain EN 1021–1, EN 1021–2
---------------	-------------------------------	--

Name	Technical specification	Applicable to following models:
RUNNER RN	<p>Composition: 80% polyester, 20% post-consumer recycled polyester</p> <p>Weight: 318 g/m²</p> <p>Abrasion resistance: 70 000 Martindale cycles</p> <p>Pilling: EN ISO 12945-2 (5)</p> <p>Colour fastness to light: EN ISO 105-B02 (min. 5-7)</p> <p>Colour fastness to rubbing:</p> <p>Flammability: EN ISO 105-X12 (wet: 4-5/dry: 4-5) EN 1021-1, EN 1021-2, Calif. Bull. 117E</p> <p>Other: Oeko-Tex Standard 100 certificate, 100% free of heavy metals, EU Ecolabel certificate</p>	<p>GLOBEline Mesh</p> <p>Intrata V 34</p> <p>Passu Mesh</p>
MESH NTS	<p>Composition: 99% polyester + 1% elasthan</p> <p>Weight: 175 g/m²</p> <p>Abrasion resistance: 30 000 Martindale cycles</p> <p>Pilling: EN ISO 12945-2 (5)</p> <p>Colour fastness to light: EN ISO 105-B02 (6)</p> <p>Colour fastness to rubbing: EN ISO 105-X12 (wet: 4-5/dry: 4-5)</p> <p>Flammability: EN 1021-1</p>	Sail
MESH OP	<p>Composition: 100% polyester</p> <p>Weight: 280 g/m²</p> <p>Abrasion resistance: 60 000 Martindale cycles</p> <p>Flammability: EN 1021-1, EN 1021-2 (OP-24N only)</p>	<p>Intrata V32</p> <p>Sit.Net</p> <p>Iso Ergo Mesh</p>
MESH	<p>Composition: 100% polyester</p> <p>Weight: 350 g/m²</p> <p>Abrasion resistance: 10 000 Martindale cycles</p> <p>Colour fastness to light: EN ISO 105-B02 (7)</p> <p>Colour fastness to rubbing: EN ISO 105-X12 (wet: 4-5/dry: 4-5)</p> <p>Flammability: EN 1021-1</p>	@-Motion
MESH PX01	<p>Composition: 77% PVC, 23% PES</p> <p>Weight: 560 g/m²</p> <p>Abrasion resistance: 100 000 Martindale cycles</p> <p>Colour fastness to light: EN ISO 105-B02 (5)</p> <p>Colour fastness to rubbing: EN ISO 105-X12 (wet: 5/dry: 4)</p>	Z-body
MESH WX	<p>Composition: 33% polyelastomer + 67% PA6</p> <p>Weight: 361 g/m²</p> <p>Abrasion resistance: ≥ 45 000 Martindale cycles</p> <p>Pilling: EN ISO 12945-2 (4-5)</p> <p>Colour fastness to light: EN ISO 105-B02 (4)</p> <p>Colour fastness to rubbing: EN ISO 105-X12 (wet: 4-5/dry: 4-5)</p> <p>Flammability: EN 1021-1, EN 1021-2</p> <p>Other: Oeko-Tex Standard 100 certificate</p>	Xilium
MESH AX	<p>Composition: 100% polyester</p> <p>Weight: 570 g/m²</p> <p>Abrasion resistance: ≥ 45 000 Martindale cycles</p> <p>Pilling: EN ISO 12945-2 (5)</p> <p>Colour fastness to light: EN ISO 105-B02 (> 6)</p> <p>Colour fastness to rubbing: EN ISO 105-X12 (wet: 5/dry: 4-5)</p> <p>Flammability: EN 1021-1, EN 1021-2</p> <p>Other: EU Ecolabel certificate</p>	
MESH MX	<p>Composition: 75% polyester + 25% polyamide</p> <p>Weight: 350 g/m²</p> <p>Abrasion resistance: 40 000 Martindale cycles</p> <p>Colour fastness to rubbing: EN ISO 105-X12 (wet: 4-5/dry: 4-5)</p> <p>Flammability: EN 1021-1</p>	Xenium Mesh


Finishes

0 PRICE GROUP


C | Basic Fabric




V | Imitation leather



M | Micro



EF | Oban



Finishes

PRICE GROUP **1**


Bondai | BN



Era | CSE



Kaiman | KN




Colours and patterns illustrated here may vary from the real samples.

Finishes


YB | Lucia



OL | Oflum




SM/SMM | Sempre/Sempre Melange



2 PRICE GROUP


FLG | Felicity




Nowy Styl sp. z o.o. reserves the rights to change the constructional features, finishes and prices of products.

Finishes


Mafra (mesh 3D fabric) | MR



Radio | RD(X)F



Rivet | EGL



Valencia | VL



Xtreme | XR




Colours and patterns illustrated here may vary from the real samples.

Finishes

3 PRICE GROUP


RN | Runner (mesh 3D fabric)




SX | Silvertex



SP | Split Leather



STG/STMG | Step/Step Melange




Nowy Styl sp. z o.o. reserves the rights to change the constructional features, finishes and prices of products.


Finishes

PRICE GROUP **4**

Blazer | CUZ



Fame | F



Hi-Tech | AS



Synergy | LDS




Colours and patterns illustrated here may vary from the real samples.

Finishes

4* **5**** PRICE GROUP

SD | Fine Leather



LE | Fine Leather




5 PRICE GROUP

RX | Remix 3




6 PRICE GROUP

Nappa Leather



RN | Runner (mesh 3D fabric)

for Intrata V34, GLOBEline Mesh, Passu Mesh




* Leather in front
** Fully upholstered in leather


Nowy Styl sp. z o.o. reserves the rights to change the constructional features, finishes and prices of products.

Finishes


Mesh | WX for Xilium



Mesh | AX for Xilium




Mesh | MX for Xenium




Mesh | OP for Intrata, Sit.Net, Iso Ergo Mesh




Mesh | NTS for Sail




Mafra (mesh 3D fabric) | MR for SO-one



Elasto-net for YouTEAM



Mesh for @-Motion



Mesh for Z-body




Colours and patterns illustrated here may vary from the real samples.

Finishes

Plastic

for Amigo, Beta, Cortina, Iso, Polyfold / Polyfold Plus



K-02

K-05

K-31

K-59

K-30

K-33

K-36

K-32

K-01

Plastic

for Calado



CPP02


CPP30

CPP32

CPP01

Plastic

for Fano



Matt Anthracite

Matt White

Matt Lime Green

Plastic

for Fondo PP



Gloss Anthracite

Gloss White

Gloss Purple

Gloss Red

Gloss Orange

Gloss Lime Green

Plastic

for Passu



KS01

Plastic

for Inta

Shell



White W

Cream CE

Powder PR

Black B

Frame



Black B

Nowy Styl sp. z o.o. reserves the rights to change the constructional features, finishes and prices of products.

Finishes

Laminate

for chairs and tablets



Veneer


for Axo, Espacio, Evora, Tauko



Wood



for Bingo, Cafe, Lantana, Verbena, SO-one, Tauko, Wing II



Solid wood


























Colours and patterns illustrated here may vary from the real samples.

Finishes

Melamine/Laminate

for table tops available thickness: 18 mm, 25 mm

									
NV Brown Hickory IJ Brown Hickory*	NP Tiepolo Nut	NT Tabac Cherry	NA Aragon Oak ID Aragon Oak*	NZ Natural Hickory HZ Natural Hickory*	NL Natural Country Beech II Natural Country Beech*	NH Maple	NJ Acacia Light GN Acacia Light*	NC Champagne Hard Maple IH Champagne Hard Maple*	MK Light Grey Concrete KI Light Grey Concrete*
									
MM Eilmou Beech	CC Black DD Black*	NM Diamond Grey	MS Slate GW Slate*	BZ Grey Basalt	NK** Cashmere	MP Platinum BW Platinum*	MB White Grey FN White Grey*	BI White CA White*	ML Kaisersberg Oak
									
NR Denim Blue	NS Fjord Green	NF** Saffron							

* Laminate colour matching melamine colour

** Melamine available only for elements with 18 mm thickness.

Melamine for table tops

for table tops and ISO AS tablet (SOHOS), available in thicknesses: 18 mm, 25 mm

								
NV Brown Hickory IJ Brown Hickory*	NP Tiepolo Nut	NT Tabac Cherry	NL Natural Country Beech II Natural Country Beech*	NH Maple	CC Black DD Black*	MS Slate GW Slate*	MP Platinum BW Platinum*	MB White Grey FN White Grey*
								
ML Kaisersberg Oak	BI White CA White*							

* Laminate colour matching melamine colour

** Colour available till the stock lasts but no longer than until the end of 2021.

Finishes

Laminate/Melamine

for table tops, available thickness: 23 mm

								
DD Black CC Black*	IJ Brown Hickory NV Brown Hickory*	GW Slate MS Slate*	HZ Natural Hickory NZ Natural Hickory*	II Natural Country Beech NL Natural Country Beech*	ID Aragon Oak NA Aragon Oak*	IH Champagne Hard Maple NC Champagne Hard Maple*	GN Acacia Light NJ Acacia Light*	BW Platinum MP Platinum*
								
						KI Light Grey Concrete MK Light Grey Concrete*	FN White Grey MB White Grey*	CA White BI White*

*Laminate colour matching melamine colour

Melamine for table tops

Top 36(SOHOS)

							
CC Black	NV Brown Hickory	MS Slate	NT Tabac Cherry	NH Maple	MP Platinum	MB White Grey	BI White

Top 50mm (SOHOS)

		
CC Black	NH Maple	BI White

Fenix NTM

					
KJ Nero Ingo	KO Blu Fes	KR Verde Comodoro	KP Rosso Jaipur	KN Grigio Bromo	KM Grigio Antrim


Colours and patterns illustrated here may vary from the real samples.

Finishes

Topalit® table tops




Metal



Fashion collection*



*Products ordered in colours from Fashion Collection are available with a longer lead time.



© Copyright 2024 Nowy Styl sp. z o.o.

Nowy Styl sp. z o.o. reserves the right to change the constructional features and finishes of products.

Note: Colours and patterns illustrated here may vary from the originals.

Publications of Nowy Styl sp. z o.o.
Brands and trademarks used herein are the property of NSG TM sp. z o.o.