

# BAUX

## Pricelist SEK

Version: 2023-1.4

Valid from November 7:th 2023



### Acoustic Wood Wool

Page 3-9



### Acoustic Pulp

Page 10-12



### Acoustic Felt

Page 13-17

# SENAB

## Färgmarkeringar och/eller symboler för hållbara alternativ i prislistan:

### Mörkgrön markering eller symbol

Miljömärkt produkt – Möbler där hela den sammansatta varan har en typ 1 miljömärkning enligt ISO 14024 med Svanen, Möbelfakta, EU Ecolabel eller annan likvärdig märkning.

### Ljusgrön markering eller symbol

Hållbarhetsmärkt produkt eller beståndsdel – Möbler där hela eller delar av den sammansatta varan är hållbarhetsmärkt, exempelvis med FSC, EU Ecolabel eller OEKO-TEX®. Leverantören ska kunna ge mer detaljerad information om vilka delar eller variationer som är hållbarhetsmärka vid begäran.

### Orange markering eller symbol

Klimatberäknad produkt – Produkt med dokumenterad miljövarudeklaration (EPD) enligt ISO 14025.

### Lila markering eller symbol

Produkt med återvunnet eller förnybart material (enligt definitionerna i ISO 14021). Leverantören ska kunna ge information om andel (%) återvunnet och/eller förnybart (biobaserat) vid begäran. Märkning av återvinningsbart material utgår.

### Blå markering eller symbol

Demonterbar produkt – Produkt som är demonterbar till olika komponenter och beståndsdelar som i första hand möjliggör återbruk och i andra hand materialåtervinning när produkten nått sin fulla livslängd. Produkten ska vara designad för renovering, det vill säga att det ska vara enkelt att reparera och byta ut moduler, komponenter och beståndsdelar som slits över tid. Exempelvis ska ytskikt, som bordsskivor, textil och stoppning kunna tas isär, avlägsnas och ersättas med hjälp av vanligt förekommande manuella verktyg, ej specialverktyg. Enklare reparationer och utbytesarbeten ska kunna utföras av en lekman. Om det krävs fackmanakunskap för mer avancerade arbeten ska det framgå av anvisningarna som leverantören ska kunna ge vid begäran. Anvisningarna ska innehålla en sprängskiss, steg för steg beskrivning inklusive vilka verktyg som krävs samt hur möbelns ingående delar bör källsorteras.

**BAUX** IS FOUNDED  
ON THE BELIEF  
THAT BUILDING  
MATERIALS  
SHOULD BE  
SUSTAINABLE,  
SURPRISINGLY  
FUNCTIONAL AND  
REMARKABLY  
BEAUTIFUL.

## **CONTACT**

BAUX designs, produces and markets functional construction materials that meet the contemporary expectations of architects, engineers and builders – without compromising tomorrow’s safety and environmental standards.

We deliver globally from our factories in Sweden, USA and Australia.

For support, please contact BAUX HQ in Stockholm.

**BAUX HQ Stockholm**  
BAUX AB  
Sankt Eriksgatan 106  
113 31, Stockholm  
SWEDEN

[info@baux.com](mailto:info@baux.com)

[www.baux.com](http://www.baux.com)


+46 8 21 07 07

Wood Wool is a functional, natural material. BAUX Acoustic Wood Wool is made from two of the world's oldest building materials, wood and cement. The combination is simple and ingenious. Wood fibre offers excellent insulation, heat retention and sound absorption. Cement, a proven and popular building material, is the binder that provides strength, moisture resistance and fire protection. Therefore, BAUX Acoustic products are versatile and durable in all climates.



# Acoustic Wood Wool TILES

**3D Pixel**



A: 290 mm  
B: 290 mm

Thickness:



25 mm




50 mm



70 mm

**Hexagon**



**Small**  
A: 250 mm  
B: 290 mm  
Thickness: 25 mm

**Large**  
A: 500 mm  
B: 580 mm  
Thickness: 25 mm


**Square**



**Small**  
A: 290 mm  
B: 290 mm  
Thickness: 25 mm

**Large**  
A: 580 mm  
B: 580 mm  
Thickness: 25 mm

**Quarter Circle**



**Small**  
A: 290 mm  
B: 290 mm  
Thickness: 25 mm

**Large**  
A: 580 mm  
B: 580 mm  
Thickness: 25 mm

**Triangle**



**Small**  
A: 290 mm  
B: 290 mm  
Thickness: 25 mm

**Large**  
A: 580 mm  
B: 580 mm  
Thickness: 25 mm

# Acoustic Wood Wool TILES

## Parallelogram



**Small**  
A: 290 mm  
B: 580 mm  
Thickness: 25 mm

**Large**  
A: 580 mm  
B: 1160 mm  
Thickness: 25 mm

Two options: left and right ⇄

## Circle



**Small**  
A: 290 mm  
B: 290 mm  
Thickness: 25 mm

**Large**  
A: 580 mm  
B: 580 mm  
Thickness: 25 mm

## Plank



**Small**  
A: 145 mm  
B: 580 mm  
Thickness: 25 mm

**Large**  
A: 290 mm  
B: 1160 mm  
Thickness: 25 mm

## Rectangle



**Small**  
A: 290 mm  
B: 580 mm  
Thickness: 25 mm

**Large**  
A: 580 mm  
B: 1160 mm  
Thickness: 25 mm

# Acoustic Wood Wool PANELS

Diagonal



Two options: left and right ↔

Stripes



Lines



Check



Quilted



Curve



Two options: left and right ↔

Arch



**All Panels**  
A: 580 mm  
B: 1160 mm  
Thickness: 25 mm



# Acoustic Wood Wool CEILING

**Flat**



A: 600 mm  
B: 1200 mm  
Thickness: 25 mm

BAUX Ceiling Panels can be delivered to fit both a  
Concealed or Exposed Grid.

**Widestripe**



A: 600 mm  
B: 1200 mm  
Thickness: 25 mm

BAUX Ceiling Panels can be delivered to fit both a  
Concealed or Exposed Grid.

**Pinstripe**



A: 600 mm  
B: 1200 mm  
Thickness: 25 mm

BAUX Ceiling Panels can be delivered to fit both a  
Concealed or Exposed Grid.

# PRICELIST SEK

## BAUX ACOUSTIC WOOD WOOL

All prices stated in SEK excluding VAT.

Delivery term EXW factory in Sweden.

Painting of BAUX Acoustic Wood Wool Panels and Tiles with indoor paint and BAUX colour collection included.

### BAUX Acoustic WOOD WOOL – TILES & PANELS

Product	Measurements			Area pieces/m2	Excluding magnet		Incl. magnet SEK/piece
	w: mm	h: mm	t: mm		SEK/piece	~SEK/m2	
3D Pixel <sup>1</sup>	290	290	25/50/70	11,89	349	4 150	435
3D Square t25	290	290	25	11,89	263	3 127	349
3D Square t50	290	290	50	11,89	362	4 304	448
3D Square t70	290	290	70	11,89	422	5 018	508
Mini Hexagon	220	190	25	31,29	104	3 308	147
Small Hexagon	290	250	25	17,82	171	3 130	214
Small Quarter Circle	290	290	25	11,89	263	3 127	349
Small Square	290	290	25	11,89	263	3 127	349
Small Triangle	290	290	25	23,78	132	3 139	175
Small Parallel.	290	580	25	11,89	263	3 127	349
Small Circle	290	290	25	15,14	205	3 104	248
Small Plank	580	145	25	11,89	263	3 127	349
Small Rectangle	580	290	25	5,95	525	3 121	611
Large Hexagon	580	500	25	4,45	443	2 027	572
Large Quarter Circle	580	580	25	2,97	684	2 033	856
Large Square	580	580	25	2,97	684	2 033	856
Large Triangle	580	580	25	5,95	342	2 033	471
Large Parallel.	580	1160	25	2,97	684	2 033	899
Large Circle	580	580	25	3,78	537	2 032	666
Large Plank	1160	290	25	2,97	684	2 033	813
Large Rectangle	1160	580	25	1,49	1 135	1 687	n.a.
Panels (all patterns)	1160	580	25	1,49	1 135	1 687	n.a.

1) Price for a 3D tile wall with equal mix of three different thicknesses - 25mm, 50mm and 70mm.

### BAUX Acoustic WOOD WOOL – CEILING

Product <sup>3</sup>	Measurements <sup>2</sup> mm or feet	Area pieces/m2	Price		
			SEK/piece	~SEK/m2	
Natur (omålad)	Flat	1200x600x25 mm	1,39	194	269
	Widestripe	1200x600x25 mm	1,39	619	860
	Pinstripe	1200x600x25 mm	1,39	619	860
Målad Vit	Flat	1200x600x25 mm	1,39	250	347
	Widestripe	1200x600x25 mm	1,39	732	1 017
	Pinstripe	1200x600x25 mm	1,39	732	1 017
Målad i annan BAUX kulör	Flat	1200x600x25 mm	1,39	295	410
	Widestripe	1200x600x25 mm	1,39	845	1 174
	Pinstripe	1200x600x25 mm	1,39	845	1 174

2) Also available for Exposed Lay-In grid dimensions "iläggsmått"

3) All ceiling products are available in different dimensions and edge designs to fit various installation methods, see table below. Same price for all codes.

CODE	EXPLANATION
CT2s.EU	Concealed Grid, Tegular Edge 2 sides, EU.600x1200mm
ET2s.EU	Exposed Lay-In, Tegular Edge 2 sides, EU.593x1193mm
ET4s.EU	Exposed Lay-In, Tegular Edge 4 sides, EU.593x1193mm
CB4s.EU	Concealed Grid, Bevelled Edge 4 sides, EU.600x1200mm (ONLY FLAT)
	Dolt bärverk, L-kant 2 sidor, 600x1200mm
	Synligt bärverk, L-kant 2 sidor, 593x1193mm
	Synligt bärverk, L-kant 4 sidor, 593x1193mm
	Dolt bärverk, Fasad kant 4 sidor, 500x122 (Endast FLAT)

# PRICELIST SEK

## BAUX ACOUSTIC WOOD WOOL – INSTALLATION ACCESSORIES ETC.

All prices stated in SEK excluding VAT.

Delivery term SEK factory in Sweden.

BAUX Acoustic WOOD WOOL – Installation Accessories							
Product		Measurements & amounts			Area (m2/piece)	Price (EXW)	
						SEK/piece	~SEK/m2
Glue	Bostik A785 High Grip Deco (or equal)	280 ml			1,5 - 1,7 m2/tube	168	105
Short Screws	Screw Short - Unpainted	Length 45 mm Box with 100 pcs			See installation manual	284	---
	Screw Short - Painted Natural				See installation manual	320	---
	Screw Short - Painted White				See installation manual	320	---
Long Screws	Screw Long - Unpainted	Length 75 mm Box with 100 pcs			See installation manual	434	---
	Screw Long - Painted Natural				See installation manual	470	---
	Screw Long - Painted White				See installation manual	470	---
Metal Sheets & Magnets	Metal Sheets <sup>1</sup>	w: 500 mm	h: 1000 mm	t: 1 mm	0,5 m2/pc	494	988
	Standard Cassette <sup>2</sup>	w: 690 mm	h: 1120 mm	t: 20 mm	0,77 m2/pc	2 570	3 326
	Magnet	---	---	---	---	43	---
Paint	Touch Up Paint	100 ml			0,3-0,5 m2/can	39,75	---
	Paint	1 litre			3 - 5 m2/can	477	95

1) White painted metal sheet.

2) 0,7mm galvanized, white powder coated with perforation

### Custom Shapes and Custom Colours

Special Requirement	Description	Price	
Custom shape wood wool	Setup fee to create a custom shape, only valid for orders < 150 m2	4 750	SEK/shape
Outdoor paint fee	For outdoor usage an extra fee will be charged for the outdoor paint needed	138	SEK/m2
Custom colour fee wood wool	For custom colour orders less than < 25 m2	3 950	SEK/colour
Custom colour fee screws	Setup fee to get screws with painted head in a custom colour	2 160	SEK/colour
Custom colour fee touch up	Setup fee to get custom colour touch up paint (100ml)	150	SEK/colour
Custom colour fee paint	Setup fee to get custom colour paint (1 litre)	477	SEK/colour


The new 100% bio-based BAUX Acoustic Pulp panel is the first in the world to uncompromisingly combine the performance properties of sound absorption, safety and durability with sustainability and modern aesthetics. The result is a restful and sustainable acoustical environment for residential buildings, industrial premises and public spaces that calls us back to the harmonizing pulse of nature. Harmless for us, harmless for the environment. It's nothing short of an acoustical revolution.

This is BAUX Acoustic Pulp.




**Acoustic Pulp  
ORIGAMI PANELS**

**Origami Energy**



A: 500 mm  
B: 1000 mm  
Thickness: 20 mm

**Origami Pulse**



A: 500 mm  
B: 1000 mm  
Thickness: 20 mm


**Origami Sense**



A: 500 mm  
B: 1000 mm  
Thickness: 20 mm



Front side of panel (ENERGY)



Back side of panel

# PRICELIST SEK

## BAUX ACOUSTIC PULP

All prices stated in SEK excluding VAT.

Delivery term EXW factory in Sweden.

BAUX Acoustic PULP						
Product	Measurements <sup>2</sup>			Area pieces/m <sup>2</sup>	Price (EXW factory)	
	w: mm	h: mm	t: mm		SEK	~SEK/m <sup>2</sup>
Origami 50x100 – Bio Natural Wheat Box with 6 panels <sup>1</sup>	500	1000	20	2,0	7 800 (1 300 SEK/panel)	2 600
Origami 50x100 – Bio Colours Box with 6 panels <sup>1</sup>	500	1000	20	2,0	9 900 (1 650 SEK/panel)	3 300

1) One box contain 6 panels in one of the variants: Energy, Pulse or Sense. All panels in a box have same colour, i.e. a box can't have mixed colours.

2) Some dimension tolerance should be expected since the material is organic.

BAUX Acoustic PULP - Accessories				
Product	Measurements	Area m <sup>2</sup> /tube	Price (SEK)	
	ml		SEK/st.	~SEK/m <sup>2</sup>
Adhesive Tube	280	1,5 - 1,7 m <sup>2</sup> /tube	168	105

The excess of unwanted plastics in the world is obvious, only a small fragment is recycled and reused into new products, a devastatingly big amount is still going to the landfill or burned to generate energy.


BAUX Recycled PET products are made from GRS certified and IOAS accredited recycled PET bottles sourced from recycling entities across Europe.

Because origin is important.



**Acoustic FELT Recycled PET  
FLOOR SCREENS**


**Feltflex 140x120**



A: 1400 mm  
B: 1200 mm  
Thickness: 16 mm (panel), 36 mm (holes)

Set of 2 floor stands needed.


**Feltflex 120x120**



A: 1200 mm  
B: 1200 mm  
Thickness: 16 mm (panel), 36 mm (holes)

Set of 2 floor stands needed.


**Feltflex 70x120**



A: 700 mm  
B: 1200 mm  
Thickness: 16 mm (panel), 36 mm (holes)

1 single floor stand needed.

**Floor Stand**




A: 350 mm (diameter base)  
B: 300 mm (visible height after install)




**Acoustic FELT Recycled PET  
TABLE SCREENS**

**Feltflex 140x60**




A: 1400 mm  
B: 600 mm  
Thickness: 16 mm (panel), 36 mm (holes)  
Set of 2 claps or table stands needed.

**Feltflex 140x40**




A: 1400 mm  
B: 400 mm  
Thickness: 16 mm (panel), 36 mm (holes)  
Set of 2 claps or table stands needed.

**Feltflex 120x60**




A: 1200 mm  
B: 600 mm  
Thickness: 16 mm (panel), 36 mm (holes)  
Set of 2 claps or table stands needed.

**Feltflex 120x40**




A: 1200 mm  
B: 400 mm  
Thickness: 16 mm (panel), 36 mm (holes)  
Set of 2 claps or table stands needed.

**Feltflex 70x60**



A: 700 mm  
B: 600 mm  
Thickness: 16 mm (panel), 36 mm (holes)  
Set of 2 claps or 1-2 table stands needed.

**Feltflex 70x40**



A: 700 mm  
B: 400 mm  
Thickness: 16 mm (panel), 36 mm (holes)  
Set of 2 claps or 1-2 table stands needed.

**Table Stand**



d150 mm

**Table Clamp Top**



Suitable for tables that are  
12-50 mm

295 x 50 x 32 mm

**Table Clamp Side**



Suitable for tables that are  
12-50 mm

320 x 100 x 32 mm

# PRICELIST SEK

## BAUX ACOUSTIC FELT – RECYCLED PET (GREY SCALE)

Light Grey

Grey

Dark grey

All prices stated in SEK excluding VAT.

Delivery term SEK factory in Sweden.

Below prices are valid for Light Grey, Grey and Dark Grey screens.

### BAUX Acoustic FELT – Recycled PET - Screens and Accessories


Product		Measurement per screen			Price (EXW factory)			
		w: mm	h: mm	t: mm <sup>1</sup>	#	SEK	#	SEK
Table Screens	Acoustic Flexfelt Recycled PET (Grey Scale), 70x40	700	400	16/36	Box 6 screens	6 633	1 scrn	1 356
	Acoustic Flexfelt Recycled PET (Grey Scale), 120x40	1180	400	16/36	Box 3 screens	6 024	1 scrn	2 308
	Acoustic Flexfelt Recycled PET (Grey Scale), 140x40	1400	400	16/36	Box 3 screens	6 362	1 scrn	2 471
	Acoustic Flexfelt Recycled PET (Grey Scale), 70x60	700	600	16/36	Box 4 screens	6 227	1 scrn	1 907
	Acoustic Flexfelt Recycled PET (Grey Scale), 120x60	1180	600	16/36	Box 2 screens	6 136	1 scrn	3 418
	Acoustic Flexfelt Recycled PET (Grey Scale), 140x60	1400	600	16/36	Box 2 screens	6 813	1 scrn	3 797
Floor Screens	Acoustic Flexfelt Recycled PET (Grey Scale), 70x120	700	1200	16/36	Box 2 screens	6 813	1 scrn	3 797
	Acoustic Flexfelt Recycled PET (Grey Scale), 120x120	1180	1200	16/36		---	1 scrn	6 114
	Acoustic Flexfelt Recycled PET (Grey Scale), 140x120	1400	1200	16/36		---	1 scrn	6 362

Hardware	Box 2 pcs - Table Clamp Top, h295	50	295	---	One pair	897
	Box 2 pcs - Table Clamp Side, h320	100	320	---	One pair	1 233
	Box 2 pcs - Table Stand, d150	150	193	---	One pair	1 233
	Box 2 pcs - Floor Stand, d350	350	891	---	One pair	2 914
	Floor Stand - Single, d350	350	891	---	Single	1 457

1) The panel material is 16 mm thick. Over the hardware holes, the panel is 36mm thick

# PRICELIST SEK

## BAUX ACOUSTIC FELT – RECYCLED PET (COLOR SCALE)



All prices stated in SEK excluding VAT.

Delivery term SEK factory in Sweden.

Below prices are valid for Khaki, Coral red and Jade green screens.

### BAUX Acoustic FELT – Recycled PET COLOR SCALE) - Screens and Accessories

Product		Measurement per screen			Price (EXW factory)			
		w: mm	h: mm	t: mm <sup>1</sup>	#	SEK	#	SEK
Table Screens	Acoustic Flexfelt Recycled PET (Color Scale), 70x40	700	400	16/36	Box 6 screens	8 934	1 scrn	1 739
	Acoustic Flexfelt Recycled PET (Color Scale), 120x40	1180	400	16/36	Box 3 screens	7 919	1 scrn	2 940
	Acoustic Flexfelt Recycled PET (Color Scale), 140x40	1400	400	16/36	Box 3 screens	8 392	1 scrn	3 147
	Acoustic Flexfelt Recycled PET (Color Scale), 70x60	700	600	16/36	Box 4 screens	8 212	1 scrn	2 403
	Acoustic Flexfelt Recycled PET (Color Scale), 120x60	1180	600	16/36	Box 2 screens	8 302	1 scrn	4 501
	Acoustic Flexfelt Recycled PET (Color Scale), 140x60	1400	600	16/36	Box 2 screens	8 663	1 scrn	4 722
Floor Screens	Acoustic Flexfelt Recycled PET (Color Scale), 70x120	700	1200	16/36	Box 2 screens	8 663	1 scrn	4 722
	Acoustic Flexfelt Recycled PET (Color Scale), 120x120	1180	1200	16/36		---	1 scrn	8 212
	Acoustic Flexfelt Recycled PET (Color Scale), 140x120	1400	1200	16/36		---	1 scrn	8 415

Hardware	Box 2 pcs - Table Clamp Top, h295	50	295	---	One pair	897
	Box 2 pcs - Table Clamp Side, h320	100	320	---	One pair	1 233
	Box 2 pcs - Table Stand, d150	150	193	---	One pair	1 233
	Box 2 pcs - Floor Stand, d350	350	891	---	One pair	2 914
	Floor Stand - Single, d350	350	891	---	Single	1 457

1) The panel material is 16 mm thick. Over the hardware holes, the panel is 36mm thick

**BAUX**

Let's build!

[www.baux.com](http://www.baux.com)