

SENAB

Färgmarkeringar och/eller symboler för hållbara alternativ i prislistan:

Mörkgrön markering eller symbol

Miljömärkt produkt – Möbler där hela den sammansatta varan har en typ 1 miljömärkning enligt ISO 14024 med Svanen, Möbelfakta, EU Ecolabel eller annan likvärdig märkning.

Ljusgrön markering eller symbol

Hållbarhetsmärkt produkt eller beståndsdel – Möbler där hela eller delar av den sammansatta varan är hållbarhetsmärkt, exempelvis med FSC, EU Ecolabel eller OEKO-TEX®. Leverantören ska kunna ge mer detaljerad information om vilka delar eller variationer som är hållbarhetsmärka vid begäran.

Orange markering eller symbol

Klimatberäknad produkt – Produkt med dokumenterad miljövarudeklaration (EPD) enligt ISO 14025.

Lila markering eller symbol

Produkt med återvunnet eller förnybart material (enligt definitionerna i ISO 14021). Leverantören ska kunna ge information om andel (%) återvunnet och/eller förnybart (biobaserat) vid begäran. Märkning av återvinningsbart material utgår.

Blå markering eller symbol

Demonterbar produkt – Produkt som är demonterbar till olika komponenter och beståndsdelar som i första hand möjliggör återbruk och i andra hand materialåtervinning när produkten nått sin fulla livslängd. Produkten ska vara designad för renovering, det vill säga att det ska vara enkelt att reparera och byta ut moduler, komponenter och beståndsdelar som slits över tid. Exempelvis ska ytskikt, som bordsskivor, textil och stoppning kunna tas isär, avlägsnas och ersättas med hjälp av vanligt förekommande manuella verktyg, ej specialverktyg. Enklare reparationer och utbytesarbeten ska kunna utföras av en lekman. Om det krävs fackmanakunskap för mer avancerade arbeten ska det framgå av anvisningarna som leverantören ska kunna ge vid begäran. Anvisningarna ska innehålla en sprängskiss, steg för steg beskrivning inklusive vilka verktyg som krävs samt hur möbelns ingående delar bör källsorteras.

Luceplan

Price List 2023/24


Price List

2023/24

Index

Across	1	Curl	28	Lola	70	Tracks	100
Amisol	3	Diade	29	Luthien	70	Packaging	108
Ascent	4	Doi	32	Malamata	72	Condition of sale	108
Berenice	4	E04 Ceiling	35	Mesh	74		
Blow	6	E04 Wall	36	Metropoli	78		
Bulbullia	7	E04 Suspension	37	Millimetro	80		
Carrara	7	E06	40	Nui	82		
Cassette	8	Ecran In&Out	42	Nui mini	84		
Compendium	10	Farel	42	Otto Watt	85		
Compendium Circle	13	Fienile	44	Pétale	86		
Compendium Plate	16	Fienile Outdoor	46	Silenzio	89		
Costanzina	17	Flia	47	Soleil Noir	91		
Costanza	19	Fortebraccio	51	Stochastic	91		
Lady Costanza	23	Garbi	52	Tango	92		
Grande Costanza	25	Hope	53	Titania	93		
Grande Costanza Air	26	Illan	55	Queen Titania	93		
Counterbalance	27	Koinè	57	Trama	94		
Counterbalance Spot	28	Levante	63	Trypta	95		
Counterbalance Floor	28	Lita	65	Zile	98		


Legenda

□	Light source included
h	Height
L	Length
d	Depth
∅	Diameter
▽	Fixture fit for direct assembly on normally inflammable surfaces.
IP40	Appliance protected against ingress of solid objects greater than 1.0 mm.
IP54	Protected against ingress of dust and against splashes of water from all directions.
IP65	Dust-tight. Protected against water jets.
IK	Degree of protection against external mechanical impacts.
⊕	Device that guarantees the electrical security by an additional protective wire (earth) connected to the metal structure of the lamp.
□	Device in which the protection against electric shock is based not only on basic insulation but also on additional security measures such as double insulation or strengthened insulation.
⚡	Device in which the protection against electric shock is based on supply at a very low voltage and where no higher voltages are produced.
	The product FSC® certified is made in certified wood FSC® (Forest Stewardship Council®). Look for our FSC® certified products.
▼	Discontinued

Important notice

The products in this price list are intended for the countries corresponding to the price list itself. Any request for export outside the authorized countries must be agreed upon with Luceplan, as reported in the General Conditions of Sale, appendix to this price list.

PRICE LIST



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

2700K version

	A08SW1 suspension structure dimable 24Vdc SELV H 62 L 102 L cable 300 CE	1A080SW10002	white	LED 32W 2700K CRI 90 <input type="checkbox"/>	9.480,00
		1A080SW10001	black		9.480,00
		1A080SW10010	blue		9.480,00
		1A080SW10011	green		9.480,00

	A08SW2 suspension structure dimable 24Vdc SELV H 75 L 180 L cable 300 CE	1A080SW20002	white	LED 2700K CRI 90 56W <input type="checkbox"/>	12.252,00
		1A080SW20001	black		12.252,00
		1A080SW20010	blue		12.252,00
		1A080SW20011	green		12.252,00





3000K version

	A08S01 suspension structure dimable 24Vdc SELV H 62 L 102 L cable 300 CE	1A080S010002	white	LED 32W 3000K CRI 90 <input type="checkbox"/>	9.480,00
		1A080S010001	black		9.480,00
		1A080S010010	blue		9.480,00
		1A080S010011	green		9.480,00





	A08S02 suspension structure dimable 24Vdc SELV H 75 L 180 L cable 300 CE	1A080S020002	white	LED 3000K CRI 90 56W <input type="checkbox"/>	12.252,00
		1A080S020001	black		12.252,00
		1A080S020010	blue		12.252,00
		1A080S020011	green		12.252,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------




dimmmable push/DALI ceiling rose




	A08/1D dimmmable push/DALI ceiling rose 220-240V ~ 50/60Hz L 31 x H 6,5 x P 5	1A080/01D002	white		2.496,00
	  	1A080/01D001	black		2.496,00


dimmmable phase cut ceiling rose

	A08/1T dimmmable phase cut ceiling rose 220-240V ~ 50/60Hz L 31 x H 6,5 x P 5	1A080/01T002	white		2.388,00
	  	1A080/01T001	black		2.388,00

remote drivers


	A08/3 driver push/DALI 24V, 60W 220-240V~ 50/60Hz SELV	1A080/030000			912,00
 					

	A08/4 driver phase cut 24V, 75W 220-240V~ 50/60Hz SELV	1A080/040000			2.328,00
 					





Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

structure


	D91S suspension dimmable push/DALI 220-240V~ 50/60 Hz cable L 3 m ceiling rose: Ø 18 x H 4 CE Ⓢ ⚠	1D910S000002	white	LED 53W 3000K CRI90 <input type="checkbox"/>	7.452,00
---	--	--------------	-------	--	----------

reflector disk/diffuser

	D91/1 disk Ø 75 CE	1D910/100002	opal		6.744,00
		1D910/100020	silver		7.032,00
		1D910/100030	gold		7.032,00







	D91/2 disk Ø 110 CE	1D910/200002	opal		8.220,00
		1D910/200020	silver		8.784,00
		1D910/200030	gold		8.784,00

accessory

	D91/OAAR anti-rotation accessory CE	1D91/OAAR000			696,00
---	--	--------------	--	--	--------


D78 ASCENT

daniel rybakken

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D78 table dimmer on board H 65 base 17 x 17 head Ø 8,5 CE  	1D780=000001	black	LED 11W 2700K CRI90 <input type="checkbox"/>	6.420,00
	D78pt fixing pin dimmer on board H 64 fixing pin (thickness max 5,7) head Ø 8,5 CE  	1D780PT00001	black	LED 11W 2700K CRI90 <input type="checkbox"/>	6.480,00











D12 BERENICE





















alberto meda, paolo rizzatto



body + reflector = complete lamp

Calculate the price of the lamp adding the the body to the glass diffuser or metal reflector.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D12N table on/off switch electronic ballast 12V arms L 45 + 45 base Ø 15 CE  	1D120=00N020	alu	 LED 2W G4 3000K <input type="checkbox"/>	4.332,00
		1D120=00N001	black	 max 10W 12V GY6.35	4.332,00
	D12NPT table on/off switch electronic ballast 12V fixing pin (max 5,7) arms L 45 + 45 CE  	1D120=0PN020	alu	 LED 2W G4 3000K <input type="checkbox"/>	3.924,00
		1D120=0PN001	black	 max 10W 12V GY6.35	3.924,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D12NPI table on/off switch electronic ballast 12V arms L 30 + 30 base Ø 13,5 CE  	1D120=PON020	alu	 LED 2W G4 3000K <input type="checkbox"/>	4.128,00
		1D120=PON001	black	 max 10W 12V GY6.35	4.128,00
	D12NT floor on/off switch electronic ballast 12V arms L 80 + 30 base Ø 15 CE  	1D120T00N001	black	 LED 2W G4 3000K <input type="checkbox"/>	4.716,00
		1D120T00N020	alu	 max 10W 12V GY6.35	4.728,00
	D12NA45 wall on/off switch electronic ballast 12V arms L 45 + 45 CE  	1D120A45N001	black	 LED 2W G4 3000K <input type="checkbox"/>	3.732,00
		1D120A45N020	alu	 max 10W 12V GY6.35	3.768,00
	D12NAPI wall on/off switch electronic ballast 12V arms L 30 + 30 CE  	1D120AP0N001	black	 LED 2W G4 3000K <input type="checkbox"/>	3.624,00
		1D120AP0N020	alu	 max 10W 12V GY6.35	3.648,00

reflectors

	D12/4 glass reflector CE	1D120/4/1503	satin white		732,00
		1D120/4/1524	rose		732,00
		1D120/4/1527	yellow		732,00
		1D120/4/1537	sage green		732,00
	D12/5 metal reflector CE	1D120/5/1520	alu		480,00
		1D120/5/1501	black		480,00
		1D120/5/1530	brass		480,00



body





methacrylate blades





complete lamp


Calculate the price of the lamp adding the body to the methacrylate blades. Using the remote control is strongly recommended, though it is not essential. It guarantees easy installation and simple use of the fixture.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D28 ceiling dimnable push dim remote control H 40 Ø 24 220-240V~ 50/60Hz CE Ⓢ ⚠	1D2800000002	opal	 LED E27 dimmable	6.036,00

accessories



	D28/1 methacrylate blades set Ø 140 CE	1D280P000000	transparent		1.092,00
		1D280P000088	multicolour (blue, green, orange)		1.092,00

	D28/2 methacrylate screenprinted blades set Ø 140 CE	1D280P200000	transparent		1.200,00
---	--	--------------	-------------	--	----------


	D28 r infrared remote control CE	1D280R000000			876,00
---	---	--------------	--	--	--------

D95 BULLULLIA

francisco gomez paz


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D95A3 wall/ceiling dimmable phase cut 220-240V~ 50/60 Hz 37 x 31 depth 7 CE □ ▽	1D950A300002	white	LED 17W 2700K CRI90 <input type="checkbox"/>	4.896,00
	D95A5 wall/ceiling dimmable phase cut 220-240V~ 50/60 Hz 62 x 37 depth 7 CE □ ▽	1D950A500002	white	LED 27W 2700K CRI90 <input type="checkbox"/>	7.284,00

connection kit




	D95/3 mechanical connection kit + template only for D95A5 / D95A5D CE	1D950/030002			1.944,00
---	--	--------------	--	--	----------

D38 CARRARA

alfredo häberli

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D38L floor foot dimmer 220-240V~ 50/60Hz H 185 base Ø 20,5 CE □ ▽	1D380DL00002	white	LED 45W 3000K CRI 80 <input type="checkbox"/>	19.644,00
		1D380DL00001	matt black		19.644,00

Power consumption: structure + power supply



A03W44	A03/1	23W
A03W44	A03/2	28W
A03W66	A03/1	41W
A03W66	A03/3	38W
A03H66	A03/1	59W
A03H66	A03/3	56W
A03W99	A03/1	58W
A03W99	A03/3	53W

optional accessory: recessed frame kit

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

2700K version




	A03W44 wall/ceiling 40 x 40	1A030AW44002	matt white	LED 2700K CRI 90 <input type="checkbox"/>	5.628,00
	A03W66 wall/ceiling 60 x 60	1A030AW66002	matt white	LED 2700K CRI 90 <input type="checkbox"/>	7.932,00
	A03W99 wall/ceiling 90 x 90	1A030AW99002	matt white	LED 2700K CRI 90 <input type="checkbox"/>	12.228,00

3000K version



	A03H66 wall/ceiling high output version with prismatic diffuser 60 x 60	1A030AH66002	matt white	LED 3000K CRI 90 <input type="checkbox"/>	10.116,00
--	--	--------------	------------	--	-----------


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

power supplies

	A03/1 power supply kit phase cut compatible with A03W44, A03W66, A03H66, A03W99 220-240V~ 50/60Hz CE Ⓢ ⚡	1A030/010000			1.104,00
	A03/2 power supply kit push dim/DALI compatible with A03W44 220-240V~ 50/60Hz CE Ⓢ ⚡	1A030/020000			1.680,00
	A03/3 power supply kit push dim/DALI compatible with A03W66, A03H66, A03W99 220-240V~ 50/60Hz CE Ⓢ ⚡	1A030/030000			1.920,00

ceiling recessed accessories

	A03/7 recessed frame kit for A03W44 CE	1A030/070000			1.104,00
	A03/8 recessed frame kit for A03W66, A03H66 CE	1A030/080000			1.128,00
	A03/9 recessed frame kit for A03W99 CE	1A030/090000			1.188,00



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

2700K version

	D81TW2 floor extruded aluminium foot dimmer H 161 CE	1D810TW20030	brass	LED 2700K CRI 90 <input type="checkbox"/>	7.116,00
		1D810TW20020	alu		7.116,00
		1D810TW20001	black		7.116,00

3000K version




	D81T2 floor extruded aluminium foot dimmer H 161 CE	1D810T020030	brass	LED 3000K CRI 90 <input type="checkbox"/>	7.116,00
		1D810T020020	alu		7.116,00
		1D810T020001	black		7.116,00

base for floor version




	D81/26D base foot dimmer 220-240V~ 50/60Hz H 17 Ø 14.5 CE <input type="checkbox"/>	1D810/26D001	black	37W	3.504,00
--	---	--------------	-------	-----	----------

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------




suspension structure 2700K version




	D81BW2 suspension extruded aluminium I: max 1A _{dc} V: 47V _{dc} SELV L 157 H 15 - 300 CE  	1D810BW20020	alu	LED 33W 2700K CRI 90 <input type="checkbox"/>	6.960,00
		1D810BW20001	black		6.960,00
		1D810BW20030	brass		6.960,00

suspension structure 3000K version


	D81B2 suspension extruded aluminium I: max 1A _{dc} V: 47V _{dc} SELV L 157 H 15 - 300 CE  	1D810B020020	alu	LED 33W 3000K CRI 90 <input type="checkbox"/>	6.960,00
		1D810B020001	black		6.960,00
		1D810B020030	brass		6.960,00


ceiling rose

	D81/25D dimmable push/DALI 220-240V ~ 50/60Hz 18 x13 x 4 CE  	1D810/25D000	white		3.000,00
---	--	--------------	-------	--	----------

	D81/25T dimmable phase cut 220-240V ~ 50/60Hz 18 x13 x 4 CE  	1D810/25T000	white		1.824,00
---	---	--------------	-------	--	----------

remote drivers


	D81/21 remote driver dimmable push/DALI 1050 mA, 45W SELV 220-240V~ 50/60 Hz CE IP20	1D810/210000			740,00
---	---	--------------	--	--	--------

	D81/22 remote driver dimmable phase cut 700 mA, 44W SELV 220-240V~ 50/60 Hz CE IP20	1D810/220000			509,00
---	--	--------------	--	--	--------

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

accessories

	<p>D81/2 accessory for mechanical joining 180° L 8 mm</p> <p>CE</p>	<p>1D810/200001</p>			<p>300,00</p>
	<p>D81/3 Accessory Kit for mechanical joining T or 90°</p> <p>CE</p>	<p>1D810/300001</p>			<p>672,00</p>
	<p>D81/27 extra cable kit 10 m</p> <p>CE</p>	<p>1D810/270000</p>			<p>2.292,00</p>






Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------




2700K versions




	<p>D81C07W aluminium suspension 24Vdc SELV Ø 72 H 15 - 500</p> <p>CE </p>	1D810C07W002	white	LED 54W 2700K CRI 90 <input type="checkbox"/>	17.580,00
		1D810C07W001	black		17.580,00
		1D810C07W030	brass		17.580,00
		1D810C07W020	alu		17.580,00




	<p>D81C11W aluminium suspension 24Vdc SELV Ø 110 H 15 - 500</p> <p>CE </p>	1D810C11W002	white	LED 72W 2700K CRI 90 <input type="checkbox"/>	20.232,00
		1D810C11W001	black		20.232,00
		1D810C11W030	brass		20.232,00
		1D810C11W020	alu		20.232,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D81C20W aluminium suspension 24Vdc SELV Ø 200 H 15 - 500 CE  	1D810C20W002	white	LED 125W 2700K CRI 90 <input type="checkbox"/>	33.504,00
		1D810C20W001	black		33.504,00
		1D810C20W030	brass		33.504,00
		1D810C20W020	alu		33.504,00




3000K versions




	D81C07 aluminium suspension 24Vdc SELV Ø 72 H 15 - 500 CE  	1D810C070002	white	LED 54W 3000K CRI 90 <input type="checkbox"/>	17.496,00
		1D810C070001	black		17.496,00
		1D810C070030	brass		17.496,00
		1D810C070020	alu		17.496,00




	D81C11 aluminium suspension 24Vdc SELV Ø 110 H 15 - 500 CE  	1D810C110002	white	LED 72W 3000K CRI 90 <input type="checkbox"/>	19.524,00
		1D810C110001	black		19.524,00
		1D810C110030	brass		19.524,00
		1D810C110020	alu		19.524,00

	D81C20 aluminium suspension 24Vdc SELV Ø 200 H 15 - 500 CE  	1D810C200002	white	LED 125W 3000K CRI 90 <input type="checkbox"/>	31.620,00
		1D810C200001	black		31.620,00
		1D810C200030	brass		31.620,00
		1D810C200020	alu		31.620,00


ceiling rose


	D81/4 ceiling rose dimmable push/DALI 220-240V~ 50/60 Hz for D81C07 and D81C07W Ø 24 x 5 CE  	1D810/400000	white		4.452,00
---	--	--------------	-------	--	----------


	D81/5 ceiling rose dimmable push/DALI 220-240V~ 50/60 Hz for D81C11 and D81C11W Ø 33 x 6 CE  	1D810/500000	white		5.028,00
---	--	--------------	-------	--	----------


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D81/6 ceiling rose dimmable push/DALI 220-240V~ 50/60 Hz for D81C20 and D81C20W Ø 33 x 6 CE  	1D810/600000	white		5.892,00

remote drivers

	D81/10 remote driver dimmable push/DALI 24V, 60W for D81C07 and D81C07W SELV 220-240V~ 50/60 Hz CE IP20	1D810/100000			2.064,00
---	---	--------------	--	--	----------

	D81/11 remote driver dimmable push/DALI 24V, 100W for D81C11 and D81C11W SELV 220-240V~ 50/60 Hz CE IP20	1D810/110000			2.412,00
---	--	--------------	--	--	----------

	D81/12 remote driver dimmable push/DALI 24V, 150W for D81C20 and D81C20W SELV 220-240V~ 50/60 Hz CE IP20	1D810/120000			3.084,00
---	--	--------------	--	--	----------

	D81/8 optional remote drivers cover for multiple configurations (up to 3) Ø 40 x 6 CE	1D810/800002			2.316,00
---	---	--------------	--	--	----------






D81P COMPENDIUM PLATE

daniel rybakken






				
D81P2-D81P2W D81P2/D81P2W		D81P/28D-D81/29 D81P/28T-D81/31		42W 43W

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------





2700K version





	D81P2W aluminium wall/ceiling Ø 56 l: max 1400 mA dc V: 28 Vdc H 7 SELV    IP40	1D810P2W0002	white	LED 39W 2700K CRI 90 	9.108,00
		1D810P2W0001	black		9.108,00
		1D810P2W0030	brass		9.108,00
		1D810P2W0020	alu		9.108,00

3000K version

	D81P2 aluminium wall/ceiling Ø 56 l: max 1400 mA dc V: 28 Vdc H 7 SELV    IP40	1D810P200002	white	LED 39W 3000K CRI 90 	9.108,00
		1D810P200001	black		9.108,00
		1D810P200030	brass		9.108,00
		1D810P200020	alu		9.108,00


ceiling rose


	D81/28D ceiling rose dimmable push/DALI 220-240V~ 50/60 Hz for D81C07 and D81C07W Ø 24 x 5   	1D810/28D000	white		2.928,00
---	---	--------------	-------	--	----------

	D81/28T ceiling rose dimmable phase cut 220-240V~ 50/60 Hz for D81C11 and D81C11W Ø 33 x 6   	1D810/28T000	white		2.712,00
---	---	--------------	-------	--	----------

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------


remote drivers

	D81/29 remote driver dimmable push/DALI 1400 mA, 45W 220-240V~ 50/60 Hz SELV CE IP20	1D810/290000			1.080,00
---	---	--------------	--	--	----------

	D81/31 remote driver dimmable phase cut 1400 mA, 60W 220-240V~ 50/60 SELV CE IP20	1D810/310000			1.248,00
---	--	--------------	--	--	----------

D13pi COSTANZINA



paolo rizzatto















body shade complete lamp

Calculate the price of the lamp adding the cost of the body to the shade (versions not complete).
LED Bulbs included in the complete version LED.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

	D13pic LED table on/off switch 220-240V~ 50/60Hz H 51 base 14x14 CE □ ▼	1D13=NPLC020	complete version alu body white shade	 LED 5W E14	2.976,00
---	--	--------------	--	---	----------


	D13pi table on/off switch 220-240V~ 50/60Hz H 51 base 14x14 CE □ ▼	1D13=NP00020	alu	 LED E14  42W HSGSA E14	2.256,00
		1D13=NP00017	black		2.256,00
		1D13=NP00030	brass		3.276,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D13pipt table on/off switch with fixing pin (thickness max 5,7) 220-240V~ 50/60Hz H 51 CE □ ▽	1D13PNP00020	alu	 LED E14  42W HSGSA E14	2.028,00
	D13api wall on/off switch 220-240V~ 50/60Hz H 54 depth 28 CE □ ▽	1D13ANP00020 1D13ANP00017	alu black	 LED E14  42W HSGSA E14	2.220,00 2.220,00
	D13spi suspension up and down on/off switch 220-240V~ 50/60Hz H 100 - 250 ceiling rose: Ø 12 x 3 CE □ ▽	1D13SNP00002	white counterweight	 LED E14  42W HSGSA E14	2.136,00


shade

	D13/31 shade ø 26 packing: 1 item CE	9D1331437702	white		540,00
---	--	--------------	-------	--	--------

shades for Mezzo Tono collection

	D13/31 shade ø 26 packing: 1 item CE	9D1331437734 9D1331437738 9D1331437739 9D1331437724 9D1331437737	mistic white soft skin shaded stone edgy pink comfort green		636,00 636,00 636,00 636,00 636,00
---	--	--	---	--	--

shades for Radieuse collection

	D13/31 shade ø 26 packing: 1 item CE	9D1331437736 9D1331437706 9D1331437708 9D1331437705 9D1331437701	petroleum blue smart yellow primary red concrete grey liquorice black		636,00 636,00 636,00 732,00 732,00
---	--	--	---	--	--


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

accessories








	D13/25 off-center ceiling rose Ø 12 x 3 CE	9D1325476800	white		576,00
	D13/50 wall mount accessory for D13 a.pi CE	9D1350620720	alu		780,00
		9D1350620701	black		780,00






















D13 COSTANZA
















paolo rizzatto



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

	D13 c table telescopic sensor dimmer on board 220-240V~ 50/60Hz H 76/110 base 18x18 CE □ ▼	1D13N=00C020A	complete version alu body white shade diffuser accessory included	 LED E27 dimmable  105W HSGSA E27 energy saver	5.640,00
	D13 table telescopic sensor dimmer on board 220-240V~ 50/60Hz H 76/110 base 18x18 CE □ ▼	1D13N=000020	alu	 LED E27 dimmable	4.248,00
		1D13N=000017	black	 LED E27 dimmable	4.248,00
		1D13N=000030	brass	 105W HSGSA E27 energy saver	5.676,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D13i table telescopic on/off switch 220-240V~ 50/60Hz H 76/110 base 18x18 CE □ ▽	1D13N=010020	alu	 LED E27 dimmable  105W HSGSA E27 energy saver	3.504,00
	D13if table fixed on/off switch 220-240V~ 50/60Hz H 80 base 18x18 CE □ ▽	1D13N=01F020	alu	 LED E27 dimmable  105W HSGSA E27 energy saver	3.276,00
	D13pt table telescopic sensor dimmer on board 220-240V~ 50/60Hz with fixing pin (tickness max 5,7) H 76/110 CE □ ▽	1D13NPT00020	alu	 LED E27 dimmable  105W HSGSA E27 energy saver	3.624,00
	D13pti table telescopic on/off switch with fixing pin (tickness max 5,7) 220-240V~ 50/60Hz H 76/110 CE □ ▽	1D13NPT10020	alu	 LED E27 dimmable  105W HSGSA E27 energy saver	2.952,00
	D13 tc floor telescopic sensor dimmer on board 220-240V~ 50/60Hz H 120/160 base 18x18 CE □ ▽	1D13NT00C020A	complete version alu body white shade diffuser accessory included	 LED E27 dimmable  105W HSGSA E27 energy saver	5.796,00
	D13 t floor telescopic sensor dimmer on board 220-240V~ 50/60Hz H 120/160 base 18x18 CE □ ▽	1D13NT000020	alu	 LED E27 dimmable  105W HSGSA E27 energy saver	4.392,00
		1D13NT000017	black		4.392,00
		1D13NT000030	brass		5.796,00
	D13ti floor telescopic on/off switch base 18x18 220-240V~ 50/60Hz H 120/160 base 18x18 CE □ ▽	1D13NT010020	alu	 LED E27 dimmable  105W HSGSA E27 energy saver	3.768,00


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D13tif floor fixed on/off switch 220-240V~ 50/60Hz h 153 base 18x18 CE <input type="checkbox"/> <input type="checkbox"/>	1D13NT01F020	alu	 LED E27 dimmable  105W HSGSA E27 energy saver	3.564,00
	D13a wall telescopic sensor dimmer on board 220-240V~ 50/60Hz H 76/110 depth 44/57 CE <input type="checkbox"/> <input type="checkbox"/>	1D13NA000020	alu	 LED E27 dimmable  105W HSGSA E27 energy saver	3.684,00
	D13aif wall fixed on/off switch 220-240V~ 50/60Hz H 80 depth 46 CE <input type="checkbox"/> <input type="checkbox"/>	1D13NA01F020	alu	 LED E27 dimmable  105W HSGSA E27 energy saver	2.856,00
	D13s suspension telescopic 220-240V~ 50/60Hz H 100/150 ceiling rose: Ø 7 x 4 CE <input type="checkbox"/> <input type="checkbox"/>	1D13NS000020	alu	 LED E27  105W HSGSA E27 energy saver	3.072,00
	D13sas suspension up and down 220-240V~ 50/60Hz H 100/220 ceiling rose: Ø 12 x 3 CE <input type="checkbox"/> <input type="checkbox"/>	1D13NSA20020	counterweight steel mat chrome	 LED filament E27  105W HSGSA E27 energy saver	2.292,00

shade


	D13/1 shade Ø 40 packing: 1 item CE	9D1301511702	white		936,00
---	---	--------------	-------	--	--------

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------




shades for Mezzo Tono collection


	D13/1 shade Ø 40 packing: 1 item CE	9D1301511734	mistic white		1.428,00
		9D1301511738	soft skin		1.428,00
		9D1301511739	shaded stone		1.428,00
		9D1301511724	edgy pink		1.428,00
		9D1301511737	comfort green		1.428,00

shades for Radieuse collection

	D13/1 shade Ø 40 packing: 1 item CE	9D1301511736	petroleum blue		1.428,00
		9D1301511706	smart yellow		1.428,00
		9D1301511708	primary red		1.428,00
		9D1301511705	concrete grey		1.704,00
		9D1301511701	liquorice black		1.704,00

accessories

	D13/25 off-center ceiling rose Ø 12 x 3 CE	9D1325476800	white		576,00
	D13/50 wall mount accessory for D13a - D13aif CE	9D1350620720	alu		780,00
		9D1350620701	black		780,00
	D13/91 diffuser accessory bulb not included packing: 4 items the price refers to the single article CE	1D13N/910000	white		288,00







Calculate the price of the lamp adding the cost of the body to the shade.













Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D13E d. floor telescopic dimmer on board 220-240V~ 50/60Hz H 217 - 250 H min 130 - 140 base 36 x 36 CE □ ▽	1D13GED00020	alu	LED E27 dimmable	14.148,00
		1D13GED00017	black	105W HSGSA E27 energy saver	14.220,00
	D13E i. floor telescopic on/off switch 220-240V~ 50/60Hz H 217 - 250 H min 130 - 140 base 36 X 36 CE □ ▽	1D13GEI00020	alu	LED E27 dimmable	13.728,00
		1D13GEI00017	black	105W HSGSA E27 energy saver	13.728,00
	D13Ea d. wall version telescopic dimmer on board 220-240V~ 50/60Hz H 215 - 248 CE □ ▽	1D13GEDA0020	alu	LED E27 dimmable 105W HSGSA E27 energy saver	11.844,00
	D13Ea i. wall version telescopic on/off switch 220-240V~ 50/60Hz H 215 - 248 CE □ ▽	1D13GEIA0020	alu	LED E27 dimmable 105W HSGSA E27 energy saver	10.284,00
	D13E sas suspension 220-240V~ 50/60Hz H 100 - 250 ceiling rose: Ø 12 x 3 CE □ ▽	1D13GESA0020	alu	LED E27 dimmable 105W HSGSA E27 energy saver	2.556,00



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

shade and accessories

	D13E/1 D13E/1 shade Ø 50, h 35 CE	1D13GE/01002	white		2.184,00
		1D13GE/01039	shaded stone		2.556,00
		1D13GE/01008	red		3.288,00
		1D13GE/01001	black		3.576,00
	D13/25 off-center ceiling rose Ø 12 x h 3 CE	9D1325476800	white		576,00
	D13/91 diffuser accessory bulb not included packing: 4 items the price refers to the single article CE	1D13N/910000	white		288,00



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D13Gt floor telescopic sensor dimmer 220-240V~ 50/60Hz Ø 70, H 175 - 235 base 36x36 CE □ ▽	1D13GTDH0020	alu stem white shade	 3xLED E27 dimmable  3x70W HSGSA E27 energy saver	15.684,00
	D13Gti floor telescopic on/off switch 220-240V~ 50/60Hz Ø 70, H 175 - 235 base 36x36 CE □ ▽	1D13GTIH0020	alu stem white shade	 3xLED E27 dimmable  3x70W HSGSA E27 energy saver	15.540,00
	D13Gs suspension sensor dimmer 220-240V~ 50/60Hz Ø 70, H 100 - 475 ceiling rose: Ø 12 x 3 CE □ ▽	1D13GSDH0020	white shade	 3xLED E27 dimmable  3x70W HSGSA E27 energy saver	8.568,00
	D13Gsi suspension on/off 220-240V~ 50/60Hz Ø 70, H 100 - 475 ceiling rose: Ø 12 x 3 CE □ ▽	1D13GSIH0020	white shade	 3xLED E27 dimmable  3x70W HSGSA E27 energy saver	8.076,00







Calculate the price of the lamp adding the cost of the body to the shade, and to the accessories, such as base, rod stake or fixed base.
Apparatus IP44 with optical compartment with a degree of protection IP55.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D13G.air floor outdoor on/off switch 220-240V~ 50/60Hz Ø 2,1, H 221 CE ⚡ ⚠ IP44	1D13GT/00020	alu	LED E27	10.752,00
		1D13GT/00013	rust	205W HSGST E27 energy saver	10.752,00
	D13GSO suspension structure on/off switch 220-240V~ 50/60Hz Ø 10,6, H 23,7 CE ⚡ ⚠ IP65	1D13GSOUT020	alu	LED E27	8.400,00


shade and accessories

	D13G/1 shade for floor structure Ø 70, H 49 CE	1D13GP/01002	white		3.432,00
		1D13GP/01028	ivory		4.668,00
		1D13GP/01011	green		4.668,00
		1D13GP/01013	rust		4.668,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D13G.air/2 base 136x36, H 2 CE	1D13GT/02020	alu		4.800,00
		1D13GT/02013	rust		4.800,00
	D13G.air/3 stake for inserting into the soil Ø base 6 Ø 2,1, H 50,7 CE	1D13GT/03020	alu		1.476,00
	D13G.air/4 fixed base for dowels Ø 12, H 1,25 CE	1D13GT/04020	alu		1.476,00
		1D13GT/04013	rust		1.476,00
	D13E/2 shade for suspension structure Ø 50, H 35 CE	1D13GE/02002	white		2.100,00


D73 COUNTERBALANCE

daniel rybakken

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D73N wall step dimmer (0%/50%/100%) L 191,6 head Ø 8,5 CE	1D73N0000003	white		10.584,00
		1D73N0000001	black	LED 16W 2700K CRI 90 <input type="checkbox"/>	10.584,00
		1D73N0000007	red		10.584,00

D73a COUNTERBALANCE SPOT



daniel rybakken

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D73NA1 ceiling/wall dimmable trailing edge L 27,9 head Ø 8,5 220-240V~ 50/60Hz CE ⊕ ▽	1D73NA100003	white	LED 12W 2700K CRI 90 <input type="checkbox"/>	5.172,00
		1D73NA100001	black		5.172,00

D73t COUNTERBALANCE FLOOR


daniel rybakken


Calculate the price of the lamp adding the cost of the structure to the base.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D73NT floor step dimmer (0%/50%/100%) H 170 CE ⊕ ▽	1D73NT000001	black	LED 16W 2700K CRI 90 <input type="checkbox"/>	5.976,00
	D73/1 base H 24 Ø 14,5 CE	1D730/100001	black		2.676,00

D76 CURL

sebastian bergne

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D76N1 table dimmer on board L 21 H 26 CE ⊕ ▽	1D760N100018	mirror	LED 8W 3000K CRI 80 <input type="checkbox"/>	3.864,00



Calculate the price of the lamp adding the optic, to the panels and that to the support kit.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

optics 120 cm

	D93SDDCN direct optic 3000K dimmable push/DALI 120 x 15 x 5 H 50 - 300 ceiling rose: Ø 15 x 5 220-240V~ 50/60 Hz CE Ⓢ ⚠	1D93NSDDC020	alu	LED 43W 3000K CRI 90 <input type="checkbox"/>	10.140,00
--	--	--------------	-----	---	-----------

	D93SDICN direct/indirect optic 3000K dimmable push/DALI 120 x 15 x 5 H 50 - 300 ceiling rose: Ø 15 x 5 220-240V~ 50/60 Hz CE Ⓢ ⚠	1D93NSDIC020	alu	LED 43W + LED 32W 3000K CRI 90 <input type="checkbox"/>	12.552,00
--	---	--------------	-----	--	-----------



	D93SFICN direct/indirect optic 3000K with anti-glare dimmable push/DALI 120 x 15 x 5 H 50 - 300 ceiling rose: Ø 15 x 5 220-240V~ 50/60 Hz CE Ⓢ ⚠	1D93NSFIC020	alu	LED 43W + LED 32W 3000K CRI 90 <input type="checkbox"/>	13.104,00
--	--	--------------	-----	--	-----------



sound-absorbing panels 120 cm

	D93/1 Pair of panels 120 x 60 CE	1D93010000A1	white/black		13.920,00
		1D93010000A2	white/blue		13.920,00
		1D93010000A4	white/beige		13.920,00





Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------





support kit





	D93/5 Kit 4 supports positioning vertical panels recommended for D93SDDC	1D9305000020	alu		1.512,00	
						

	D93/6 Kit 4 supports positioning horizontal panels	1D9306000020	alu		2.332,00	
						



optics 180 cm

	D93SDDLN direct optic 3000K dimmable push/DALI 180 x 15 x 5 H 50 - 300 ceiling rose: Ø 15 x 5 220-240V~ 50/60 Hz	1D93NSDDL020	alu	63W 3000K CRI 90 <input type="checkbox"/>	12.240,00	
		  				

	D93SDILN direct/indirect optic 3000K dimmable push/DALI 180 x 15 x 5 H 50 - 300 ceiling rose: Ø 15 x 5 220-240V~ 50/60 Hz	1D93NSDIL020	alu	63W+ 52W 3000K CRI 90 <input type="checkbox"/>	15.072,00	
		  				



	D93SFILN direct/indirect optic with anti-glare 3000K dimmable push/DALI 180 x 15 x 5 H 50 - 300 ceiling rose: Ø 15 x 5 220-240V~ 50/60 Hz	1D93NSFIL020	alu	63W+ 52W 3000K CRI 90 <input type="checkbox"/>	15.372,00	
		  				


sound-absorbing panels 180 cm

	D93/3 Pair of panels 180 x 60	1D93030000A1	white/black		22.164,00
		1D93030000A2	white/blue		22.164,00
		1D93030000A4	white/beige		22.164,00
					

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

Support kit

	<p>D93/7 Kit 6 supports positioning vertical panels recommended for D93SDDL</p> <p>CE</p>	<p>1D9307000020</p>	<p>alu</p>		<p>2.244,00</p>
	<p>D93/8 Kit 6 supports positioning horizontal panels</p> <p>CE</p>	<p>1D9308000020</p>	<p>alu</p>		<p>3.804,00</p>



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

complete wall version. 2700K. Ceiling rose finish / cylinder finish.




	A05ADW wall/ceiling dimmable phase cut 220-240V ~ 50/60Hz ceiling rose Ø 6 depth 10,5 cylinder Ø 2,5 x L 18 CE ⚡ V	1A050ADW0001	Black/Black	LED 7W 2700K CRI 90 <input type="checkbox"/>	4.392,00
		1A050ADW0030	Black/Brass		4.392,00
		1A050ADW0035	White/Black		4.392,00
		1A050ADW0002	White/Ribbed white		4.392,00
		1A050ADW0098	Black/Ribbed white		4.392,00




complete wall version. 3000K. Ceiling rose finish / cylinder finish.

	A05AD wall/ceiling dimmable phase cut 220-240V ~ 50/60Hz ceiling rose Ø 6 depth 10,5 cylinder Ø 2,5 x L 18 CE ⚡ V	1A050AD00001	Black/Black	LED 7W 3000K CRI 90 <input type="checkbox"/>	4.392,00
		1A050AD00030	Black/Brass		4.392,00
		1A050AD00035	White/Black		4.392,00
		1A050AD00002	White/Ribbed white		4.392,00
		1A050AD00098	Black/Ribbed white		4.392,00




Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------




bodies suspension version 2700K

	A05S1W suspension l : max : 550mAdc V:9Vdc L 30 Ø 2,5 L cable 3 m	1A050S1W0001	black	LED 5W 2700K CRI90 <input type="checkbox"/>	2.424,00
		1A050S1W0030	brass		2.796,00
CE  					




	A05S2W suspension ribbed body l : max : 550mAdc V:9Vdc L 30 Ø 2,5 L cable 3 m	1A050S2W0002	ribbed body painted white	LED 5W 2700K CRI90 <input type="checkbox"/>	2.424,00
CE  					




bodies suspension version 3000K

	A05S1 suspension l : max : 550mAdc V:9Vdc L 30 Ø 2,5 L cable 3 m	1A050S100001	black	LED 5W 3000K CRI90 <input type="checkbox"/>	2.424,00
		1A050S100030	brass		2.796,00
CE  					

	A05S2 suspension ribbed body l : max : 550mAdc V:9Vdc L 30 Ø 2,5 L cable 3 m	1A050S200002	ribbed body painted white	LED 5W 3000K CRI90 <input type="checkbox"/>	2.424,00
CE  					


ceiling rose

	A05/1T ceiling rose dimmable phase cut 220-240V~ 50/60Hz Ø 11 H 6,5	1A050/01T001	black		1.236,00
CE  					


	A05/1D ceiling rose dimmable DALI 220-240V~ 50/60Hz Ø 11 h 6,5	1A050/01D001	black		1.524,00
CE  					

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------


counterweight

	A05/2 counterweight Ø 10 L cable 3 m CE	1A050/020002	white		1.296,00
		1A050/020001	black		1.296,00
		1A050/020030	brass		1.452,00


counterweight accessory

	A05/3 accessory CE	1A050/030000	metal		444,00
---	-------------------------------------	--------------	-------	--	--------


cover plate


	A05/6 cover plate only for wall/ceiling structure Ø 9,5 CE	1A050/060002	white		480,00
		1A050/060001	black		480,00


track adapter



	A05/7 track adapter dimmable push/DALI SELV 48Vdc CE	1A050/070002	white		2.100,00
		1A050/070001	black		2.100,00

remote drivers


	A07/4 remote driver dimmable push/DALI 500 mA, 36W 220-240V~ 50/60Hz SELV CE IP20	1A070/040000			996,00
---	--	--------------	--	--	--------

	A07/6 remote driver dimmable phase cut 500 mA, 30W 220-240V~ 50/60Hz SELV CE IP20	1A070/060000			564,00
---	--	--------------	--	--	--------




Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	E04200 ceiling H 27,9 Ø 7 direct light CE V	1E0400200001	matt black		1.308,00
		1E0400200002	matt white		1.308,00
		1E0400200020	matt alu		1.308,00
		1E0400200030	matt brass		1.308,00
	E04220 ceiling H 37,2 Ø 13,4 direct light CE V	1E0400220001	matt black		1.776,00
		1E0400220002	matt white		1.776,00
		1E0400220020	matt alu		1.776,00
		1E0400220030	matt brass		1.776,00


E04250 (with LED optic)




E04250 (with RETROFIT optic)




calculate the price of the lamp adding the body to the optic (see following pages).

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	E04250 wall direct and direct/indirect light H 46,5 Ø 13,4 CE	1E0400250001	matt black		2.388,00
		1E0400250002	matt white		2.388,00
		1E0400250020	matt alu		2.388,00
		1E0400250030	matt brass		2.388,00

top cover to use with retrofit optics

	E0401 top cover CE	1E040/010001	black		264,00
---	---------------------------------	--------------	-------	--	--------

E04270-E04290



body



1 x LED optic


or



1 x RETROFIT optic




5-pole ceiling rose kit



complete lamp

E04280



body



2 x LED optic


or



2 x RETROFIT optic




5-pole ceiling rose kit



complete lamp

E04280



corpo



1 x ottica LED

o




1 x RETROFIT optic



top cover





5-pole ceiling rose kit




complete lamp


Calculate the price of the lamp adding the body to the optic (see following pages).

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	E04270 suspension direct light H 27,9 Ø 7 L cable max 3 m ceiling rose: Ø 12 x 3 CE V	1E0400270001	matt black		2.208,00
		1E0400270002	matt white		2.208,00
		1E0400270020	matt alu		2.208,00
		1E0400270030	matt brass		2.208,00
	E04280 suspension direct/indirect light H 46,5 Ø 7 L cable max 3 m ceiling rose: Ø 12 x 3 CE V	1E0400280001	matt black		2.184,00
		1E0400280002	matt white		2.184,00
		1E0400280020	matt alu		2.184,00
		1E0400280030	matt brass		2.184,00



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	E04290 suspension direct light H 37,2 Ø 13,4 L cable max 3 m ceiling rose: Ø 12 x 3 CE 	1E0400290001	matt black		2.556,00
		1E0400290002	matt white		2.556,00
		1E0400290020	matt alu		2.556,00
		1E0400290030	matt brass		2.556,00



accessories



	EA1096 5-pole ceiling rose kit ceiling rose: Ø 12 x 3 CE	1EA100096000	white		228,00
---	--	--------------	-------	--	--------

	E0402 top cover for E04280 CE	1E040/020001	black		408,00
---	---	--------------	-------	--	--------


optics for E04 (ceiling, wall e suspension)

	E041M medium beam optic 45° dimmable push/DALI for body Ø 7 220-240V~ 50/60Hz CE 	1E040/1M0000		COB LED module <input type="checkbox"/> 12W 2700K CRI 90	2.172,00
---	--	--------------	--	---	----------

	E041W large beam optic 60° dimmable push/DALI for body Ø 7 220-240V~ 50/60Hz CE 	1E040/1W0000		COB LED module <input type="checkbox"/> 12W 2700K CRI 90	2.172,00
---	---	--------------	--	---	----------

	E042M medium beam optic 45° dimmable push/DALI for body Ø 13.4 220-240V~ 50/60Hz CE 	1E040/2M0000		COB LED module <input type="checkbox"/> 19W 2700K CRI 90	2.736,00
---	---	--------------	--	---	----------

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	E042W large beam optic 56° dimmable push/DALI for bodies Ø 13.4 220-240V~ 50/60Hz	1E040/2W0000		COB LED module 19W 2700K <input type="checkbox"/> CRI 90	2.736,00
	E043M medium beam optic 30° dimmable push/DALI for bodies Ø 7 220-240V~ 50/60Hz	1E040/3M0000		LED module 13W dim to warm <input type="checkbox"/> 3000K → 1800K CRI 97	2.292,00
	E043W large beam optic 42° dimmable push/DALI for bodies Ø 7 220-240V~ 50/60Hz	1E040/3W0000		LED module 13W dim to warm <input type="checkbox"/> 3000K → 1800K CRI 97	2.292,00
	E044M medium beam optic 32° dimmable push/DALI for bodies Ø 13.4 220-240V~ 50/60Hz	1E040/4M0000		LED module 20W dim to warm <input type="checkbox"/> 3000K → 1800K CRI 97	3.000,00
	E044W large beam optic 46° dimmable push/DALI for bodies Ø 13.4 220-240V~ 50/60Hz	1E040/4W0000		LED module 20W dim to warm <input type="checkbox"/> 3000K → 1800K CRI 97	3.000,00
	E041R optic retrofit dimmable phase cut for bodies Ø 7 220-240V~ 50/60Hz	1E040/1R0000		 LED retrofit GU10	888,00
	E042R optic retrofit dimmable phase cut for bodies Ø 13.4 220-240V~ 50/60Hz	1E040/2R0000		 LED retrofit G53	1.848,00



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

bodies for LED optics





	E06100 ceiling fixture dimable DALI 220-240V~ 50/60Hz H 40 Ø 7 CE Ⓢ ⚠	1E0600100001	matt black		3.636,00
		1E0600100002	matt white		3.636,00
		1E0600100020	matt alu		3.636,00
		1E0600100030	matt brass		3.636,00

	E06150 electrified EUTRAC fixture dimable DALI 220-240V~ 50/60Hz H 40 Ø 7 CE Ⓢ ⚠	1E0600150001	matt black		4.104,00
		1E0600150002	matt white		4.104,00
		1E0600150020	matt alu		4.104,00
		1E0600150030	matt brass		4.104,00







LED optics

	E061M medium beam optic 45° 250 mA dc CE Ⓢ	1E060/1M0000		LED module COB 11W 2700K CRI 90 <input type="checkbox"/>	1.464,00
--	--	--------------	--	---	----------




	E061W large beam optic 60° 250 mA dc CE Ⓢ	1E060/1W0000		LED module COB 11W 2700K CRI 90 <input type="checkbox"/>	1.464,00
--	---	--------------	--	---	----------

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	E062M medium beam optic 45° 250 mA dc CE 	1E060/2M0000		LED module 11W dim to warm <input type="checkbox"/> 3000K → 1800K CRI 97	1.668,00
	E062W large beam optic 60° 250 mA dc CE 	1E060/2W0000		LED module dim to warm <input type="checkbox"/> 11W 3000K → 1800K CRI 90	1.668,00

bodies for retrofit optics


	E06200 ceiling fixture 220-240V~ 50/60Hz H 40 Ø 7 CE  	1E0600200001	matt black		3.348,00
		1E0600200002	matt white		3.348,00
		1E0600200020	matt alu		3.348,00
		1E0600200030	matt brass		3.348,00
	E06250 electrified EUTRAC fixture 220-240V~ 50/60Hz H 40 Ø 7 CE  	1E0600250001	matt black		3.852,00
		1E0600250002	matt white		3.852,00
		1E0600250020	matt alu		3.852,00
		1E0600250030	matt brass		3.852,00

retrofit optic

	E041R optic retrofit for bodies Ø 7 220-240V~ 50/60Hz CE 	1E040/1R0000		 LED retrofit GU10	888,00
---	---	--------------	--	--	--------

D67 ECRAN IN&OUT

inga sempé

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D67PLN1 wall/outdoor Ø 18,5 L 14,5 220-240V~ 50/60Hz CE □ ▼ IP65	1D670PN10002	opal white	LED 8W 3000K CRI 80 □ (*)	2.688,00

D96 FAREL

diego sferrazza

LED optic

E27 optic




optics + suspension cables sound-absorbing body finishing ring complete lamp

Calculate the price of the lamp adding the cost of the optic to the sound-absorbing body and the ring.

SEAQUAL
INITIATIVE


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

complete version


	D96K new fabric ocher/black recycled black optic and ring complete version E27 optic + sound absorbing body 220-240V~ 50/60Hz diffuser Ø 80 H 40 L cable 300 ceiling rose Ø 15 x 5 CE ⊕ ▼	1D960K0000G3	ocher/anthracite	 LED E27 dimmable  70W HSGSA E27 energy saver	13.716,00
---	--	--------------	------------------	--	-----------

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------




LED optics. 2700K version.




	D96/6DW optic dimmmable push/DALI optics + suspension cables 220-240V~ 50/60Hz H 30 - 300 ceiling rose: Ø 15 x 5 CE Ⓢ V	1D960/6DW020	alu	LED module 23W 2700K CRI 90 <input type="checkbox"/>	5.040,00
		1D960/6DW001	black		5.040,00
		1D960/6DW030	brass		5.040,00

LED optics. 3000K version.


	D96/6D optic dimmmable push/DALI optics + suspension cables 220-240V~ 50/60Hz H 30 - 300 ceiling rose: Ø 15 x 5 CE Ⓢ V	1D960/6D0020	alu	LED module 23W 3000K CRI 90 <input type="checkbox"/>	5.040,00
		1D960/6D0001	black		5.040,00
		1D960/6D0030	brass		5.040,00

E27 optics. External dome finish / internal plate finish.


	D96/1EB optic optics + suspension cables 220-240V~ 50/60Hz H 30 - 300 ceiling rose: Ø 15 x 5 CE Ⓢ V	1D960/1EB001	Black/White	 LED E27 dimmable  70W HSGSA E27 energy saver	2.184,00
		1D960/1EB020	Alu/White		2.184,00
		1D960/1EB030	Brass/White		2.184,00

	D96/1EN optic optics + suspension cables 220-240V~ 50/60Hz H 30 - 300 ceiling rose: Ø 15 x 5 CE Ⓢ V	1D960/1EN001	Black/Black	 LED E27 dimmable  70W HSGSA E27 energy saver	2.184,00
		1D960/1EN020	Alu/Black		2.184,00
		1D960/1EN030	Brass/Black		2.184,00


sound-absorbing body

	D96C new fabric ocher/black recycled acoustic material and flame retardant fabric Ø 80 H 40 cm CE	1D960C0000G3	ocher/black		8.940,00
		1D960C0000A4	dark grey/ raw white		8.940,00
		1D960C0000A5	light grey/ white		8.940,00
		1D960C0000B3	rust/ black		8.940,00

finishing ring

	D96A lower finishing ring CE	1D960A000001	black		3.072,00
		1D960A000030	brass		3.072,00
		1D960A000020	alu		3.072,00

Suspension version: multiple configurations scheme



Calculate the price of the lamp adding the structure to the ceiling rose.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

complete table version

	D98=W1 table dimmer on board 24V dc L 45 x W 15 x H 22 	1D980=W10028	prosecco	LED 19W 2700K CRI 90 <input type="checkbox"/>	12.288,00











suspension, complete version

	D98SC1 suspension dimnable push/DALI 220-240V~ 50/60Hz L 120 x W 28 x H 2.7 L cable 3 m ceiling rose: 28,5 x 5 x 11,5 	1D980SC10002	white	LED 52W 3000K CRI 90 <input type="checkbox"/>	15.264,00
		1D980SC10005	dark grey		15.264,00





	D98SW1 suspension dimnable push/DALI 220-240V~ 50/60Hz L 120 x W 28 x H 2.7 L cable 3 m ceiling rose: 28,5 x 5 x 11,5 	1D980SW10002	white	LED 52W 2700K CRI 90 <input type="checkbox"/>	14.472,00
		1D980SW10005	dark grey		14.472,00


bodies for multiple configurations. This configurations can be composed according to the scheme shown

	D98SC2 suspension initial lamp (A) dimnable 24Vdc SELV L 120 x W 28 x H 2.7 	1D980SC20002	white	LED 46W 3000K CRI 90 <input type="checkbox"/>	13.392,00
		1D980SC20005	dark grey		13.392,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D98SW2 suspension initial lamp (A) dimmable 24Vdc SELV L 120 x W 28 x H 2.7 CE  	1D980SW20002	white	LED 46W 2700K CRI 90 <input type="checkbox"/>	13.512,00
		1D980SW20005	dark grey		13.512,00
	D98SC3 suspension intermediate lamp (B) dimmable 24Vdc SELV L 120 x W 28 x H 2.7 CE  	1D980SC30002	white	LED 46W 3000K CRI 90 <input type="checkbox"/>	13.140,00
		1D980SC30005	dark grey		13.140,00
	D98SW3 suspension intermediate lamp (B) dimmable 24Vdc SELV L 120 x W 28 x H 2.7 CE  	1D980SW30002	white	LED 46W 2700K CRI 90 <input type="checkbox"/>	13.140,00
		1D980SW30005	dark grey		13.140,00
	D98SC4 suspension terminal lamp (C) dimmable 24Vdc SELV L 120 x W 28 x H 2.7 CE  	1D980SC40002	white	LED 46W 3000K CRI 90 <input type="checkbox"/>	13.116,00
		1D980SC40005	dark grey		13.116,00
	D98SW4 suspension terminal lamp (C) dimmable 24Vdc SELV L 120 x W 28 x H 2.7 CE  	1D980SW40002	white	LED 46W 2700K CRI 90 <input type="checkbox"/>	13.116,00
		1D980SW40005	dark grey		13.116,00

ceiling rose for multiple suspensions

	D98/4 ceiling rose dimmable DALI for multiple configurations up to 4 bodies 220-240V~ 50/60Hz L 36 x W 5,3 x H 13,5 CE   	1D980/040000	white	max 212W	4.476,00
---	--	--------------	-------	----------	----------



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

optic (the lamp is supplied without power supply)

	D98TM1 floor outdoor 24V dc L 45 x W 28 x H 2 CE IP65	1D980TM10020	light grey	LED 19W 3000K CRI 90 <input type="checkbox"/>	4.164,00
		1D980TM10005	dark grey		4.440,00


structures

	D98/2 floor outdoor L 32 x W 15 x H 30 CE	1D980/020020	light grey		2.652,00
		1D980/020005	dark grey		2.652,00

	D98/3 floor outdoor L 32 x W 15 x H 70 CE	1D980/030020	light grey		3.516,00
		1D980/030005	dark grey		3.516,00


remote drivers (the junction box is recommended watertight IP68)

	D98/5 remote driver on/off 24V, 30W 220-240V~ 50/60Hz SELV CE IP20	1D980/050000			588,00
--	--	--------------	--	--	--------

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D94/1 dimnable push/DALI driver for 1 body 24V, 35W 220-240V~ 50/60Hz SELV CE IP20	1D940/100000			1.164,00

A04 FLIA

alessandro zambelli












Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

structure (the lamp is supplied without power supply)
3000K version













	A04WTF1A single floor structure 8V dc, max 300mA dc H 75 Ø 5 CE   IP65	1A04WTF1A001	matt black	LED 2,5W 3000K CRI 90 <input type="checkbox"/>	5.100,00
---	--	--------------	------------	--	----------










	A04WTF1B single floor structure 8V dc, max 300mA dc H 120 Ø 5 CE   IP65	1A04WTF1B001	matt black	LED 2,5W 3000K CRI 90 <input type="checkbox"/>	5.280,00
---	---	--------------	------------	--	----------

	A04WTF1C single floor structure 8V dc, max 300mA dc H 180 Ø 5 CE   IP65	1A04WTF1C001	matt black	LED 2,5W 3000K CRI 90 <input type="checkbox"/>	5.688,00
---	---	--------------	------------	--	----------



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	A04WTF2 multiple floor structure 2 stems 8V dc, max 600mA dc H 75 + 120 Ø 5 footprint in plan 40 CE   IP65	1A04WTF20001	matt black	LED 5W 3000K CRI 90 <input type="checkbox"/>	8.304,00
	A04WTF3 multiple floor structure 3 stems 8V dc, max 900mA dc 2 x H 120 + h180 Ø 5 footprint in plan 56 CE   IP65	1A04WTF30001	matt black	LED 75W 3000K CRI 90 <input type="checkbox"/>	11.772,00

structure (the lamp is supplied without power supply)
4000K version


	A04TF1A single floor structure 8V dc, max 300mA dc H 75 Ø 5 CE   IP65	1A040TF1A001	matt black	LED 2,5W 4000K CRI 90 <input type="checkbox"/>	3.828,00
	A04TF1B single floor structure 8V dc, max 300mA dc H 120 Ø 5 CE   IP65	1A040TF1B001	matt black	LED 2,5W 4000K CRI 90 <input type="checkbox"/>	3.948,00
	A04TF1C single floor structure 8V dc, max 300mA dc H 180 Ø 5 CE   IP65	1A040TF1C001	matt black	LED 2,5W 4000K CRI 90 <input type="checkbox"/>	4.272,00
	A04TF2 multiple floor structure 2 stems 8V dc, max 600mA dc H 75 + 120 Ø 5 footprint in plan 40 CE   IP65	1A040TF20001	matt black	LED 5W 4000K CRI 90 <input type="checkbox"/>	6.276,00


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	A04TF3 multiple floor structure 3 stems 8V dc, max 900mA dc 2 x H 120 + h180 Ø 5 footprint in plan 56 CE   IP65	1A04OTF30001	matt black	LED 75W 4000K CRI 90 <input type="checkbox"/>	7.997,00
	A04WB1 track dimmable push/DALI 48Vdc SELV Ø 2,4 H 70 CE  	1A04WB010001	black	LED 3,3W 2700K CRI 90 <input type="checkbox"/>	4.320,00
	A04B1 track dimmable push/DALI 48Vdc SELV Ø 2,4 H 70 CE  	1A040B010001	black	LED 3,3W 3000K CRI 90 <input type="checkbox"/>	4.320,00

accessories


	A04/1 base L 14 x W 10 x H 5 CE	1A040/010001	matt black		876,00
	A04/2 picket H 26 L 5 CE	1A040/020000	matt black		1.620,00

remote drivers (the junction box is recommended watertight IP68)


	A04/3 on/off driver 300/600/900 mA, 38W 220-240V~ 50/60Hz SELV CE IP20	1A040/030000			504,00
---	--	--------------	--	--	--------


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	A04/4 dimmable push/DALI driver 300/600/900 mA, 38W 220-240V~ 50/60Hz SELV CE IP20	1A040/040000			600,00

complete lamp with picket


	A04WTF4 floor structure on/off driver 8V dc, max 300mA dc Ø 4 H 37 CE IP65	1A04WTF40001	matt black	LED 2,5W 3000K CRI 90 <input type="checkbox"/>	4.872,00
---	---	--------------	------------	--	----------


portable/rechargeable lamp (USB charger not included in the package)

	A04TP1B complete floor lamp portable, rechargeable on/off, dimmer on board 5V dc USB-C USB/USB-C cable included H 120 base 10 x 13,5 CE IP65	1A040TP1B001	matt black	LED 4W 3000K CRI 90 <input type="checkbox"/>	5.928,00
--	---	--------------	------------	--	----------

	A04TP1C complete floor lamp portable, rechargeable on/off, dimmer on board 5V dc USB-C USB/USB-C cable included H 180 base 10 x 13,5 CE IP65	1A040TP1C001	matt black	LED 4W 3000K CRI 90 <input type="checkbox"/>	6.276,00
---	---	--------------	------------	--	----------

USB charger for A04TP1B and A04TP1C




	A02/1 USB charger input 110/240V~ 50/60Hz output 5V 2,4A CE	1A020/010000			408,00
---	--	--------------	--	--	--------



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D33N.100 table/wall on/off switch 220-240V~ 50/60Hz arms L 44 + 35,5 head Ø 16 CE □ ▽	1D33N2GI00AA	metal	LED filament E27	2.604,00
		1D33N2GI0002	white	70W HSGSA E27 energy saver	2.736,00
		1D33N2GI0001	black soft-touch		3.024,00
	D33Nt.100 floor on/off switch 220-240V~ 50/60Hz arms L 35,5 H 92 head Ø 16 CE □ ▽	1D33NTGI00AA	metal	LED filament E27	3.216,00
		1D33NTGI0001	black soft-touch	70W HSGSA E27 energy saver	3.528,00
		1D33NTGI0002	white		3.576,00
	D33Nsp.60 ceiling/wall on/off switch fixing base included 220-240V~ 50/60Hz depth 36 head Ø 11 CE □ ▽	1D33NSPI00AA	metal	LED E14	1.932,00
		1D33NSPI0002	white	28W Spot R50 E14 energy saver	1.992,00
		1D33NSPI0001	black soft-touch	42W HSGSA E14 energy saver	2.160,00
	D33Nsp.100 ceiling/wall on/off switch fixing base included 220-240V~ 50/60Hz depth 36 head Ø 16 CE □ ▽	1D33NSGI00AA	metal	LED filament E27	2.016,00
		1D33NSGI0002	white	70W HSGSA E27 energy saver	2.148,00
		1D33NSGI0001	black soft-touch		2.304,00

accessories

	D33N/01 base Ø 23,6 CE	1D33N/010002	white		1.248,00
		1D33N/01000A	metal		1.248,00
		1D33N/010001	black soft-touch		1.320,00

















Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D33N/03 universal joint h 11,8 CE	1D33N/03000A	metal		504,00
	D33N/04 clamp H 1 - 6,5 CE	1D33N/04000A	metal		504,00
	D33N/05 fixing pin Ø 12,5 CE	1D33N/05000A	metal		816,00














D90 GARBÌ


david dolcini

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D90NW wall dimmable phase cut 220-240V~ 50/60Hz L 20 x W 14 x H 16 CE ⚡ ⚠	1D90NAW00002	white	LED 34W 2700K CRI 90 <input type="checkbox"/>	3.684,00

2700K version


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D66/12 suspension 220-240V~ 50/60Hz H max 270 Ø 61 ceiling rose: Ø 12 x 3	1D6612S00000	transparent methacrylate	 LED E27  105W HSGSA E27 energy saver	12.348,00
	D66/18 suspension 220-240V~ 50/60Hz H max 270 Ø 72 ceiling rose: Ø 12 x 3	1D6618S00000	transparent methacrylate	 LED E27  105W HSGSA E27 energy saver	16.416,00
	D66/42 suspension 220-240V~ 50/60Hz H 50 - 410 Ø 110 ceiling rose: Ø 16 x 4	1D6642S00000	transparent methacrylate	 3x LED E27  3x 105W HSGSA E27 energy saver	49.392,00
	D66/105 suspension 220-240V~ 50/60Hz H 60 - 930 Ø 200 ceiling rose: Ø 16 x 4	1D66105S0000	transparent methacrylate	 5x LED E27  5x 105W HSGSA E27 energy saver	137.088,00
for the floor version calculate the price of the lamp adding the cost of the body (D66/18td) to the polished steel stem (D66/18T.1).					
	D66/18td body foot dimmer 220-240V~ 50/60Hz Ø 72	1D6618TD0000	transparent methacrylate	 LED E27 dimmable  105W HSGSA E27 energy saver	16.704,00
	D66/18T.1 ground rod H 164	1D6618T01019	stainless steel		7.116,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D66/3a wall dimmable 220-240V~ 50/60Hz L 43 D 28,5 Ø 48 CE Ⓢ ⚠	1D6603A00000	transparent methacrylate	 LED dimmable R7s Ømax: 22 mm (L=78 mm)  120W HDG R7s (L=78 mm)	4.068,00
	D66/8a wall 220-240V~ 50/60Hz L 49 D 45,6 Ø 61 CE Ⓢ ⚠	1D6608A00000	transparent methacrylate	 LED E27  105W HSGSA E27 energy saver	9.540,00
	D66/12p ceiling 220-240V~ 50/60Hz Ø 69 H 41,5 CE Ⓢ ⚠	1D6612P00000	transparent methacrylate	 3 x LED E14  3 x 42W HSGSA E14 energy saver	13.860,00
	D66/30p ceiling 220-240V~ 50/60Hz Ø 109 H 64 CE Ⓢ ⚠	1D6630P00000	transparent methacrylate	 3x LED E27  3x105W HSGSA E27 energy saver	34.236,00
	D66/KT kit for multiple composition (the price of the composition is determined by adding the price of the individual lamps in the chosen composition to the price of the kit)	9D6600000000			3.864,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D82S1 suspension dimmmable phase cut 220-240V~ 50/60Hz Ø 60 cm L cable max 3 m ceiling rose: Ø 24 x 6 led: 87 mm x 324,5 mm CE ⊕ ▽	1D82YS100099	Birch	LED 25W 2700K CRI 90 <input type="checkbox"/>	10.212,00
	D82S1D suspension dimmmable push/DALI 220-240V~ 50/60Hz Ø 60 cm L cable max 3 m ceiling rose: Ø 24 x 6 CE ⊕ ▽	1D82YS1D0099	Birch	LED 25W 2700K CRI 90 <input type="checkbox"/>	10.800,00
	D82S2 suspension dimmmable phase cut 220-240V~ 50/60Hz Ø 80 cm L cable max 3 m ceiling rose: Ø 24 x 6 led: 87 mm x 422,3 mm CE ⊕ ▽	1D82YS200099	Birch	LED 32W 2700K CRI 90 <input type="checkbox"/>	13.008,00
	D82S2D suspension dimmmable push/DALI 220-240V~ 50/60Hz Ø 80 cm L cable max 3 m ceiling rose: Ø 24 x 6 CE ⊕ ▽	1D82YS2D0099	Birch	LED 32W 2700K CRI 90 <input type="checkbox"/>	13.644,00
	D82S3 suspension dimmmable phase cut 220-240V~ 50/60Hz Ø 100 cm L cable max 3 m ceiling rose: Ø 24 x 6 led: 87 mm x 520,00 mm CE ⊕ ▽	1D82YS300099	Birch	LED 40W 2700K CRI 90 <input type="checkbox"/>	15.336,00
	D82S3D suspension dimmmable push/DALI 220-240V~ 50/60Hz Ø 100 cm L cable max 3 m ceiling rose: Ø 24 x 6 CE ⊕ ▽	1D82YS3D0099	Birch	LED 40W 2700K CRI 90 <input type="checkbox"/>	15.984,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

accessory

	D82/1 extra cable kit 10 m	1D820/010000													1.956,00
---	--------------------------------------	--------------	--	--	--	--	--	--	--	--	--	--	--	--	----------




body
Ø 20



ceiling rose
A07/3D e A07/3T




complete lamp




body
Ø 37 and Ø 55



ceiling rose
A07/1D e A07/1T




complete lamp



body
Ø 86 and Ø 110



ceiling rose
A07/2D e A07/2T



complete lamp

A07S20W/A07S20

A07/3D-A07/3T-A07/12-A07/13

15W

A07S37W/A07S55W
A07S37W/A07S55

A07/1D-A07/04

21W

A07S37W/A07S55W
A07S37W/A07S55

A07/1T-A07/06

22W

A07S11W/A07S11

A07/2D-A07/05

30W

A07S11W/A07S11

A07/2T-A07/07

31W

A07F86WN/A07F11WN

A07/2D-A07/2T

26W

A07F86N/A07F11N

A07/05-A07/07

26W

Calculate the price of the lamp adding the body to the ceiling rose.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

2700K bodies




	A07S20W Suspension Ø 20 H 7 L cable max 500 Imax=350 mAdc and V= 33 Vdc SELV CE  	1A070S20W010	matt blue	LED 12W 2700K CRI 90 <input type="checkbox"/>	4.824,00
		1A070S20W007	matt red		4.824,00
		1A070S20W002	matt white		4.824,00
		1A070S20W001	matt black		4.824,00




	A07S37WN Suspension Ø 37 H 8 L cable max 500 Imax=550 mAdc and V= 33 Vdc SELV CE  	1A07NS37W010	matt blue	LED 19W 2700K CRI 90 <input type="checkbox"/>	5.712,00
		1A07NS37W007	matt red		5.712,00
		1A07NS37W001	matt black		5.712,00
		1A07NS37W002	matt white		5.712,00

	A07S55WN Suspension Ø 55 H 10 L cable max 500 Imax=550 mAdc and V= 33 Vdc SELV CE  	1A07NS55W010	matt blue	LED 19W 2700K CRI 90 <input type="checkbox"/>	6.804,00
		1A07NS55W007	matt red		6.804,00
		1A07NS55W001	matt black		6.804,00
		1A07NS55W002	matt white		6.804,00




	A07S11WN Suspension Ø 110 H 15 L cable max 500 Imax=750 mAdc and V= 34 Vdc SELV CE  	1A07NS11W010	matt blue	LED 26W 2700K CRI 90 <input type="checkbox"/>	13.212,00
		1A07NS11W007	matt red		13.212,00
		1A07NS11W001	matt black		13.212,00
		1A07NS11W002	matt white		13.212,00

3000K bodies




	A07S20 Suspension Ø 20 H 7 L cable max 500 Imax=350 mAdc and V= 33 Vdc SELV CE  	1A070S200010	matt blue	LED 12W 3000K CRI 90 <input type="checkbox"/>	4.824,00
		1A070S200007	matt red		4.824,00
		1A070S200001	matt black		4.824,00
		1A070S200002	matt white		4.824,00




	A07S37N Suspension Ø 37 H 8 L cable max 500 Imax=550 mAdc and V= 33 Vdc SELV CE  	1A07NS370010	matt blue	LED 19W 3000K CRI 90 <input type="checkbox"/>	5.712,00
		1A07NS370007	matt red		5.712,00
		1A07NS370001	matt black		5.712,00
		1A07NS370002	matt white		5.712,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	A07S55N Suspension Ø 55 H 10 L cable max 500 Imax=550 mAdc and V= 33 Vdc SELV CE  	1A07NS550010	matt blue	LED 19W 3000K CRI 90 <input type="checkbox"/>	6.804,00
		1A07NS550007	matt red		6.804,00
		1A07NS550001	matt black		6.804,00
		1A07NS550002	matt white		6.804,00




	A07S11N Suspension Ø 110 H 15 L cable max 300 Imax=750 mAdc and V= 34 Vdc SELV CE  	1A07NS110010	matt blue	LED 26W 3000K CRI 90 <input type="checkbox"/>	13.212,00
		1A07NS110007	matt red		13.212,00
		1A07NS110001	matt black		13.212,00
		1A07NS110002	matt white		13.212,00




sound absorbing body 2700K

	A07F86WN Suspension Ø 86 H 8 L cable max 500 Imax=750 mAdc and V= 34 Vdc SELV CE  	1A07NF86W004	medium grey	LED 26W 2700K CRI 90 <input type="checkbox"/>	11.796,00
		1A07NF86W005	anthracite		11.796,00
		1A07NF86W011	green		11.796,00

	A07F11WN Suspension Ø 110 H 15 L cable max 500 Imax=750 mAdc and V= 34 Vdc SELV CE  	1A07NF11W004	medium grey	LED 26W 2700K CRI 90 <input type="checkbox"/>	12.156,00
		1A07NF11W005	anthracite		12.156,00
		1A07NF11W011	green		12.156,00

sound absorbing body 3000K

	A07F86N Suspension Ø 86 H 8 L cable max 500 Imax=750 mAdc and V= 34 Vdc SELV CE  	1A07NF860004	medium grey	LED 26W 3000K CRI 90 <input type="checkbox"/>	11.796,00
		1A07NF860005	anthracite		11.796,00
		1A07NF860011	green		11.796,00

	A07F11N Suspension Ø 110 H 15 L cable max 500 Imax=750 mAdc and V= 34 Vdc SELV CE  	1A07NF110004	medium grey	LED 26W 3000K CRI 90 <input type="checkbox"/>	12.156,00
		1A07NF110005	anthracite		12.156,00
		1A07NF110011	green		12.156,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

ceiling rose

	<p>A07/3D dimnable push/DALI ceiling rose for A07S20W e A07S20 220-240V~ 50/60Hz Ø 20 x H 4,8 For body Ø 20</p> <p>CE ⊕ ▽</p>	1A070/03D001	black		1.932,00
	<p>A07/1D dimnable push/DALI ceiling rose For A07S37N, A07S37WN, A07S55N, A07S55WN 220-240V~ 50/60Hz Ø 21 x H 5 for body Ø 37 and Ø 55</p> <p>CE ⊕ ▽</p>	1A070/01D001	black		1.944,00
	<p>A07/2D dimnable push/DALI ceiling rose For A07S11N, A07S11WN, A07F86N, A07F86WN, A07F11N, A07F11WN 220-240V~ 50/60Hz Ø 21 x H 5 for body Ø 86 and Ø 110</p> <p>CE ⊕ ▽</p>	1A070/02D001	black		1.944,00
	<p>A07/3T dimnable phase cut ceiling rose For A07S20W and A07S20 220-240V~ 50/60Hz Ø 20 x H 4,8 for body Ø 20</p> <p>CE ⊕ ▽</p>	1A070/03T001	black		1.800,00
	<p>A07/1T dimnable phase cut ceiling rose For A07S37N, A07S37WN, A07S55N, A07S55WN 220-240V~ 50/60Hz Ø 21 x H 5 for body Ø 37 and Ø 55</p> <p>CE ⊕ ▽</p>	1A070/01T001	black		1.776,00
	<p>A07/2T dimnable phase cut ceiling rose For A07S11N, A07S11WN, A07F86N, A07F86WN, A07F11N, A07F11WN 220-240V~ 50/60Hz Ø 21 x H 5 for body Ø 86 and Ø 110</p> <p>CE ⊕ ▽</p>	1A070/02T001	black		1.776,00


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

remote drivers


	A07/12 remote driver dimmable phase cut/DALI 36W 350mA 220-240V~ 50/60Hz CE IP20	1A070/120000			495,00
	A07/13 remote driver dimmable phase cut 15W 350mA 220-240V~ 50/60Hz CE IP20	1A070/130000			708,00
	A07/4 remote driver dimmable push/DALI 26W 500mA 220-240V~ 50/60Hz CE IP20	1A070/040000			996,00
	A07/5 remote driver dimmable push/DALI 39W 750mA 220-240V~ 50/60Hz CE IP20	1A070/050000			996,00
	A07/6 remote driver dimmable phase cut 28W 500mA 220-240V~ 50/60Hz CE IP20	1A070/060000			564,00
	A07/7 remote driver dimmable phase cut 36W 700mA 220-240V~ 50/60Hz CE IP20	1A070/070000			564,00


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

track adapter


	A07/11 only for version Ø 20 dimmable push/DALI 48Vdc SELV CE	1A070/110002	white		2.100,00
		1A070/110001	black		2.100,00

off-center accessory


	A07/10 only for version Ø 20 L cable max 500 CE	1A070/100000	white, red, blue		396,00
		1A070/100001	black		396,00




structure
A06/1T and A06/1D




panels
A06C1




complete lamp



structure
A06/2T and A06/2D



panels
A06C2







complete lamp

Calculate the price of the lamp adding the cost of the structure to the panels


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------


structure

	A06/1T Suspension dimmable phase cut structure L cable max 500 ceiling rose Ø 15.5 x H 6 220-240V~ 50/60Hz CE ⚡ ⚠	1A060/01T002	matt white	LED 28W 2700K CRI 90 <input type="checkbox"/>	6.972,00
	A06/1D Suspension dimmable push/DALI structure L cable max 500 ceiling rose Ø 15.5 x H 6 220-240V~ 50/60Hz CE ⚡ ⚠	1A060/01D002	matt white	LED 25W 2700K CRI 90 <input type="checkbox"/>	7.440,00
	A06/2T Suspension dimmable phase cut structure L cable max 500 ceiling rose Ø 15.5 x H 6 220-240V~ 50/60Hz CE ⚡ ⚠	1A060/02T002	matt white	LED 54W 2700K CRI 90 <input type="checkbox"/>	9.660,00


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	A06/2D Suspension dimmable push DALI structure L cable max 500 ceiling rose Ø 15.5 x H 6 220-240V~ 50/60Hz CE ⊕ ▽	1A060/02D002	matt white	LED 54W 2700K CRI 90 <input type="checkbox"/>	9.936,00

panels

	A06C1 small diffusers for A06/1T and A06/1D L 60 H 44 CE	1A060C100002	white		5.448,00
---	--	--------------	-------	--	----------

	A06C2 big diffusers for A06/2T and A06/2D L 90 H 72 CE	1A060C200002	white		9.228,00
---	--	--------------	-------	--	----------


Lita floor



Lita table or suspension (with only one diffuser)


















Lita multiple suspension





Calculate the price of the lamp adding the structure (for the floor version also the base weight) or the support to the corresponding diffuser for all versions: table, floor, wall and suspension.



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D92V14 Table complete version on/off switch 220-240V~ 50/60 Hz H 13 Ø 14 CE □ ▽	1D920V140000	white painted aluminum	 LED G9 dimmable	2.304,00
		1D920V140030	brass		2.424,00
	D92=18 Table structure dimmer on cable 220-240V~ 50/60 Hz for D92/2 diffuser H 28 base Ø 12 CE □ ▽	1D92Z=180099	ash wood	 LED G9 dimmable	2.724,00
		1D920=180002	white painted aluminum		3.108,00
	D92V18 Support base dimmer on cable 220-240V~ 50/60 Hz for D92/2 diffuser H 16 base Ø 10 CE □ ▽	1D920V180000	white painted aluminum	 LED G9 dimmable	1.524,00
		1D920V180030	brass		1.860,00
	D92=30 Table structure dimmer on cable 220-240V~ 50/60 Hz for D92/3 diffuser H 46 base Ø 20 CE □ ▽	1D92Z=300099	ash wood	 LED E27 dimmable	3.456,00
		1D920=300002	white painted aluminum		3.600,00
	D92V30 Support base dimmer on cable 220-240V~ 50/60 Hz for D92/3 diffuser H 27 base Ø 15 CE □ ▽	1D920V300000	white painted aluminum	 LED E27 dimmable	1.680,00
		1D920V300030	brass		1.944,00
	D92T30 Floor structure dimmer on cable 220-240V~ 50/60 Hz for D92/3 diffuser H 160 base Ø 28 CE □ ▽	1D920T300002	white painted aluminum	 LED E27 dimmable	5.916,00
		1D92ZT300099	ash wood		9.108,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D92/5 Base weight only for floor version D92T30 CE	1D920/500002	white		1.716,00
		1D920/500000	alu for wood		1.716,00
	D92P14 Wall/ceiling complete version 220-240V~ 50/60 Hz Ø 14 H 12 CE □ ▽ IP40	1D920P140000	white	 LED G9 dimmable	1.464,00
	D92P18 Wall/ceiling structure dimmable 220-240V~ 50/60 Hz only for D92/2 diffuser Ø 18 H 15 CE □ ▽ IP40	1D920P180000	white	 LED G9 dimmable	624,00
	D92P30 Wall/ceiling structure dimmable 220-240V~ 50/60 Hz only for D92/3 diffuser Ø 30 H 26 CE □ ▽ IP40	1D920P300000	white	 LED E27 dimmable	672,00
	D92S14 Suspension complete version 220-240V~ 50/60 Hz Ø 14 H 30 - 300 ceiling rose: Ø 13 x 4 CE ⊕ ▽	1D920S140002	white painted aluminum		2.292,00
		1D92ZS140099	ash wood	 LED G9	2.460,00
		1D920S140030	brass		2.784,00
	D92S18 Suspension structure cover already included 220-240V~ 50/60 Hz only for D92/2 diffuser Ø 18 H 30 - 300 ceiling rose: Ø 13 x 4 CE ⊕ ▽	1D920S180002	white painted aluminum		1.800,00
		1D92ZS180099	ash wood	 LED G9	1.980,00
		1D920S180030	brass		2.100,00
	D92S30 Suspension structure cover already included 220-240V~ 50/60 Hz only for D92/3 diffuser Ø 30 H 30 - 300 ceiling rose: Ø 13 x 4 CE ⊕ ▽	1D920S300002	white painted aluminum		2.532,00
		1D92ZS300099	ash wood	 LED E27	2.712,00
		1D920S300030	brass		3.084,00


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D92S42 Suspension structure cover already included 220-240V~ 50/60 Hz only for D92/4 diffuser Ø 42 H 30 - 300 ceiling rose: Ø 13 x 4 CE ⊕ ▽	1D920S420002	white painted aluminum		2.556,00
		1D92ZS420099	ash wood		2.988,00
		1D920S420030	brass		3.168,00


multiple suspension version


	D92/7 multiple ceiling rose for diffusers Ø 14 or 18 L cable 5 m ceiling rose: Ø 30 x 5,6 CE ⊕ ▽	1D920/700002	white		3.312,00
---	--	--------------	-------	---	----------


	D92/8 multiple ceiling rose for diffusers Ø 30 or 42 L cable 5 m ceiling rose: Ø 30 x 5,6 CE ⊕ ▽	1D920/800002	white		5.340,00
---	--	--------------	-------	---	----------

diffuser covers (only for multiple version)


	D92R/01 cover for diffuser D92/1 Ø 14 CE	9D9201703202	white painted aluminum	348,00
		9D92Z1709599	ash wood	384,00
		9D9201703230	brass	600,00


	D92R/02 cover for diffuser D92/2 Ø 18 CE	9D9202703302	white painted aluminum	384,00
		9D92Z2705999	ash wood	468,00
		9D9202703330	brass	624,00


	D92R/03 cover for diffuser D92/3 Ø 30 CE	9D9203703402	white painted aluminum	444,00
		9D92Z3706099	ash wood	648,00
		9D9203703430	brass	780,00


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D92R/04 cover for diffuser D92/4 Ø 42 CE	9D9204707102	white painted aluminum		480,00
		9D92Z4702499	ash wood		744,00
		9D9204707130	brass		816,00

Diffusers

	D92/1 Diffuser opal glass Ø 14 H 11,2 CE	1D920/100002	opal		768,00
---	--	--------------	------	--	--------

	D92/2 Diffuser opal glass Ø 18 H 15 CE	1D920/200002	opal		1.128,00
---	--	--------------	------	--	----------







	D92/3 Diffuser opal glass Ø 30 H 25 CE	1D920/300002	opal		1.836,00
---	--	--------------	------	--	----------

	D92/4 Diffuser opal glass Ø 42 H 36 CE	1D920/400002	opal		3.084,00
---	--	--------------	------	--	----------









The brand of management
responsible forestry
FSC™ C151310

light source included

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D15ND floor foot dimmer 220-240V~ 50/60Hz H 160/200 base Ø 48	1D15=1ND0020	alu	 LED dimmable R7s Ømax: 22 mm	6.216,00
		1D15=1ND0017	black	 240W HDG R7s energy saver	6.216,00
	D15NA1 wall dimmable 220-240V~ 50/60Hz H 25 x L 18 depth 25	1D15A1N00020	alu	 LED dimmable R7s Ømax: 22 mm	2.304,00
		1D15A1N00017	black	 240W HDG R7s energy saver	2.304,00


D85 LUTHIEN

monica armani


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
2700K versions					
	D85A wall dimmable phase cut 220-240V~ 50/60Hz L 27 x W 27 x H 10	1D850A000002	matt white	 LED module 21W 2700K CRI 80	3.648,00
		1D850A000004	pearl		3.876,00
		1D850A000024	pink powder		3.876,00
		1D850A000028	sand		3.876,00
	D85AD wall dimmable DALI 220-240V~ 50/60Hz L 27 x W 27 x H 10	1D850AD00002	matt white	 LED module 21W 2700K CRI 80	3.816,00
		1D850AD00004	pearl		4.044,00
		1D850AD00024	pink powder		4.044,00
		1D850AD00028	sand		4.044,00
3000K versions					
	D85AC wall dimmable phase cut 220-240V~ 50/60Hz 27 x 27 x 10	1D850A0C0002	matt white	 LED module 21W 3000K CRI 80	3.648,00
		1D850A0C0004	pearl		3.876,00
		1D850A0C0024	pink powder		3.876,00
		1D850A0C0028	sand		3.876,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D85ADC wall dimmable DALI 220-240V~ 50/60Hz 27 x 27 x 10 CE ⊕ V	1D850ADC0002	matt white	LED module 21W 3000K <input type="checkbox"/> CRI 80	3.816,00
		1D850ADC0004	pearl		4.044,00
		1D850ADC0024	pink powder		4.044,00
		1D850ADC0004	sand		4.044,00


Malamata floor



Malamata wall



Malamata suspension



For all versions calculate the price of the lamp adding the structure to the diffuser.



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

floor version



	B01T22 Floor dimmable structure foot dimmer for diffuser Ø 22 220-240V~ 50/60Hz H 150 L 96 CE □ ▽	1B010T220001	matt black	LED E14 max Ø 40 mm dimmable	6.204,00
		1B010T220030	brushed brass		8.652,00
	B01/3 Base Ø 38 CE	1B010/300001	matt black		2.160,00
		1B010/300030	brushed brass		3.528,00



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

wall version


	B01A22 Wall dimmable structure dimmer on board for diffuser Ø 22 220-240V~ 50/60Hz H 33 L 152 CE □ ▽	1B010A220001	matt black	 LED E14 max Ø 40 mm dimmable	8.124,00
		1B010A220030	brushed brass		11.664,00


suspension version

	B01S22 Suspension only structure for diffuser Ø 22 220-240V~ 50/60Hz CE ⊕ ▽	1B010S220001	matt black	 LED E14 max Ø 40 mm	7.260,00
		1B010S220030	brushed brass		9.672,00


	B01S48 Suspension only structure for diffuser Ø 48 220-240V~ 50/60Hz H max 444 L 119 CE ⊕ ▽	1B010S480001	matt black	 LED E27 max Ø 70 mm	8.508,00
		1B010S480030	brushed brass		10.956,00

opal difusers

	B01/1 Opal diffuser for B01A22, B01T22, B01S22 Ø 22 CE	1B010/100002	opal		1.344,00
---	--	--------------	------	--	----------

	B01/2 Opal diffuser for B01S48 Ø 48 CE	1B010/200002	opal		3.084,00
---	--	--------------	------	--	----------

Mesh wireless



Luceplan Mesh

NEW



Don't use characters: . , " ° £ /

APP:  www.luceplan.com/products/mesh-wireless

Mesh master PSK  luceplan


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------


complete versions phase cut Ø 80


	<p>D86KT081 suspension dimnable phase cut 220-240V~ 50/60 Hz H 60, Ø 80 L cable 1 m ceiling rose: Ø 30 x 7</p> <p>CE  </p>	1D86KT081001	black	LED 53W 2700K CRI 90 <input type="checkbox"/>	37.200,00
	<p>D86KT082 suspension dimnable phase cut 220-240V~ 50/60 Hz H 60, Ø 80 L cable 2 m ceiling rose: Ø 30 x 7</p> <p>CE  </p>	1D86KT082001	black	LED 53W 2700K CRI 90 <input type="checkbox"/>	38.556,00
	<p>D86KT083 suspension dimnable phase cut 220-240V~ 50/60 Hz H 60, Ø 80 L cable 3 m ceiling rose: Ø 30 x 7</p> <p>CE  </p>	1D86KT083001	black	LED 53W 2700K CRI 90 <input type="checkbox"/>	38.556,00
	<p>D86KT084 suspension dimnable phase cut 220-240V~ 50/60 Hz H 60, Ø 80 L cable 4 m ceiling rose: Ø 30 x 7</p> <p>CE  </p>	1D86KT084001	black	LED 53W 2700K CRI 90 <input type="checkbox"/>	38.556,00
	<p>D86KT085 suspension dimnable phase cut 220-240V~ 50/60 Hz H 60, Ø 80 L cable 5 m ceiling rose: Ø 30 x 7</p> <p>CE  </p>	1D86KT085001	black	LED 53W 2700K CRI 90 <input type="checkbox"/>	38.556,00


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------


complete versions with wireless kit Ø 80

	<p>D86KW081A suspension wireless kit included 220-240V~ 50/60 Hz H 60, Ø 80 L cable 1 m ceiling rose: Ø 30 x 7</p> <p>CE ⚡ ⚠</p>	1D86KW081001A	black	LED 50W 2700K CRI 90 <input type="checkbox"/>	39.732,00
---	---	---------------	-------	---	-----------


	<p>D86KW082A suspension wireless kit included 220-240V~ 50/60 Hz H 60, Ø 80 L cable 2 m ceiling rose: Ø 30 x 7</p> <p>CE ⚡ ⚠</p>	1D86KW082001A	black	LED 50W 2700K CRI 90 <input type="checkbox"/>	41.724,00
---	---	---------------	-------	---	-----------





	<p>D86KW083A suspension wireless kit included 220-240V~ 50/60 Hz H 60, Ø 80 L cable 3 m ceiling rose: Ø 30 x 7</p> <p>CE ⚡ ⚠</p>	1D86KW083001A	black	LED 50W 2700K CRI 90 <input type="checkbox"/>	41.724,00
---	---	---------------	-------	---	-----------

	<p>D86KW084A suspension wireless kit included 220-240V~ 50/60 Hz H 60, Ø 80 L cable 4 m ceiling rose: Ø 30 x 7</p> <p>CE ⚡ ⚠</p>	1D86KW084001A	black	LED 50W 2700K CRI 90 <input type="checkbox"/>	41.724,00
---	---	---------------	-------	---	-----------


	<p>D86KW085A suspension wireless kit included 220-240V~ 50/60 Hz H 60, Ø 80 L cable 5 m ceiling rose: Ø 30 x 7</p> <p>CE ⚡ ⚠</p>	1D86KW085001A	black	LED 50W 2700K CRI 90 <input type="checkbox"/>	41.724,00
---	---	---------------	-------	---	-----------

complete versions phase cut Ø 100

	<p>D86KT101 suspension dimnable phase cut 220-240V~ 50/60 Hz H 90, Ø 100 L cable 1 m ceiling rose: Ø 30 x 7</p> <p>CE ⚡ ⚠</p>	1D86KT101001	black	LED 64W 2700K CRI 90 <input type="checkbox"/>	47.892,00
---	--	--------------	-------	---	-----------

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D86KT102 suspension dimnable phase cut 220-240V~ 50/60 Hz H 90, Ø 100 L cable 2 m ceiling rose: Ø 30 x 7 CE ⊕ ▽	1D86KT102001	black	LED 64W 2700K CRI 90 <input type="checkbox"/>	49.092,00
	D86KT103 suspension dimnable phase cut 220-240V~ 50/60 Hz H 90, Ø 100 L cable 3 m ceiling rose: Ø 30 x 7 CE ⊕ ▽	1D86KT103001	black	LED 64W 2700K CRI 90 <input type="checkbox"/>	49.092,00
	D86KT104 suspension dimnable phase cut 220-240V~ 50/60 Hz H 90, Ø 100 L cable 4 m ceiling rose: Ø 30 x 7 CE ⊕ ▽	1D86KT104001	black	LED 64W 2700K CRI 90 <input type="checkbox"/>	49.092,00
	D86KT105 suspension dimnable phase cut 220-240V~ 50/60 Hz H 90, Ø 100 L cable 5 m ceiling rose: Ø 30 x 7 CE ⊕ ▽	1D86KT105001	black	LED 64W 2700K CRI 90 <input type="checkbox"/>	49.092,00




complete versions with wireless kit Ø 100


	D86KW101A suspension wireless kit included 220-240V~ 50/60 Hz H 90, Ø 100 L cable 1 m ceiling rose: Ø 30 x 7 CE ⊕ ▽	1D86KW101001A	black	LED 61W 2700K CRI 90 <input type="checkbox"/>	49.536,00
	D86KW102A suspension wireless kit included 220-240V~ 50/60 Hz H 90, Ø 100 L cable 2 m ceiling rose: Ø 30 x 7 CE ⊕ ▽	1D86KW102001A	black	LED 61W 2700K CRI 90 <input type="checkbox"/>	51.540,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D86KW103A suspension wireless kit included 220-240V~ 50/60 Hz H 90, Ø 100 L cable 3 m ceiling rose: Ø 30 x 7 CE ⊕ ▽	1D86KW103001A	black	LED 61W 2700K CRI 90 <input type="checkbox"/>	51.540,00
	D86KW104A suspension wireless kit included 220-240V~ 50/60 Hz H 90, Ø 100 L cable 4 m ceiling rose: Ø 30 x 7 CE ⊕ ▽	1D86KW104001A	black	LED 61W 2700K CRI 90 <input type="checkbox"/>	51.540,00
	D86KW105A suspension wireless kit included 220-240V~ 50/60 Hz H 90, Ø 100 L cable 5 m ceiling rose: Ø 30 x 7 CE ⊕ ▽	1D86KW105001A	black	LED 61W 2700K CRI 90 <input type="checkbox"/>	51.540,00
complete versions					
	D86C551 suspension dimnable phase cut 220-240V~ 50/60 Hz Ø 55, H 55 L cable 1 m ceiling rose: Ø 26 x 5 CE ⊕ ▽	1D860C551001	black	LED 40W 2700K CRI 90 <input type="checkbox"/>	20.748,00
	D86C555 suspension dimnable phase cut 220-240V~ 50/60 Hz Ø 55, H 55 L cable 5 m ceiling rose: Ø 26 x 5 CE ⊕ ▽	1D860C555001	black	LED 40W 2700K CRI 90 <input type="checkbox"/>	22.332,00
	D86PLN ceiling dimnable phase cut 220-240V~ 50/60 Hz Ø 72, H 32 CE ⊕ ▽	1D860PLN0001	black	LED 50W 2700K CRI 90 <input type="checkbox"/>	31.380,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

complete indoor versions




	D2017V1 wall/ceiling glass diffuser 220-240V 50/60Hz H 8 Ø 17 CE ⊕ ▽	1D2017V01019	polished	 LED 2700K E14  28W HSGSA E14 energy saver	2.988,00	
		1D2017V01020	painting alu			3.252,00
		1D2017V01040	satin bronze			4.812,00


	D2017V7 wall/ceiling glass diffuser 220-240V 50/60Hz H 8 Ø 17 CE ⊕ ▽	1D2017V07019	polished	LED 12W @ 2700K main power CRI 90 <input type="checkbox"/>	4.320,00	
		1D2017V07020	painting alu			4.584,00
		1D2017V07040	satin bronze			6.108,00















	D2027V1 wall/ceiling glass diffuser 220-240V 50/60Hz H 10 Ø 27 CE ⊕ ▽	1D2027V01020	painting alu	 LED E27  15W FBT E27  70W HSGSA E27 energy saver	3.816,00	
		1D2027V01019	polished			3.924,00
		1D2027V01040	satin bronze			5.628,00


	D2027V9 wall/ceiling glass diffuser 220-240V 50/60Hz H 10 Ø 27 CE ⊕ ▽	1D2027V09020	painting alu	LED 12W @ 3000K main power CRI 90 <input type="checkbox"/>	4.920,00	
		1D2027V09019	polished			5.028,00
		1D2027V09040	satin bronze			6.732,00

complete outdoor versions

	D2017P1 wall/ceiling polycarbonate diffuser 220-240V 50/60Hz H 8 Ø 17 CE ⊕ ▽ IP65	1D2017P01020	painting alu	 LED 2700K E14  28W HSGSA E14 energy saver	3.108,00

	D2017P7 wall/ceiling polycarbonate diffuser 220-240V 50/60Hz H 8 Ø 17 CE ⊕ ▽ IP65	1D2017P07020	painting alu	LED 12W @ 2700K main power CRI 90 <input type="checkbox"/>	4.440,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D2027P1 wall/ceiling polycarbonate diffuser 220-240V 50/60Hz H 10 Ø 27 CE   IP65	1D2027P01020	painting alu	 LED E27 dimmable  70W HSGSA E27 energy saver	3.672,00
	D2027P9 wall/ceiling polycarbonate diffuser 220-240V 50/60Hz H 10 Ø 27 CE   IP65	1D2027P09020	painting alu	LED 12W @ 2700K main power CRI 90 	4.776,00
	D2038P2 wall/ceiling polycarbonate diffuser 220-240V 50/60Hz H 12 Ø 38 CE   IP65	1D2038P02020	painting alu	 2xLED E27  2x70W HSGSA E27 energy saver	4.284,00



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

wall structure complete 2700K




	A11A25W Wall dimmable phase-cut 220-240V ~ 50/60Hz Ø 25 H 3 CE ⚡ ⚠	1A110A25W002	white/mirror	LED 22W 2700K CRI 90 <input type="checkbox"/>	3.540,00
--	---	--------------	--------------	---	----------

wall structure complete 3000K



	A11A25 Wall dimmable phase-cut 220-240V ~ 50/60Hz Ø 25 H 3 CE ⚡ ⚠	1A110A250002	white/mirror	LED 22W 3000K CRI 90 <input type="checkbox"/>	3.540,00
--	--	--------------	--------------	---	----------

suspension structure


	A11/2 Stem H 23, lamp total height CE	1A110/020010	blue		768,00
		1A110/020030	brass		900,00


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	A11/3 Stem H 33, lamp total height CE	1A110/030010	blue		816,00
		1A110/030030	brass		960,00
	A11/4 Stem H 53, lamp total height CE	1A110/040010	blue		948,00
		1A110/040030	brass		1.188,00
	A11/5 Stem H 73, lamp total height CE	1A110/050010	blue		1.080,00
		1A110/050030	brass		1.392,00

ceiling rose


	A11/1D push/DALI ceiling rose Ø 11 H 8 CE ⊕ ▽	1A110/01D010	blue	39W	2.640,00
		1A110/01D030	brass		2.940,00
	A11/1T phase cut ceiling rose Ø 11 H 8 CE ⊕ ▽	1A110/01T010	blue	37W	2.148,00
		1A110/01T030	brass		2.448,00

optic

	A11S50W disc LED 927 Ø 50 CE ⊕ ▽	1A110S50W018	mirror / mirror	2700K CRI 90 <input type="checkbox"/>	6.264,00
---	--	--------------	-----------------	--	----------


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	A11S85W disc LED 927 Ø 85 CE ⊕ ▽	1A110S85W018	mirror / mirror	2700K CRI 90 <input type="checkbox"/>	8.316,00

cover plate for wall structure

	A11/6 cover CE	1A110/060002			360,00
---	---------------------------------	--------------	--	--	--------

A02 NUI

meneghello paoletti associati





base head optic + stem complete version

The lamp has an IK03 grade. Calculate the price of the lamp adding the cost of the base to the head to the optic+stem.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------


version A (the lamp is supplied without power supply)


	A02TA1 outdoor floor base for A version H 34 Ø 18,5 CE	1A020TA10028	concrete grey		2.280,00
---	---	--------------	---------------	--	----------

	A02TA2 outdoor floor head for A version H 17 Ø 18,5 CE	1A020TA20028	concrete grey		2.280,00
---	---	--------------	---------------	--	----------


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------


version B (the lamp is supplied without power supply)

	A02TB1 outdoor floor base for B version H 20 Ø 18,5 CE	1A020TB10028	concrete grey		2.280,00
---	---	--------------	---------------	--	----------



	A02TB2 outdoor floor head for B version H 31 Ø 18,5 CE	1A020TB20028	concrete grey		2.280,00
---	---	--------------	---------------	--	----------

version C (the lamp is supplied without power supply)



	A02TC3 outdoor floor base for C version H 42 Ø 18,5 CE	1A020TC30028	concrete grey		3.528,00
---	---	--------------	---------------	--	----------

	A02TC4 outdoor floor head for C version H 7 Ø 32 CE	1A020TC40028	concrete grey		2.880,00
---	--	--------------	---------------	--	----------

optic


	A02LC1 LED optic + stem for A, B and C versions 24V dc CE  IP65	1A020LC10000		LED 14W 3000K CRI 90 <input type="checkbox"/>	2.280,00
---	---	--------------	--	---	----------

version D. Complete version with optic.


	A02TD2 outdoor floor/wall 220-240V 50/60Hz H 14 Ø 18,5 CE <input type="checkbox"/>  IP65	1A020TD20028	concrete grey	LED 14W 3000K CRI 90 <input type="checkbox"/>	5.088,00
---	--	--------------	---------------	---	----------

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

power supply can be inserted inside the lamp

	A02/2 driver on/off 24V, 14W 220-240V 50/60Hz SELV for A, B and C versions CE IP67	1A020/020000			588,00
---	--	--------------	--	--	--------

remote driver (the junction box is recommended watertight IP68)




	D94/1 dimmable push/DALI driver for 1 body 24V, 35W 220-240V~ 50/60Hz SELV for A, B and C versions CE IP20	1D940/100000			1.164,00
---	---	--------------	--	--	----------

A02R1 NUI MINI



meneghello paoletti associati


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

table lamp portable/rechargeable (USB charger not included in the package)

	A02R1 table / outdoor portable / rechargeable dimmer on board USB/USB-C cable included H 28 Ø 11 CE   IP54	1A020=R10002	white		3.120,00
		1A020=R10039	greige	LED 4W 2700K CRI 90 <input type="checkbox"/>	3.120,00
		1A020=R10004	sand		3.120,00

USB charger for A02R1

	A02/1 USB charger input 110/240V~ 50/60Hz output 5V 2,4A CE 	1A020/010000			408,00
---	---	--------------	--	--	--------



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D72N1 table dimmer on board head L 13 x H 10,5 x W 2 arms l 47 + 42,2 CE	1D720=N10002	white	LED 8W 3000K CRI 80 <input type="checkbox"/>	4.656,00
		1D720=N10001	black soft-touch		4.812,00
		1D720=N10018	mirror		4.812,00


accessories

	D72/1 table base L 18,5 x 18,5 CE	1D72/1000001	black soft-touch		1.068,00
		1D72/1000002	white		1.404,00
		1D72/1000018	mirror		1.500,00

	D72/2 fixing pin (for use on the table max 41mm, hole Ø 10mm) H 4,4, Ø 3 CE	1D72/2000002	white		468,00
		1D72/2000001	black soft-touch		468,00
		1D72/2000018	mirror		516,00


	D72/3 clamp (for use on the table max 41mm) H 4,4 CE	1D72/3000002	white		912,00
		1D72/3000001	black soft-touch		912,00
		1D72/3000018	mirror		936,00




	D72/4 wall bracket L 5 x H 4.5 CE	1D72/4000002	white		456,00
		1D72/4000001	black soft-touch		456,00
		1D72/4000018	mirror		456,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D72/5 desk joint (for use on the table max h 4) H 4,4, Ø 12,5 CE	1D72/5000002	white		624,00
		1D72/5000001	black soft-touch		624,00
		1D72/5000018	mirror		648,00

D71 PETALE





odile decq








Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D71PV suspension + LED strip L 136 x W 83 x H 15 H 50 - 300 ceiling rose: Ø 12 x 3 LED strip dimmable DALI CE	1D710P0V0002	white	LED 17W 3000K CRI90 <input type="checkbox"/>	25.464,00
	D71P1V suspension + LED strip L 154,5 x w 120 x H15 H 50 - 300 ceiling rose: Ø 12 x 3 LED strip dimmable DALI CE	1D710P1V0002	white	LED 21W 3000K CRI90 <input type="checkbox"/>	30.564,00
	D71CV suspension + LED strip Ø 120 x H 15 H 50 - 300 ceiling rose: Ø 12 x 3 LED strip dimmable DALI CE	1D710C0V0002	white	LED 18W 3000K CRI90 <input type="checkbox"/>	25.464,00





Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------






optics 2700K version

	D71/7DVW optic LED at direct light push dim / DALI 220-240V~ 50/60 Hz	1D71/7DVW002		 LED 45W 2700K CRI 90 <input type="checkbox"/>	7.896,00
CE  					


	D71/7DLW optic LED at direct/indirect light push dim / DALI 220-240V~ 50/60 Hz	1D71/7DLW002		 LED 45W 2700K CRI 90 +  LED 25W 2700K CRI 90 <input type="checkbox"/>	11.712,00
CE  					


optics 3000K version


	D71/7DV optic LED at direct light push dim / DALI 220-240V~ 50/60 Hz	1D71/7DV0002		 LED 45W 3000K CRI 90 <input type="checkbox"/>	8.364,00
CE  					

	D71/7DL optic LED at direct/indirect light push dim / DALI 220-240V~ 50/60 Hz	1D71/7DL0002		 LED 45W 3000K CRI 90 +  LED 25W 3000K CRI 90 <input type="checkbox"/>	11.712,00
CE  					


top cover lamp body


	D71/OAC cover for D71CV	1D71/OAC0002	white		2.700,00
CE					


	D71/OAP cover for D71PV	1D71/OAP0002	white		2.700,00
CE					

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D71/OAPI cover for D71P1V CE	1D71/OAPI002	white		2.868,00


only sound-absorbing bodies (no light)


	D71PA suspension soundproofing L 136 x W 83 x H 15 H 50 - 300 CE	1D71OPA0002	white		13.596,00
---	--	-------------	-------	--	-----------



	D71PIA suspension soundproofing L 154,5 x W 120 x H 15 H 50 - 300 CE	1D71PIA0002	white		19.404,00
---	--	-------------	-------	--	-----------

	D71CA suspension soundproofing Ø 120 x H 15 H 50 - 300 CE	1D71OCA0002	white		13.716,00
---	---	-------------	-------	--	-----------

fixing kit for only sound-absorbing bodies (no light)

	D71/S suspension fixing kit CE	1D71/OS00000			1.140,00
---	---	--------------	--	--	----------

	D71/S1 ceiling fixing kit CE	1D71/OS10000			1.272,00
---	---	--------------	--	--	----------



Calculate the price of the lamp adding the cost of the structure to the corresponding optical system and to the optional accessories.

Besides the four catalogue colors, other chromatic ranges have been selected for personalization of the lamps. These custom hues are offered with a 10% surcharge.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------


	D79/90c suspension textile Ø 90 H 45 L cable 80 - 450 ceiling rose: Ø 16 x 4 CE	1D7909C000A2	light grey 133		26.832,00
		1D7909C000A3	dark grey 152		26.832,00
		1D7909C000B2	rust 252		26.832,00
		1D7909C000B1	sand 242		26.832,00

	D79/120c suspension textile Ø 117 H 45 L cable 80 - 450 ceiling rose: Ø 16 x 4 CE	1D7912C000A2	light grey 133		29.160,00
		1D7912C000A3	dark grey 152		29.160,00
		1D7912C000B2	rust 252		29.160,00
		1D7912C000B1	sand 242		29.160,00


	D79/150c suspension textile Ø 148,5 H 45 L cable 80 - 450 ceiling rose: Ø 16 x 4 CE	1D7915C000A2	light grey 133		35.652,00
		1D7915C000A3	dark grey 152		35.652,00
		1D7915C000B2	rust 252		35.652,00
		1D7915C000B1	sand 242		35.652,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------


optics

	<p>D79R/03 E27 optic 220-240V~ 50/60Hz ceiling rose and suspension cables included ceiling rose: Ø 16 x 4</p> <p>CE Ⓢ ⚠</p>	<p>9D7903608200</p>		<p>3 x LED E27</p> <p>3 x max 105W HSGSA E27 energy saver</p>	<p>3.168,00</p>
---	--	---------------------	--	---	-----------------


2700K optics


	<p>D79R/24 LED optic push dim / DALI 220-240V~ 50/60 Hz ceiling rose and suspension cables included ceiling rose: Ø 16 x 4</p> <p>CE Ⓢ ⚠</p>	<p>9D7924103200</p>		<p>LED 41W 2700K CRI 90</p> <input type="checkbox"/>	<p>8.136,00</p>
---	---	---------------------	--	--	-----------------

3000K optics

	<p>D79R/25 LED optic push dim / DALI 220-240V~ 50/60 Hz ceiling rose and suspension cables included ceiling rose: Ø 16 x 4</p> <p>CE Ⓢ ⚠</p>	<p>9D7925103100</p>		<p>LED 41W 3000K CRI 90</p> <input type="checkbox"/>	<p>7.872,00</p>
--	---	---------------------	--	--	-----------------



accessories

	<p>D79R/07 Lower screen (optional in the LED version)</p> <p>CE</p>	<p>9D7907726000</p>	<p>satin Ø 90 cm</p>		<p>3.000,00</p>
		<p>9D7907726100</p>	<p>satin Ø 120 cm</p>		<p>4.596,00</p>
		<p>9D7907726200</p>	<p>satin Ø 150 cm</p>		<p>4.884,00</p>

	<p>D79R/09 suspension kits for installation in parallel ropes (optional)</p> <p>CE</p>	<p>9D7909612000</p>	<p>white</p>		<p>336,00</p>
---	---	---------------------	--------------	--	---------------


D89 SOLEIL NOIR

odile decq

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D89p ceiling push dimmer/DALI 220-240V~ 50/60Hz L 120 x W 62,5 H 18,5	1D890P000002	white	LED 35W 3000K CRI 80 <input type="checkbox"/>	23.988,00
		1D890P000035	black/white		24.492,00
	D89s suspension push dimmer/DALI 220-240V~ 50/60Hz L 120 x W 62,5 x H 35 H min 45 - max 450 ceiling rose: Ø 15 x 5	1D890S000002	white	LED 35W 3000K CRI 80 <input type="checkbox"/>	23.988,00
		1D890S000035	black/white		24.492,00


D87 STOCHASTIC

daniel rybakken




structure

+



kit spheres + rods

=




complete lamp


Calculate the price of the lamp adding the structure to the kit.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

2700K version


	D87CW1 suspension dimnable trailing edge 220-240V~ 50/60Hz H min 120 - max 320 ceiling rose: Ø 18 x 4	1D870CW10000	alu	LED 18W 2700K CRI 90 <input type="checkbox"/>	9.420,00


3000K version

	D87CC1 suspension dimnable trailing edge 220-240V~ 50/60Hz H min 120 - max 320 ceiling rose: Ø 18 x 4	1D870CC10000	alu	LED 18W 3000K CRI 90 <input type="checkbox"/>	9.420,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

Kit spheres + rods

	D87048 Kit 48 spheres + rods CE	1D8704800002	opal white		8.712,00
---	--	--------------	------------	--	----------


	D87072 Kit 72 spheres + rods CE	1D8707200002	opal white		13.380,00
---	--	--------------	------------	--	-----------

D77 TANGO


francisco gomez paz

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

2700K version




	D77NTW floor sensor dimmer + on/off footswitch 220-240V~ 50/60 Hz H 167 base 54 x 47,5 CE □ ▼	1D77NTDW0001	black	LED 35W 2700K CRI 80 <input type="checkbox"/>	12.900,00
---	---	--------------	-------	---	-----------

3000K version


	D77NT floor sensor dimmer + on/off footswitch 220-240V~ 50/60 Hz H 167 base 54 x 47,5 CE □ ▼	1D77NTD00001	black	LED 35W 3000K CRI 80 <input type="checkbox"/>	12.456,00
---	--	--------------	-------	---	-----------

D17 TITANIA

alberto meda, paolo rizzatto




Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D17 suspension up and down 220-240V~ 50/60Hz coloured filters included: yellow, rose, light blue, violet L 70 x H 27 x W 8 H min 100 - max 250 ceiling rose: Ø 12 x 3 CE <input type="checkbox"/> <input type="checkbox"/>	1D1700000020	alu	 LED E27 Ø max 38 mm l 150 mm  205W HSGST E27 energy saver	5.520,00

accessories


	D13/25 off-center ceiling rose CE	9D1325476800	white		576,00
---	---	--------------	-------	--	--------


D17Q QUEEN TITANIA










alberto meda, paolo rizzatto


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D17Q suspension 220-240V~ 50/60Hz L 140 x H 16 ceiling rose: Ø 14 x 4 CE <input type="checkbox"/> <input type="checkbox"/>	1D170QHAL020	alu	 2xLED E27 Ø max 38 mm l 150 mm  2x205W HSGST/F E27 energy saver	13.032,00

accessories

	D17Q /01 pair of polycarbonate filter CE	1D170Q/01024	rose		732,00
		1D170Q/01023	sky blue		732,00
		1D170Q/01027	yellow		732,00
		1D170Q/01036	violet		732,00



	D17Q /02 suspension kit with counterweight H 50 - 250 CE	1D170Q/02020	alu		2.640,00
---	---	--------------	-----	--	----------

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D14a ceiling/wall 220-240V~ 50/60Hz H 17 Ø 64 CE Ⓢ V	1D14A0000020	alu	 3XLED E27  3X70W HSGSA E27 energy saver	4.896,00
	D14 a.pi. ceiling/wall 220-240V~ 50/60Hz H 16 Ø 50 CE Ⓢ V	1D14A1PI0020	alu	 3XLED E27  3X42W HSGSA E27 energy saver	4.080,00
	D14 sa. suspension up and down dimnable trailing edge 220-240V~ 50/60Hz H 80/170 Ø 64 ceiling rose: Ø 18 x 4 CE Ⓢ V	1D14SA0000020	alu	 LED dimmable R7s Ømax: 22 mm  240W HDG R7s energy saver	6.672,00




Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------

structure


	D97/1D cylindrical body direct/indirect light dimmable push/DALI beam: 56° downward , 100° upward 220-240V~ 50/60Hz Ø 5,6, H 90 ceiling rose: Ø 30 x 5 CE Ⓢ ⚠	1D970/1D0001	matt black	LED module 2 x 20W dim to warm <input type="checkbox"/> 3000K → 1800K CRI 97	11.904,00
	D97/2D cylindrical body direct/indirect light dimmable push/DALI beam: 56° downward , 100° upward 220-240V~ 50/60Hz Ø 5,6, H 120 ceiling rose: Ø 30 x 5 CE Ⓢ ⚠	1D970/2D0001	matt black	LED module 2 x 20W dim to warm <input type="checkbox"/> 3000K → 1800K CRI 97	12.948,00


panels for standard collection


	D97C36 sound-absorbing panel for D97/1D and D97/2D L 30 H 60 CE	1D970C3600B1	light grey 01	2.904,00
		1D970C3600B2	medium grey 02	2.904,00
		1D970C3600B3	dark grey 03	2.904,00
	D97C37 sound-absorbing panel only for D97/2D L 30 H 75 CE	1D970C3700B1	light grey 01	2.940,00
		1D970C3700B2	medium grey 02	2.940,00
		1D970C3700B3	dark grey 03	2.940,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D97C39 sound-absorbing panel only for D97/2D L 30 H 90 CE	1D970C3900B1	light grey 01		3.216,00
		1D970C3900B2	medium grey 02		3.216,00
		1D970C3900B3	dark grey 03		3.216,00


panels for melange collection (on request)


	D97C36 sound-absorbing panel for D97/1D and D97/2D L 30 H 60 CE	1D970C3600A1	light shade 07		3.120,00
		1D970C3600A2	medium shade 08		3.120,00
		1D970C3600A3	dark shade 12		3.120,00


	D97C37 sound-absorbing panel only for D97/2D L 30 H 75 CE	1D970C3700A1	light shade 07		3.156,00
		1D970C3700A2	medium shade 08		3.156,00
		1D970C3700A3	dark shade 12		3.156,00

	D97C39 sound-absorbing panel only for D97/2D L 30 H 90 CE	1D970C3900A1	light shade 07		3.492,00
		1D970C3900A2	medium shade 08		3.492,00
		1D970C3900A3	dark shade 12		3.492,00


panels for solid collection (on request)

	D97C36 sound-absorbing panel for D97/1D and D97/2D L 30 H 60 CE	1D970C3600A4	peach 06		3.120,00
		1D970C3600A5	orange 15		3.120,00
		1D970C3600A6	mustard 19		3.120,00
		1D970C3600A7	brick 29		3.120,00
		1D970C3600A8	brown 31		3.120,00


	D97C37 sound-absorbing panel only for D97/2D L 30 H 75 CE	1D970C3700A4	peach 06		3.156,00
		1D970C3700A5	orange 15		3.156,00
		1D970C3700A6	mustard 19		3.156,00
		1D970C3700A7	brick 29		3.156,00
		1D970C3700A8	brown 31		3.156,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	D97C39 sound-absorbing panel only for D97/2D L 30 H 90 CE	1D970C3900A4	peach 06		3.492,00
		1D970C3900A5	orange 15		3.492,00
		1D970C3900A6	mustard 19		3.492,00
		1D970C3900A7	brick 29		3.492,00
		1D970C3900A8	brown 31		3.492,00


kit plaquettes

	D97/31 kit plaquettes for closing panel L 30 CE	1D970/310001	mat black		816,00
---	--	--------------	-----------	--	--------

Zile table





Zile floor





For the table version B0240D and floor version B02T40D, add the price of the structure to the shade.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------



table version

	B0220 Table complete version on/off switch 220-240V~ 50/60Hz H 42 base Ø 18 shade Ø 20 CE □ ▽	1B020=200013	matt brick red	 LED E27	3.084,00
		1B020=200039	matt dove gray		3.084,00
		1B020=200001	matt black		3.084,00
		1B020=200002	matt white		3.084,00


	B0240D Table dimmable structure dimmer on board 220-240V~ 50/60Hz H 66 base Ø 30 CE □ ▽	1B020=40D013	matt brick red	 LED E27 dimmable	3.348,00
		1B020=40D039	matt dove gray		3.348,00
		1B020=40D001	matt black		3.348,00
		1B020=40D002	matt white		3.348,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------



floor version



	B02T40D Floor dimable structure dimmer on board 220-240V~ 50/60Hz H 171 base Ø 40 CE □ ▽	1B020T40D013	matt brick red	 LED E27 dimmable	5.736,00
		1B020T40D039	matt dove gray		5.736,00
		1B020T40D001	matt black		5.736,00
		1B020T40D002	matt white		5.736,00


shade

	B02/2 shade for B0240D and B02T40D CE	1B020/200013	matt brick red		2.136,00
		1B020/200039	matt dove gray		2.136,00
		1B020/200001	matt black		2.136,00
		1B020/200002	matt white		2.136,00

suspension version

	B02S20 Suspension complete version 220-240V~ 50/60Hz L cable max 300 shade H 22,5 - Ø 20 CE ⚡ ▽	1B020S200013	matt brick red	 LED E27	2.160,00
		1B020S200039	matt dove gray		2.160,00
		1B020S200001	matt black		2.160,00
		1B020S200002	matt white		2.160,00

	B02S40 Suspension complete version 220-240V~ 50/60Hz L cable max 300 shade H 27,5 - Ø 40 CE ⚡ ▽	1B020S400013	matt brick red	 LED E27	3.576,00
		1B020S400039	matt dove gray		3.576,00
		1B020S400001	matt black		3.576,00
		1B020S400002	matt white		3.576,00


	B02/1 decentralization accessory CE	1B020/100013	matt brick red		192,00
		1B020/100039	matt dove gray		192,00
		1B020/100001	matt black		192,00
		1B020/100002	matt white		192,00


TRACKS


track system					
--------------	--	--	--	--	--

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------


built-in


	A00BP1 plaf. track 4,9 x H 1,5 L 100	9A000BP10001	black		1.488,00
---	--	--------------	-------	--	----------


	A00BP2 plaf. track 4,9 x H 1,5 L 200	9A000BP20001	black		2.868,00
---	--	--------------	-------	--	----------

	A00BP3 plaf. track 4,9 x H 1,5 L 300	9A000BP30001	black		4.248,00
---	--	--------------	-------	--	----------

ceiling/wall


	A00BS1 suspension track 1,9 x H 1 L 100	9A000BS11002	white		1.404,00
		9A000BS11001	black		1.404,00


	A00BS2 suspension track 1,9 x H 1 L 200	9A000BS12002	white		2.700,00
		9A000BS12001	black		2.700,00


	A00BS3 suspension track 1,9 x H 1 L 300	9A000BS13002	white		4.008,00
		9A000BS13001	black		4.008,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------


ceiling/curved wall


	A00BS30 curved track 1,9 x H 1 L 100	9A000BS30002	white		2.448,00
		9A000BS30001	black		2.448,00


	A00BS50 curved track 1,9 x H 1 L 200	9A000BS50002	white		2.868,00
		9A000BS50001	black		2.868,00

	A00BS3V curved track 1,9 x H 1 L 300	9A000BS3V002	white		2.448,00
		9A000BS3V001	black		2.448,00

suspension


	A00BS21 suspension track 1,9 x H 2,4 L 100	9A000BS21002	white		1.524,00
		9A000BS21001	black		1.524,00


	A00BS22 suspension track 1,9 x H 2,4 L 200	9A000BS22002	white		2.928,00
		9A000BS22001	black		2.928,00


	A00BS23 suspension track 1,9 x H 2,4 L 300	9A000BS23002	white		4.344,00
		9A000BS23001	black		4.344,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------


end caps

	A00BT1 end cap 1,9 x H 1 L 0,8	9A000BT10002	white		144,00
		9A000BT10001	black		144,00


	A00BT5 end cap 2 x H 1,4 L 0,3	9A000BT50001	black		144,00
---	--	--------------	-------	--	--------


	A00BT6 end cap 1,9 x H 2,4 L 0,8	9A000BT60002	white		144,00
		9A000BT60001	black		144,00

template

	A00BD5 template 3,9 x 4,8 thickness 0,2	9A000BD50000	black		168,00
---	---	--------------	-------	--	--------


end cap

	A00BC5 end cap 1,3 x 0,5 L 300	9A000BC50002	white		432,00
		9A000BC50001	black		432,00


	A00BC1 end cap 1,2 x 0,3 L 300	9A000BC10002	white		432,00
		9A000BC10001	black		432,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------


locking tool


	A00BT locking tool	9A000BT00000	black		3.132,00
---	------------------------------	--------------	-------	--	----------

ceiling rose


	A00BR ceiling rose	9A000BR00000	black		372,00
---	------------------------------	--------------	-------	--	--------

short bracket


	A00BS1 short bracket 1,5 x 0,5 L 2,5	9A000BS10002	white		168,00
		9A000BS10001	black		168,00

	A00BS2 short bracket 1,5 x 0,5 L 5	9A000BS20002	white		228,00
		9A000BS20001	black		228,00

lock


	A00BT3 M3 lock Ø 9 H 3	9A000BT30000	black		156,00
---	-------------------------------------	--------------	-------	--	--------


steel cable

	A00BF5 steel cable Ø 0,15	9A000BF50000			288,00
---	--	--------------	--	--	--------


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	------------------


ceiling rose

	A00BDP plastic cup 3,2 x 4,2 L 43,5	9A000BDP0002	white		4.872,00
		9A000BDP0001	black		4.872,00


	A00BDS head ceiling 3,2 x 4,2 L 43,5	9A000BDS0002	white		4.872,00
		9A000BDS0001	black		4.872,00


end feed





	A00BTP end feed 1,9 x 1 L 14	9A000BTP0001	black		468,00
		9A000BDP0002	white		4.872,00

	A00BTS concealed end feed 1,1 x 0,7 L 11,6 L cable 250	9A000BTS0002	white		780,00
		9A000BTS0001	black		780,00




joint




	A00BGP jointing connector 1,1 x 0,7 L 11,3	9A000BGP0002	white		420,00
		9A000BGP0001	black		420,00

	A00BGL L joint 8,7 x 0,7 L 8,7	9A000BGL0002	white		1.140,00
		9A000BGL0001	black		1.140,00





Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	A00BGT feed ceiling-wall 8,7 x 0,7 L 8,7	9A000BGT002	white		1.140,00
		9A000BGT001	black		1.140,00
	A00BGF adjustable corner 1,1 x 0,7 L 23,8	9A000BGF002	white		1.248,00
		9A000BGF001	black		1.248,00
	A00BCGO horizontal corner joint cover 2,4 x 1 L 2,4	9A000BCGO02	white		144,00
		9A000BCGO01	black		144,00
	A00BCGV vertical corner joint cover 2,2 x 1,9 L 2,2	9A000BCGV02	white		144,00
		9A000BCGV01	black		144,00



2700K optics

	A00B303 mod.30 len.30° dimnable push/DALI 4,9W 48V dc SELV 1,1 x 0,7 L 30	9A000B303001	black		2.904,00
	A00BE03 mod.30 len.ell dimnable push/DALI 4,9W 48V dc SELV 1,1 x 0,7 L 30	9A000BE03001	black		2.904,00
	A00B067 mod.67 opal dimnable push/DALI 7,4W 48V dc SELV 1,1 x 0,7 L 67,4	9A000B067001	black		3.600,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	A00B117 mod.117 opal dimmable push/DALI 7,4W 48V dc SELV 1,1 x 0,7 L 117,4	9A000B117001	black		5.772,00
	A00B167 mod.167 opal dimmable push/DALI 14,5W 48V dc SELV 1,1 x 0,7 L 167,4	9A000B167001	black		6.420,00
	A00WBU03 mod.UGR dimmable push/DALI 4,9W 48V dc SELV 1,1 x 0,7 L 30	9A000BU03001 9A000BU03002	black white		3.120,00 3.240,00

3000K optics

	A00B303 mod.30 len.30° dimmable push/DALI 4,9W 48V dc SELV 1,1 x 0,7 L 30	9A00WB303001	black		3.012,00
	A00BE03 mod.30 len.eil dimmable push/DALI 4,9W 48V dc SELV 1,1 x 0,7 L 30	9A00WBE03001	black		3.012,00
	A00B067 mod.67 opal dimmable push/DALI 7,4W 48V dc SELV 1,1 x 0,7 L 67,4	9A00WB067001	black		3.780,00
	A00B117 mod.117 opal dimmable push/DALI 7,4W 48V dc SELV 1,1 x 0,7 L 117,4	9A00WB117001	black		6.288,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	SEK ex V.A.T.
	A00B167 mod.167 opal dimmable push/DALI 14,5W 48V dc SELV 1,1 x 0,7 L 167,4	9A00WB167001	black		6.996,00
	A00BU03 mod.UGR dimmable push/DALI 4,9W 48V dc SELV 1,1 x 0,7 L 30	9A00WBU03002	white		3.240,00
		9A00WBU03001	black		3.240,00

PACKAGING DIMENSIONS AND WEIGHT



GENERAL CONDITION OF SALE



© Luceplan Giugno 2023
All rights reserved

Contact

Italy
Headquarters
Via E.T. Moneta 40
20161 Milano
T +39 02 66 2421
F +39 02 66 203 400
N. verde 800 800 169
info@luceplan.com

USA

287 Park Ave South, NY
NY 10010
T (212) 334 1809
F (212) 334 7307
infous@luceplan.com

Showroom

Milan
Corso Monforte 7
20122 Milano
T +39 02 76 015 760
F +39 02 78 4062
luceplanstore@luceplan.com

For info, contacts and information
about international distributors
please visit www.luceplan.com

luceplan.com